

REFERENCES

- Abdallah, O. I., Alamer, S. S., & Alrasheed, A. M. (2018). Monitoring pesticide residues in dates marketed in Al-Qassim, Saudi Arabia using a QuEChERS methodology and liquid chromatography–tandem mass spectrometry. *Biomedical Chromatography*, 32(6), e4199.
- Abou-Arab, A. A. K. (1999). Behavior of pesticides in tomatoes during commercial and home preparation. *Food Chemistry*, 65(4), 509-514.
- Aboul-Enein, H. Y. (2000). Selectivity versus specificity in chromatographic analytical methods. *Accreditation and Quality Assurance*, 5(5), 180-181.
- Abtahi, M., Fakhri, Y., Oliveri Conti, G., Keramati, H., Zandsalimi, Y., Bahmani, Z., & Ghasemi, S. M. (2017). Heavy metals (As, Cr, Pb, Cd and Ni) concentrations in rice (*Oryza sativa*) from Iran and associated risk assessment: a systematic review. *Toxin Reviews*, 36(4), 331-341.
- Abu-Rekab, Z. A., & El-Kerdany, A. Y. (2009). Evaluation of Sewy date palm cultivar irrigated by both treated wastewater and Nile water. In 4th Conference on Recent Technologies in Agriculture (pp. 670-683).
- Ahmed, I. E., Mirghani, H. O., Mesaik, M. A., Ibrahim, Y. M., & Amin, T. Q. (2018). Effects of date fruit consumption on labour and vaginal delivery in Tabuk, KSA. *Journal of Taibah University Medical Sciences*, 13(6), 557-563.
- Ahmed, J., Al-Jasass, F. M., & Siddiq, M. (2014). "Date fruit composition and nutrition". In *Dates: Postharvest Science, Processing Technology and Health Benefits* (pp. 261-283), John Wiley & Sons.
- Akan, J. C., Abdulrahman, F. I., Sodipo, O. A., & Akandu, P. I. (2009). Bioaccumulation of some heavy metals of six fresh water fishes caught from lake chad in doron buhari, maiduguri, Borno state, Nigeria. *Journal of Applied Sciences in Environmental Sanitation*, 4(2).
- Akoulov, A. A., & Wiens, T. (2018). The Effect of Co-Saturated Salts on the Kinematic Viscosity of Water. *USURJ: University of Saskatchewan Undergraduate Research Journal*, 5(1).
- Aksoy, A., & Öztürk, M. (1996). *Phoenix dactylifera* L. as a biomonitor of heavy metal pollution in Turkey. *Journal of Trace and Microprobe Techniques*, 14(3), 605-614.
- Al-'Ani, A., Husayn, S., Ibn 'Ulwan, S., al-Bugham, S., & Darwish, U. (2010). Dawr ashjar fi al-had min al-talawwuth al-bi'i. *Majallah al-Shajarah al-Mubarakah*, 2(1), 58-80.
- Albalasmeh, A. A., Berhe, A. A., & Ghezzehei, T. A. (2013). A new method for rapid determination of carbohydrate and total carbon concentrations using UV spectrophotometry. *Carbohydrate Polymers*, 97(2), 253-261.

- Aldjain, I. M., Al-Whaibi, M. H., Al-Showiman, S. S., & Siddiqui, M. H. (2011). Determination of heavy metals in the fruit of date palm growing at different locations of Riyadh. *Saudi Journal of Biological Sciences*, 18(2), 175-180.
- Al-Farsi, M. A., & Lee, C. Y. (2008). Nutritional and functional properties of dates: a review. *Critical Reviews in Food Science and Nutrition*, 48(10), 877-887.
- AlFaris, N. A., AlTamimi, J. Z., AlGhamdi, F. A., Albaridi, N. A., Alzaheb, R. A., Aljabryn, D. H., ... & AlMousa, L. A. (2021). Total phenolic content in ripe date fruits (*Phoenix dactylifera* L.): A systematic review and meta-analysis. *Saudi Journal of Biological Sciences*, 28(6), 3566-3577.
- Al-Hooti, S., Sidhu, J. S., Al-Otaibi, J., Al-Ameeri, H., & Qabazard, H. (1997). Processing of some important date cultivars grown in United Arab Emirates into chutney and date relish. *Journal of Food Processing and Preservation*, 21(1), 55-68.
- Ali-Mohamed, A. Y., & Khamis, A. S. (2004). Mineral ion content of the seeds of six cultivars of Bahraini date palm (*Phoenix dactylifera* L.). *Journal of Agricultural and Food Chemistry*, 52(21), 6522-6525.
- Allaith, A. A. A. (2008). Antioxidant activity of Bahraini date palm (*Phoenix dactylifera* L.) fruit of various cultivars. *International Journal of Food Science & Technology*, 43(6), 1033-1040.
- Alle, A., Dembelle, A., Yao, B., & Ado, G. (2009). Distribution of organochlorine pesticides in human breast milk and adipose tissue from two locations in Côte d'Ivoire. *Asian Journal of Applied Sciences*, 2(5), 456-463.
- Al-Meqbali, A. S. R., El-Shahawi, M. S., & Kamal, M. M. (1998). Differential pulse polarographic analysis of chlorpyrifos insecticide. *Electroanalysis: An International Journal Devoted to Fundamental and Practical Aspects of Electroanalysis*, 10(11), 784-786.
- Al-Noimi, J., & Al-Amir, G. (1980). *Physiology and morphology of date palm*. Faculty of Agriculture, Al-Basra University, Iraq.
- Al-Rehiyani, S., & Osman, K. A. (2003). Residual levels of preharvest-sprayed amitraz in date fruits. *Journal of Pest Contamination and Environmental Science*, 11, 1-12.
- Al-Rehiyani, S., & Osman, K. A. (2005). Fate of Preharvest-Sprayed Dicofol in Date Fruits: Residue Analysis by HPLC-UV. *Journal of Agricultural and Marine Sciences [JAMS]*, 10(1), 21-26.
- Al-Shahib, W., & Marshall, R. J. (2003). The fruit of the date palm: its possible use as the best food for the future? *International Journal of Food Sciences and Nutrition*, 54(4), 247-259.

- Al-Shayeb, S.M., Al-Rajhi, M.A., Seaward, M.R.D. (1995). The date palm (*Phoenix dactylifera* L.) as a biomonitor of lead and other elements in arid environments. *Science of the Total Environment*, 168 (1), 1–10
- Amarowicz, R., Pegg, R. B., Rahimi-Moghaddam, P., Barl, B., & Weil, J. A. (2004). Free-radical scavenging capacity and antioxidant activity of selected plant species from the Canadian prairies. *Food Chemistry*, 84(4), 551-562.
- Amdur MO, Doull J, Klaassen CD (1991) *Casarett's and Doull's toxicology: the basic science of poisons*. New York: McGraw Hill.
- American Academy of Pediatrics Committee on Environmental Health. (2005). Lead exposure in children: prevention, detection, and management. *Pediatrics*, 116(4), 1036-1046.
- Amir, R. M., Randhawa, M. A., Nadeem, M., Ahmed, A., Ahmad, A., Khan, M. R., & Kausar, R. (2019). Assessing and reporting household chemicals as a novel tool to mitigate pesticide residues in spinach (*Spinacia oleracea*). *Scientific reports*, 9(1), 1-6.
- Anagnostopoulos, C., & Miliadis, G. E. (2013). Development and validation of an easy multiresidue method for the determination of multiclass pesticide residues using GC–MS/MS and LC–MS/MS in olive oil and olives. *Talanta*, 112, 1-10.
- Anastassiades, M., Lehotay, S. J., Štajnbaher, D., & Schenck, F. J. (2003). Fast and easy multiresidue method employing acetonitrile extraction/partitioning and “dispersive solid-phase extraction” for the determination of pesticide residues in produce. *Journal of AOAC International*, 86(2), 412-431.
- Anastassiades, M., Scherbaum, E., Tisdelen, B., & Stajnbaher, D. (2007). Recent developments in QuEChERS methodology for pesticide multiresidue analysis. *Pesticide chemistry: Crop protection, public health, environmental safety*, 46, 439-458.
- Angioni, A., Dedola, F., Garau, A., Sarais, G., Cabras, P., & Caboni, P. (2011). Chlorpyrifos residues levels in fruits and vegetables after field treatment. *Journal of Environmental Science and Health, Part B*, 46(6), 544-549.
- Angioni, A., Schirra, M., Garau, V. L., Melis, M., Tuberoso, C. I. G., & Cabras, P. (2004). Residues of azoxystrobin, fenhexamid and pyrimethanil in strawberry following field treatments and the effect of domestic washing. *Food Additives and Contaminants*, 21(11), 1065-1070.
- Antilén, M., Araya, N., Briceno, M., & Escudey, M. (2006). Changes on chemical fractions of heavy metals in Chilean soils amended with sewage sludge affected by a thermal impact. *Soil Research*, 44(6), 619-625.
- Aracoglu, S., Tuzen, M., Mendil, D., Soylak, M., Elci, L., & Dogan, M. (2004). Heavy metal content of hard biscuits produced in Turkey. *Bulletin of Environmental Contamination and Toxicology*, 73(2), 264-269.

- Arkoosh, M. R., Casillas, E., Clemons, E., Kagley, A. N., Olson, R., Reno, P., & Stein, J. E. (1998). Effect of pollution on fish diseases: potential impacts on salmonid populations. *Journal of Aquatic Animal Health*, 10(2), 182-190.
- Armbruster, D. A., Tillman, M. D. & Hubbs, L. M. (1994) Limit of detection (LOD) limit of quantitation (LOQ) - comparison of the empirical and the statistical, methods exemplified with GC-MS assays of abused drugs. *Clinical Chemistry*, 40,1233-1238.
- Arnnok, P., Patdhanagul, N., & Burakham, R. (2017). Dispersive solid-phase extraction using polyaniline-modified zeolite NaY as a new sorbent for multiresidue analysis of pesticides in food and environmental samples. *Talanta*, 164, 651-661.
- Arnoux, P., & Morrison, R. (1992). Drug analysis of biological samples. A survey of validation approaches in chromatography in the UK pharmaceutical industry. *Xenobiotica*, 22(7), 757-764.
- Arora, M., K. Bala, R. Shweta, R. Anchal, K. Barinder and M.Neeraj. 2008. Heavy metal accumulation in vegetables irrigated with water from different sources. *Food Chemistry*, 111, 811-815.
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total phenolic content, flavonoid content and antioxidant potential of wild vegetables from Western Nepal. *Plants*, 8(4), 96.
- Audry, S., Schäfer, J., Blanc, G., & Jouanneau, J. M. (2004). Fifty-year sedimentary record of heavy metal pollution (Cd, Zn, Cu, Pb) in the Lot River reservoirs (France). *Environmental Pollution*, 132(3), 413-426.
- Augusto, F., Hantao, L. W., Mogollón, N. G., & Braga, S. C. (2013). New materials and trends in sorbents for solid-phase extraction. *TrAC Trends in Analytical Chemistry*, 43, 14-23.
- Austin, F. L., & Wolff, I. A. (1968). Sinapine and related esters in seed meal of *Crambe abyssinica*. *Journal of Agricultural and Food Chemistry*, 16(1), 132-135.
- Awad, S. B., & Awad, N. F. (2022). The Role of Surfactants in Ultrasonic Cleaning: Nanoparticle Removal and Other Challenging Applications. In *Surfactants in Precision Cleaning* (pp. 227-271). Elsevier.
- Awadallah, R. M., Amrallah, A. H., & Grass, F. (1999). Environmental and chemical studies on trace element levels in some Egyptian fruit and condiments. *Special Publication-Royal Society of Chemistry*, 234, 330-342.
- Awasthi, M. D. (1986). Chemical treatments for the decontamination of brinjal fruit from residues of synthetic pyrethroids. *Pesticide Science*, 17(2), 89-92.
- Baird C. (1999). *Environmental Chemistry*. New York: Freeman.
- Baird, C., & Cann, M. (1999). *Environmental Chemistry*. New York: Freeman and Company.

- Bajwa, U., & Sandhu, K. S. (2014). Effect of handling and processing on pesticide residues in food-a review. *Journal of Food Science and Technology*, 51(2), 201-220.
- Banerjee, K., Utture, S., Dasgupta, S., Kandaswamy, C., Pradhan, S., Kulkarni, S., & Adsule, P. (2012). Multiresidue determination of 375 organic contaminants including pesticides, polychlorinated biphenyls and polyaromatic hydrocarbons in fruits and vegetables by gas chromatography–triple quadrupole mass spectrometry with introduction of semi-quantification approach. *Journal of Chromatography A*, 1270, 283-295.
- Banum S.J., 1982. Introduction to Organic and Biological Chemistry Third ed., Macmillan Publishing Co., New York, NY, p. 541
- Barnett R.M. et al. (1996). Review of particle physics. *Physical Review D*, 54(1). doi:10.1103/PhysRevD.54.1
- Berghof products and instruments. 2016. Theory of sample preparation using acid digestion, pressure digestion and microwave digestion (microwave decomposition).
- Besbes, S., Drira, L., Blecker, C., Deroanne, C., & Attia, H. (2009). Adding value to hard date (*Phoenix dactylifera* L.): Compositional, functional and sensory characteristics of date jam. *Food Chemistry*, 112(2), 406-411.
- Bhatia, S., Sharma, A. K., La Cruz, D., Vargas, C. B., Chaugule, B., & Al-Harrasi, A. (2021). Nutraceutical, Antioxidant, Antimicrobial Properties of *Pyropia vietnamensis* (Tanaka et Pham-Hong Ho) JE Sutherl. et Monotilla. *Current Bioactive Compounds*, 17(2), 151-164.
- Biglari, F., AlKarkhi, A. F., & Easa, A. M. (2008). Antioxidant activity and phenolic content of various date palm (*Phoenix dactylifera*) fruits from Iran. *Food Chemistry*, 107(4), 1636-1641.
- Blainski, A., Lopes, G. C., & De Mello, J. C. P. (2013). Application and analysis of the folin ciocalteu method for the determination of the total phenolic content from *Limonium brasiliense* L. *Molecules*, 18(6), 6852-6865.
- Blass, W. (1991). Determination of methyl carbamate residues using on-line coupling of HPLC with a post column fluorimetric labeling technique. *Fresenius' Journal of Analytical Chemistry*, 339(6), 340-343.
- Borrell, A., & Aguilar, A. (2007). Organochlorine concentrations declined during 1987–2002 in western Mediterranean bottlenose dolphins, a coastal top predator. *Chemosphere*, 66(2), 347-352.
- Botitsi, H. V., Garbis, S. D., Economou, A., & Tsipi, D. F. (2011). Current mass spectrometry strategies for the analysis of pesticides and their metabolites in food and water matrices. *Mass spectrometry reviews*, 30(5), 907-939.

- Brand-Miller, J., Hayne, S., Petocz, P., & Colagiuri, S. (2003). Low-glycemic index diets in the management of diabetes: a meta-analysis of randomized controlled trials. *Diabetes Care*, 26(8), 2261-2267.
- Brown, D. A., Bay, S. M., Alfafara, J. F., Hershelman, G. P., & Rosenthal, K. D. (1984). Detoxification/toxification of cadmium in scorpionfish (*Scorpaena guttata*): acute exposure. *Aquatic Toxicology*, 5(2), 93-107.
- Brune, M., Hallberg, L., & Skånberg, A. B. (1991). Determination of iron-binding phenolic groups in foods. *Journal of Food Science*, 56(1), 128-131.
- Burchat, C. S., Ripley, B. D., Leishman, P. D., Ritcey, G. M., Kakuda, Y., & Stephenson, G. R. (1998). The distribution of nine pesticides between the juice and pulp of carrots and tomatoes after home processing. *Food Additives & Contaminants*, 15(1), 61-71.
- Burns, R. E. (1971). Method for estimation of tannin in grain sorghum 1. *Agronomy Journal*, 63(3), 511-512.
- Cairns, T., Chiu, K. S., Navarro, D., & Siegmund, E. (1993). Multiresidue pesticide analysis by ion-trap mass spectrometry. *Rapid Communications in Mass Spectrometry*, 7(11), 971-988.
- Caldas, S. S., Demoliner, A., & Primel, E. G. (2009). Validation of a method using solid phase extraction and liquid chromatography for the determination of pesticide residues in groundwaters. *Journal of the Brazilian Chemical Society*, 20(1), 125-132.
- Camino-Sánchez, F. J., Zafra-Gómez, A., Oliver-Rodríguez, B., Ballesteros, O., Navalón, A., Crovetto, G., & Vilchez, J. L. (2010). UNE-EN ISO/IEC 17025: 2005-accredited method for the determination of pesticide residues in fruit and vegetable samples by LC-MS/MS. *Food Additives and Contaminants*, 27(11), 1532-1544.
- Casarett, L. J. (1991). *Casarett and Doull's toxicology: the basic science of poisons*. Oxford: Pergamon Press.
- Cengiz, M. F., Certel, M., & Göçmen, H. (2006). Residue contents of DDVP (Dichlorvos) and diazinon applied on cucumbers grown in greenhouses and their reduction by duration of a pre-harvest interval and post-harvest culinary applications. *Food Chemistry*, 98(1), 127-135.
- Cerkvenik, V., Doganoc, D. Z., & Jan, J. (2000). Evidence of some trace elements, organochlorine pesticides and PCBs in Slovenian cow's milk. *Food Technology and Biotechnology*, 38(2), 155-160.
- Cesar Abel Krohling, Frederico Jacob Eutróprio, Amanda Azevedo Bertolazi, Leonardo Barros Dobbss, Eliemar Campostrini, Teresa Dias & Alessandro Coutinho Ramos (2016). *Ecophysiology of iron homeostasis in plants*, *Soil Science and Plant Nutrition*, 62(1), 39-47. <https://doi.org/10.1080/00380768.2015.1123116>

- Chabukdhara, M., Munjal, A., Nema, A. K., Gupta, S. K., & Kaushal, R. K. (2016). Heavy metal contamination in vegetables grown around peri-urban and urban-industrial clusters in Ghaziabad, India. *Human and Ecological Risk Assessment: An International Journal*, 22(3), 736-752.
- Chai, M. K. & Tan, G. H. (2010). Headspace solid phase microextraction for the evaluation of pesticide residue contents in cucumber and strawberry after washing treatment. *Food Chemistry*, 123, 760-764.
- Chambers, J. E., & Yarbrough, J. D. (1976). Xenobiotic biotransformation systems in fishes. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology*, 55(2), 77-84.
- Chandran, S., & Singh, R. S. P. (2007). Comparison of various international guidelines for analytical method validation. *Die Pharmazie-An International Journal of Pharmaceutical Sciences*, 62(1), 4-14.
- Chatterjee, M., & Sarma, P. S. (2003). Unusual neurological complications in a case of organophosphate poisoning. *Neurology India*, 51(2), 290.
- Chen, H., Pan, M., Liu, X., & Lu, C. (2017). Evaluation of transfer rates of multiple pesticides from green tea into infusion using water as pressurized liquid extraction solvent and ultra-performance liquid chromatography tandem mass spectrometry. *Food Chemistry*, 216, 1-9.
- Chen, J. H., & Ho, C. T. (1997). Antioxidant activities of caffeic acid and its related hydroxycinnamic acid compounds. *Journal of Agricultural and Food Chemistry*, 45(7), 2374-2378.
- Chen, Y., Wang, C., & Wang, Z. (2005). Residues and source identification of persistent organic pollutants in farmland soils irrigated by effluents from biological treatment plants. *Environment International*, 31(6), 778-783.
- Chrastný, V., Komarek, M., Tlustoš, P., & Švehla, J. (2006). Effects of flooding on lead and cadmium speciation in sediments from a drinking water reservoir. *Environmental Monitoring and Assessment*, 118(1), 113-123.
- Christensen, K., Harper, B., Luukinen, B., Buhl, K., & Stone, D. (2009). *Chlorpyrifos technical fact sheet*. National Pesticide Information Center, 07-03.
- Chung, S. W. (2018). How effective are common household preparations on removing pesticide residues from fruit and vegetables? A review. *Journal of the Science of Food and Agriculture*, 98(8), 2857-2870. doi:10.1002/jsfa.8821
- Chung, S. W., & Chan, B. T. (2010). Validation and use of a fast sample preparation method and liquid chromatography–tandem mass spectrometry in analysis of ultra-trace levels of 98 organophosphorus pesticide and carbamate residues in a total diet study involving diversified food types. *Journal of Chromatography A*, 1217(29), 4815-4824.

- Cima, F. (2011). Tin: environmental pollution and health effects. *Encyclopedia of Environmental Health*, 10, 351-359.
- Clandinin, D. R. (1961). Rapeseed oil meal studies: 4. Effect of sinapin, the bitter substance in rapeseed oil meal, on the growth of chickens. *Poultry Science*, 40(2), 484-487.
- Cortese, M., Gigliobianco, M. R., Magnoni, F., Censi, R., & Di Martino, P. (2020). Compensate for or minimize matrix effects? Strategies for overcoming matrix effects in liquid chromatography-mass spectrometry technique: a tutorial review. *Molecules*, 25(13), 3047.
- Costa, F. P., Caldas, S. S., & Primel, E. G. (2014). Comparison of QuEChERS sample preparation methods for the analysis of pesticide residues in canned and fresh peach. *Food Chemistry*, 165, 587-593.
- Costa, L. G., Olibet, G., & Murphy, S. D. (1988). Alpha2-adrenoceptors as a target for formamidine pesticides: In vitro and in vivo studies in mice. *Toxicology and Applied Pharmacology*, 93(2), 319-328.
- Croucher, L., & Jewess, P. (2007). Metabolic pathways of agrochemicals: part 2: insecticides and fungicides. *Royal Society of Chemistry*.
- Currell, G. (2000) *Analytical instrumentation performance characteristics and quality*. Hoboken: Wiley & Sons.
- De Brätter, V. E. N., Brätter, P., Reinicke, A., Schulze, G., Alvarez, W. O. L., & Alvarez, N. (1995). Determination of mineral and trace elements in total diet by inductively coupled plasma atomic emission spectrometry: comparison of microwave-based digestion and pressurized ashing systems using different acid mixtures. *Journal of Analytical Atomic Spectrometry*, 10(7), 487-491.
- De Oliveira Arias, J. L., Rombaldi, C., Caldas, S. S., & Primel, E. G. (2014). Alternative sorbents for the dispersive solid-phase extraction step in quick, easy, cheap, effective, rugged and safe method for extraction of pesticides from rice paddy soils with determination by liquid chromatography tandem mass spectrometry. *Journal of Chromatography A*, 1360, 66-75.
- Denboef, G., & Hulanicki, A. (1983). Recommendations for the usage of selective, selectivity and related terms in analytical chemistry. *Pure and Applied Chemistry*, 55(3), 553-556.
- Denholm, I., Devine, G. J., & Williamson, M. S. (2002). Insecticide resistance on the move. *Science*, 297(5590), 2222-2223.
- Deribachew, B., Amde, M., Nigussie-Dechassa, R., & Taddese, A. M. (2015). Selected heavy metals in some vegetables produced through wastewater irrigation and their toxicological implications in Eastern Ethiopia. *African Journal of Food, Agriculture, Nutrition and Development*, 15(3), 10013-10032.

- Deshpande, S., & Cheryan, M. (1987). Determination of phenolic compounds of dry beans using vanillin, redox and precipitation assays. *Journal of Food Science*, 52(2), 332-334.
- Devi, P. A., Paramasivam, M., & Prakasam, V. (2015). Degradation pattern and risk assessment of carbendazim and mancozeb in mango fruits. *Environmental Monitoring and Assessment*, 187(1), 4142.
- Dg-sanco, E. C. (2013). Guidance document on analytical quality control and validation procedures for pesticide residues analysis in food and feed. SANCO/12571.
- Dolan, J. W. (2002). Peak tailing and resolution. *LC-GC North America*, 20(5), 430-437.
- Dolan, J. W., Snyder, L. R., Saunders, D. L., & Van Heukelem, L. (1998). Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development: II. The use of further changes in conditions. *Journal of Chromatography A*, 803(1-2), 33-50.
- Dong, F., Liu, X., Cheng, L., Chen, W., Li, J., Qin, D., & Zheng, Y. (2009). Determination of metaflumizone residues in cabbage and soil using ultra-performance liquid chromatography/ESI-MS/MS. *Journal of Separation Science*, 32(21), 3692-3697.
- Dreywood, R. (1946). Qualitative test for carbohydrate material. *Industrial and Engineering Chemistry-Analytical Edition*, 18(8), 499-49.
- Drum, C. 1980. Soil Chemistry of Pesticides: PPG Industries, Inc. USA.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. T., & Smith, F. (1956). Colorimetric method for determination of sugars and related substances. *Analytical Chemistry*, 28(3), 350-356.
- Đurović, R., & Đorđević, T. (2011). Modern extraction techniques for pesticide residues determination in plant and soil samples. Pesticides in the Modern World-Trends in Pesticides Analysis, 221-247.
- El-Saeid, M. H., & Al-Dosari, S. A. (2010). Monitoring of pesticide residues in Riyadh dates by SFE, MSE, SFC, and GC techniques. *Arabian Journal of Chemistry*, 3(3), 179-186.
- Emara, S., Masujima, T., Zarad, W., Kamal, M., Fouad, M., & El-Bagary, R. (2015). A combination of isocratic and gradient elution modes in HPLC with the aid of time-overlapping process for rapid determination of methyl dopa in human urine. *Journal of Liquid Chromatography & Related Technologies*, 38(2), 153-162.
- Englis, D., & Becker, H. (1943). Sugar analysis by alkaline ferricyanide method-determination of ferrocyanide by iodometric and other procedures. *Industrial & Engineering Chemistry Analytical Edition*, 15(4), 262-264.

- Eskin, N. A. M. (1980). Analysis of rapeseed by TiCl_4 . In *Proceedings of Analytical Chemistry of Rapeseed and its Product Symposium*, Winnipeg, Manitoba (pp. 171-173).
- Essa, M. M., Akbar, M., & Khan, M. A. S. (2016). Beneficial effects of date palm fruits on neurodegenerative diseases. *Neural regeneration research*, 11(7), 1071.
- Esteban, M. A., Cordero, H., Martínez-Tomé, M., Jiménez-Monreal, A. M., Bakhrouf, A., & Mahdhi, A. (2014). Effect of dietary supplementation of probiotics and palm fruits extracts on the antioxidant enzyme gene expression in the mucosae of gilthead seabream (*Sparus aurata* L.). *Fish & Shellfish Immunology*, 39(2), 532-540.
- European Commission. (2006). Quality control procedures for pesticide residues analysis. SANCO-10232-2006. *Commission of the European Communities*. Retrieved from: http://ec.europa.eu/food/plant/resources/qualcontrol_en.pdf
- European Commission. (2013). Guidance document on analytical quality control and validation procedures for pesticide residues analysis in food and feed. SANCO/12571.
- European Commission. 2008. Maximum pesticide levels for food products for human consumption and animal feeding stuffs. Brussels: European Union. Retrieved from http://ec.europa.eu/food/plant/protection/pesticides/index_en.htm
- Fang, H., Wang, Y., Gao, C., Yan, H., Dong, B., & Yu, Y. (2010). Isolation and characterization of *Pseudomonas* sp. CBW capable of degrading carbendazim. *Biodegradation*, 21(6), 939-946.
- FAO. (n.d.). *Glossary of terms*. Retrieved from <http://www.fao.org/fao-who-codexalimentarius/codex-texts/dbs/pestres/glossary/en/>
- FAO/WHO. (1985). Pesticide Residues in Food. FAO Plant Production and Protection Paper 67.
- FAO/WHO. (2011). Food standards programme, Codex Committee on Contaminants in Foods. *Fifth session at the Hague, the Netherlands*, 21 - 25 March 2011.
- Farajzadeh, M. A., Yadeghari, A., & Khoshmaram, L. (2017). Combination of dispersive solid phase extraction and dispersive liquid-liquid microextraction for extraction of some aryloxy pesticides prior to their determination by gas chromatography. *Microchemical Journal*, 131, 182-191.
- Fayadh, J. M., & Al-Showiman, S. S. (1990). Chemical composition of date palm (*Phoenix dactylifera* L.). *Journal of The Chemical Society of Pakistan*, 12(1), 84-103.
- Fekete, S., Fekete, J., Molnár, I., & Ganzler, K. (2009). Rapid high-performance liquid chromatography method development with high prediction accuracy, using 5 cm long narrow bore columns packed with sub-2 μm particles and Design Space computer modeling. *Journal of Chromatography A*, 1216(45), 7816-7823.

- Fernandes, V. C., Domingues, V. F., Mateus, N., & Delerue-Matos, C. (2012). Analysing organochlorine pesticides in strawberry jams using GC-ECD, GC-MS/MS and QuEChERS sample preparation. *Food Additives & Contaminants: Part A*, 29(7), 1074-1084.
- Fernandez-Alba, A. R., & García-Reyes, J. F. (2008). Large-scale multi-residue methods for pesticides and their degradation products in food by advanced LC-MS. *TrAC Trends in Analytical Chemistry*, 27(11), 973-990.
- Ferreira, A. L., Loureiro, S., & Soares, A. M. (2008). Toxicity prediction of binary combinations of cadmium, carbendazim and low dissolved oxygen on *Daphnia magna*. *Aquatic Toxicology*, 89(1), 28-39.
- Fifield, F. W., & Haines, P. J. (Eds.). (2000). *Environmental analytical chemistry* (Vol. 2). London: Blackwell science.
- Flora, S. J., Flora, G., & Saxena, G. (2006). Environmental occurrence, health effects and management of lead poisoning. In Lead (pp. 158-228). *Elsevier Science BV*.
- Flourat, A. L., Willig, G., Teixeira, A. R., & Allais, F. (2019). Eco-friendly extraction of sinapine from residues of mustard production. *Frontiers in Sustainable Food Systems*, 3, 12.
- Folin, O., & Denis, W. (1912). On phosphotungstic-phosphomolybdic compounds as color reagents. *Journal of Biological Chemistry*, 12(2), 239-243.
- Food and Agriculture Organization of the United Nations (1989). *The state of food and agriculture*.
- Fróes, M. B. R., Santos, L. F. S., & Navickiene, S. (2013). Multi-residue determination of pesticides in açai tropical fruit (*Euterpe oleracea*) by matrix solid-phase dispersion combined with liquid chromatography. *Food Analytical Methods*, 6(1), 328-333.
- Ganzera, M., Choudhary, M. I., & Khan, I. A. (2003). Quantitative HPLC analysis of withanolides in *Withania somnifera*. *Fitoterapia*, 74(1-2), 68-76.
- Garcia-Alvarez-Coque, M. C., Ruiz-Angel, M. J., Berthod, A., & Carda-Broch, S. (2015). On the use of ionic liquids as mobile phase additives in high-performance liquid chromatography. A Review. *Analytica Chimica Acta*, 883, 1-21.
- García-Repetto, R. (2018). Sample preparation for pesticide analysis in a forensic toxicology laboratory: a review. *Journal of forensic sciences and digital investigation*, 1(1), 27-45.
- Garcia-Reyes, J. F., Ferrer, C., Gómez-Ramos, M. J., Fernández-Alba, A. R., & Molina-Díaz, A. (2007). Determination of pesticide residues in olive oil and olives. *Trac Trends in Analytical Chemistry*, 26(3), 239-251.

- Gautam, P. K., Gautam, R. K., Banerjee, S., Chattopadhyaya, M. C., & Pandey, J. D. (2016). Heavy metals in the environment: fate, transport, toxicity and remediation technologies. *Nova Sci Publishers*, 60, 101-130.
- Gavriloaiei, T. (2008). Considerations on microwave-assisted digestion: Towards a conceptual model. *Analele Stiintifice de Universitatii AI Cuza din Iasi. Sect. 2, Geologie*, 54, 19.
- Ghosh, M., & Singh, S. P. (2005). A review on phytoremediation of heavy metals and utilization of its byproducts. *Applied Ecology and Environmental Research*, 3(1), 1-18.
- Goldstein, J. L., & Swain, T. (1963). Changes in tannins in ripening fruits. *Phytochemistry*, 2(4), 371-383.
- Goodson, W. H, Lowe L, Carpenter DO, Gilbertson M, Ali AM, de Cerain Salsamendi AL et al (2015) Assessing the carcinogenic potential of low-dose exposures to chemical mixtures in the environment: the challenge ahead. *Carcinogenesis*, 36, 254–296. doi:10.1093/carcin/bgv039
- Green, J. M. (1996). Peer reviewed: a practical guide to analytical method validation. *Analytical Chemistry*, 68(9), 305A-309A.
- Gunderson, E. L. (1995). FDA Total Diet Study, July 1986-April 1991, dietary intakes of pesticides, selected elements, and other chemicals. *Journal of AOAC International*, 78(6), 1353–1363.
- Gupta, R.G. (2007). *Veterinary Toxicology*. Amsterdam: Elsevier.
- Hall, G., & Dolan, J. W. (2002). Performance qualification of LC systems. *LC-GC North America*, 20(9), 842-849.
- Hamid, M. A. (2011). Growth and heavy metals uptake by date palm grown in mono- and dual culture in heavy metals contaminated soil. *World Applied Sciences Journal*, 15(3), 429-435.
- Harinathareddy, A., Prasad, N. B. L., & Devi, K. L. (2014). Effect of household processing methods on the removal of pesticide residues in tomato vegetable. *Journal of Environmental Research and Development*, 9(1), 50.
- Hassan, A., Zayed, S. M. A. D., & Bahig, M. R. E. (1969). Metabolism of organophosphorus insecticides—XI: Metabolic fate of dimethoate in the rat. *Biochemical Pharmacology*, 18(10), 2429-2438.
- Hassan, I., Cotrozzi, L., Haiba, N. S., Basahi, J., Ismail, I., Almeelbi, T., & Hammam, E. (2017). Trace elements in the fruits of date palm (*Phoenix dactylifera* L.) in Jeddah City, Saudi Arabia. *Agrochimica*, 61(1), 75.
- He, Z., Wang, L., Peng, Y., Luo, M., Wang, W., & Liu, X. (2015). Multiresidue analysis of over 200 pesticides in cereals using a QuEChERS and gas chromatography-

- tandem mass spectrometry-based method. *Food Chemistry*, 169, 372–380.
<https://doi.org/10.1016/j.foodchem.2014.07.102>
- Health Organization (WHO). (2004). *Pesticides and health*.
http://www.who.int/mental_health/prevention/suicide/en/PesticidesHealth2.pdf
- Hegazy, A. A., Zaher, M. M., Abd El-Hafez, M. A., Morsy, A. A., & Saleh, R. A. (2010). Relation between anemia and blood levels of lead, copper, zinc and iron among children. *BMC Research Notes*, 3(1), 1-9.
- Helberg, M., Bustnes, J. O., Erikstad, K. E., Kristiansen, K. O., & Skaare, J. U. (2005). Relationships between reproductive performance and organochlorine contaminants in great black-backed gulls (*Larus marinus*). *Environmental Pollution*, 134(3), 475-483.
- Hellar, H. (2002). Pesticide residues in sugarcane plantations and environs after long-term use: the case" of TPC Ltd, Kilimanjaro region (Doctoral dissertation). University of Dar es Salaam.
- Hoenig, M. (2003). Sample Preparation for Trace Element Analysis. Dry Ashing, *Comprehensive Analytical Chemistry*, (41), 235–255
- Hoff, J. E., & Singleton, K. I. (1977). A method for determination of tannins in foods by means of immobilized protein. *Journal of Food Science*, 42(6), 1566-1569.
- Horwitz, W.; Latimer, G. W (2005). Official methods of analysis of AOAC International, Maryland, USA, 18th ed.
- Hossain, A. S. (2015). Dried dates fruit and its biochemical and nutrient content uses as diabetic food. *Asian Journal of Clinical Nutrition*, 7, 90-95.
- Hosseini, S. V., Sobhanardakani, S., Miandare, H. K., Harsij, M., & Mac Regenstein, J. (2015). Determination of toxic (Pb, Cd) and essential (Zn, Mn) metals in canned tuna fish produced in Iran. *Journal of Environmental Health Science and Engineering*, 13(1), 1-6.
- Housecroft, C. E., & Sharpe, A. G. (2008). Chapter 22: d-block metal chemistry: the first row elements. *Inorganic Chemistry*, 716.
- Hseu, Z. Y. (2004). Evaluating heavy metal contents in nine composts using four digestion methods. *Bioresource Technology*, 95(1), 53-59.
<https://www.chromatographyonline.com>.
- Huan, Z., Luo, J., Xu, Z., & Xie, D. (2016). Acute toxicity and genotoxicity of carbendazim, main impurities and metabolite to earthworms (*Eisenia foetida*). *Bulletin of Environmental Contamination and Toxicology*, 96(1), 62-69.
- Hunter, D. J., Hankinson, S. E., Laden, F., Colditz, G. A., Manson, J. E., Willett, W. C., & Wolff, M. S. (1997). Plasma organochlorine levels and the risk of breast cancer. *New England Journal of Medicine*, 337(18), 1253-1258.

- Husna, A. H., Ramadhani, E. A., Eva, D. T., Yulita, A. F., & Suhartono, E. (2014). The role formation of methylglyoxal, carbonyl compound, hydrogen peroxide and advance oxidation protein product induced cadmium in ovarian rat. *International Journal of Chemical Engineering and Applications*, 5(4), 319-23.
- Hwang, E. S., Cash, J. N., & Zabik, M. J. (2001). Postharvest treatments for the reduction of mancozeb in fresh apples. *Journal of agricultural and food chemistry*, 49(6), 3127-3132.
- Ibrahim, A. & Muhsin Aziz, N. (2001). Al-Tabayun fi tarakiz al-haydar wa karbunat al-nuftiyyah fi awraq nakhil al-tamr shanaf al-halawi fi ba'dh manathiq syathth al-'Arab. *Majallah Ulum al-Mustanshiriyyah*, 12(5), 71-81.
- International Programme on Chemical Safety (IPCS). (1989). *Environmental Health Criteria* 90. Dimethoate. Retrieved from <http://www.inchem.org/documents/ehc/ehc/ehc90.htm> external icon 4/20/13
- Irwandi, J., & Farida, O. (2009). Mineral and heavy metal contents of marine fin fish in Langkawi Island, Malaysia. *International Food Research Journal*, 16(1).
- Ishchenko, V., & Vasykivskyi, I. (2020). Environmental pollution with heavy metals: case study of the Household Waste. In *Sustainable production: Novel trends in energy, environment and material systems* (pp. 161-175). Springer, Cham.
- Jadhar, G. D. (1987). *Effect of ageing and processing of okra fruits on pesticide residues*. Paper presented at the International Congress of Plant Protection, Manila (Philippines), 5-9 Oct 1987.
- Jadwiga, R., & Ryszard, J. G. (1988). Flavonoids are scavengers of superoxide anions. *Biochemical Pharmacology*, 37, 837-841.
- Jian, W. A. N. G., Leung, D., & Chow, W. (2010). Applications of LC/ESI-MS/MS and UHPLC QqTOF MS for the determination of 148 pesticides in berries. *Journal of Agricultural and Food Chemistry*, 58(10), 5904-5925.
- Joint, F. A. O., & World Health Organization. (2003). Inventory of IPCS and other WHO pesticide evaluations and summary of toxicological evaluations performed by the Joint Meeting on Pesticide Residues (JMPR): evaluations through 2002 (No. WHO/PCS/02.3). *World Health Organization*.
- Joint, F. A. O., World Health Organization, & WHO Expert Committee on Food Additives. (2017). Guidance document for the establishment of Acute Reference Dose (ARfD) for veterinary drug residues in food: Joint FAO/WHO Expert Committee on Food Additives (JECFA).
- Kailasa, S. K., & Wu, H. F. (2012). Comprehensive Sampling and Sample Preparation. *Analytical Techniques for Scientists*, (3), 743-782
- Kamel, A., Al-Dosary, S., Ibrahim, S., & Ahmed, M. A. (2007). Degradation of the acaricides abamectin, flufenoxuron and amitraz on Saudi Arabian dates. *Food Chemistry*, 100(4), 1590-1593.

- Kamil, M., Ramadan, K., Olabi, A. G., Ghenai, C., Inayat, A., & Rajab, M. H. (2019). Desert palm date seeds as a biodiesel feedstock: extraction, characterization, and engine testing. *Energies*, 12(16), 3147
- Kamsonlian, S., Balomajumder, C., Chand, S., & Suresh, S. (2011). Biosorption of Cd (II) and As (III) ions from aqueous solution by tea waste biomass. *African Journal of Environmental Science and Technology*, 5(1), 1-7.
- Kanja, L., Skåre, J. U., Nafstad, I., Maitai, C. K., & Lokken, P. (1986). Organochlorine pesticides in human milk from different areas of Kenya 1983–1985. *Journal of Toxicology and Environmental Health, Part A Current Issues*, 19(4), 449-464.
- Karagöz, A., Artun, F. T., Özcan, G., Melikoğlu, G., Anıl, S., Kültür, Ş., & Sütülpınar, N. (2015). In vitro evaluation of antioxidant activity of some plant methanol extracts. *Biotechnology & Biotechnological Equipment*, 29(6), 1184-1189.
- Karlsson, I., Friberg, H., Steinberg, C., & Persson, P. (2014). Fungicide effects on fungal community composition in the wheat phyllosphere. *PLoS One*, 9(11), e111786.
- Kataoka, H. (2010). Recent developments and applications of microextraction techniques in drug analysis. *Analytical and bioanalytical chemistry*, 396(1), 339-364.
- Kaur, R., Mavi, G. K., Raghav, S., & Khan, I. (2019). Pesticide's classification and its impact on environment. *International Journal of Current Microbiology and Applied*, 8(3), 1889-1897.
- Keskin, Y., Baskaya, R., Ozyaral, O., Yurdun, T., Lülecı, N. E., & Hayran, O. (2007). Cadmium, lead, mercury and copper in fish from the Marmara Sea, Turkey. *Bulletin of Environmental Contamination and Toxicology*, 78(3-4), 258–261. <https://doi.org/10.1007/s00128-007-9123-9>
- Kikuzaki, H., & Nakatani, N. (1993). Antioxidant effects of some ginger constituents. *Journal of Food Science*, 58(6), 1407-1410.
- Kingston, H. M., & Jassie, L. B. (1986). Microwave energy for acid decomposition at elevated temperatures and pressures using biological and botanical samples. *Analytical chemistry*, 58(12), 2534-2541.
- Kmellár, B., Abrankó, L., Fodor, P., & Lehotay, S. J. (2010). Routine approach to qualitatively screening 300 pesticides and quantification of those frequently detected in fruit and vegetables using liquid chromatography tandem mass spectrometry (LC-MS/MS). *Food Additives and Contaminants*, 27(10), 1415-1430.
- Kmellár, B., Fodor, P., Pareja, L., Ferrer, C., Martínez-Uroz, M. A., Valverde, A., & Fernandez-Alba, A. R. (2008). Validation and uncertainty study of a comprehensive list of 160 pesticide residues in multi-class vegetables by liquid chromatography–tandem mass spectrometry. *Journal of Chromatography A*, 1215(1-2), 37-50.

- Kochhar S.P., Rossell J.B. (1990) Detection, Estimation and Evaluation of Antioxidants in Food Systems. In: Hudson B.J.F. (eds) Food Antioxidants. *Elsevier Applied Food Science Series*. Springer, Dordrecht. https://doi.org/10.1007/978-94-009-0753-9_2
- Koesukwiwat, U., Lehotay, S. J., Miao, S., & Leepipatpiboon, N. (2010). High throughput analysis of 150 pesticides in fruits and vegetables using QuEChERS and low-pressure gas chromatography–time-of-flight mass spectrometry. *Journal of Chromatography A*, 1217(43), 6692-6703.
- Kosanić, M., Ranković, B., & Vukojević, J. (2011). Antioxidant properties of some lichen species. *Journal of Food Science and Technology*, 48(5), 584-590.
- Krol, W. J., Arsenault, T. L., Pylypiw, H. M., & Incorvia Mattina, M. J. (2000). Reduction of pesticide residues on produce by rinsing. *Journal of Agricultural and Food Chemistry*, 48(10), 4666-4670.
- Kruve, A., Künnapas, A., Herodes, K., & Leito, I. (2008). Matrix effects in pesticide multi-residue analysis by liquid chromatography–mass spectrometry. *Journal of chromatography A*, 1187(1-2), 58-66.
- Kuhnlein, H. V., & Chan, H. M. (2000). Environment and contaminants in traditional food systems of northern indigenous peoples. *Annual review of nutrition*, 20(1), 595-626.
- Kulkarni, S. G., Vijayanand, P., & Shubha, L. (2010). Effect of processing of dates into date juice concentrate and appraisal of its quality characteristics. *Journal of Food Science and Technology*, 47(2), 157-161.
- Kumar, A., MMS, C. P., Chaturvedi, A. K., Shabnam, A. A., Subrahmanyam, G., Mondal, R. & Yadav, K. K. (2020). Lead toxicity: health hazards, influence on food chain, and sustainable remediation approaches. *International journal of environmental research and public health*, 17(7), 2179.
- Kumar, K. P., Reddy, D. J., Reddy, K. N., Babu, T. R., & Narendranath, V. V. (2000). Dissipation of cypermethrin residues in chilli. *Pesticide Research Journal*, 12(1), 130-132.
- Kumari, D., & John, S. (2019). Health risk assessment of pesticide residues in fruits and vegetables from farms and markets of Western Indian Himalayan region. *Chemosphere*, 224, 162-167.
- Lambert, W. (2004). Pitfalls in LC–MS (–MS) analysis. *Bulletin of the International Association of Forensic Toxicologists*, 24, 59-61.
- Laug, E. P., Kunze, F. M., & Prickett, C. S. (1951). Occurrence of DDT in human fat and milk. *Arch. Industrial Hygiene and Occupational Medicine*, 3(3), 245-6.
- Laurila, E., & Ahvenainen, R. (2002). Minimal processing in practice: fresh fruits and vegetables. *Minimal processing technologies in the food industry.*, 219-244.

- LeDoux, M. (2011). Analytical methods applied to the determination of pesticide residues in foods of animal origin. A review of the past two decades. *Journal of Chromatography A*, 1218(8), 1021-1036.
- Lee, S. R., Mourer, C. R., & Shibamoto, T. (1991). Analysis before and after cooking processes of a trace chlorpyrifos spiked in polished rice. *Journal of Agricultural and Food Chemistry*, 39(5), 906-908.
- Lehotay, S. J. (2007). Determination of pesticide residues in foods by acetonitrile extraction and partitioning with magnesium sulfate: collaborative study. *Journal of AOAC International*, 90(2), 485-520.
- Lehotay, S. J., Kok, A. D., Hiemstra, M., & Bodegraven, P. V. (2005a). Validation of a fast and easy method for the determination of residues from 229 pesticides in fruits and vegetables using gas and liquid chromatography and mass spectrometric detection. *Journal of AOAC International*, 88(2), 595-614.
- Lehotay, S. J., Maštovská, K., & Yun, S. J. (2005b). Evaluation of two fast and easy methods for pesticide residue analysis in fatty food matrixes. *Journal of AOAC International*, 88(2), 630-638.
- Li, M., Dai, C., Wang, F., Kong, Z., He, Y., Huang, Y. T., & Fan, B. (2017). Chemometric-assisted QuEChERS extraction method for post-harvest pesticide determination in fruits and vegetables. *Scientific Reports*, 7, 42489.
- Li, X., Wang, X., Chen, D., & Chen, S. (2011). Antioxidant activity and mechanism of protocatechuic acid in vitro. *Functional Foods in Health and Disease*, 1(7), 232-244.
- Liang, Y., Wang, W., Shen, Y., Liu, Y., & Liu, X. J. (2012). Effects of home preparation on organophosphorus pesticide residues in raw cucumber. *Food Chemistry*, 133(3), 636-640.
- Lindsay, S. (1992). *High performance liquid chromatography (analytical chemistry by open learning)*. New York: John Wiley & Sons.
- Linsinger, T. P. (2008). Use of recovery and bias information in analytical chemistry and estimation of its uncertainty contribution. *TrAC Trends in Analytical Chemistry*, 27(10), 916-923.
- Longnecker, M. P., Klebanoff, M. A., Zhou, H., & Brock, J. W. (2001). Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. *The Lancet*, 358(9276), 110-114.
- Lopez, C. I., Torres, A. L., Torres, S. L., Espinosa, T. F., Jimenez, C. & Cebrian M. (1996). Is DDT using a public health problem in Mexico? *Environmental Health Perspectives*, 104, 584-588.
- López, M. G., Fussell, R. J., Stead, S. L., Roberts, D., McCullagh, M., & Rao, R. (2014). Evaluation and validation of an accurate mass screening method for the analysis of pesticides in fruits and vegetables using liquid chromatography–quadrupole-

- time of flight–mass spectrometry with automated detection. *Journal of Chromatography A*, 1373, 40-50.
- Lozano, A., Kiedrowska, B., Scholten, J., de Kroon, M., de Kok, A., & Fernández-Alba, A. R. (2016). Miniaturisation and optimization of the Dutch mini-Luke extraction method for implementation in the routine multi-residue analysis of pesticides in fruits and vegetables. *Food Chemistry*, 192, 668-681.
- Luckey, T. D. and Venugopal, B. (1977). *Metal Toxicity in Mammals*. Plenum Press, New York.
- Kaschl, A., Römheld, V., & Chen, Y. (2002). Cadmium binding by fractions of dissolved organic matter and humic substances from municipal solid waste compost. *Journal of Environmental Quality*, 31(6), 1885-1892.
- Luke, M. A., Froberg, J. E., Doose, G. M., & Masumoto, H. T. (1981). Improved multiresidue gas chromatographic determination of organophosphorus, organonitrogen, and organohalogen pesticides in produce, using flame photometric and electrolytic conductivity detectors. *Journal of the Association of Official Analytical Chemists*, 64(5), 1187-1195.
- Mahmood, A., & Malik, R. N. (2014). Human health risk assessment of heavy metals via consumption of contaminated vegetables collected from different irrigation sources in Lahore, Pakistan. *Arabian Journal of Chemistry*, 7(1), 91-99.
- Majors, R. E., & Przybyciel, M. (2002). Columns for reversed-phase LC separations in highly aqueous mobile phases. *LC-GC North America*, 20(7), 584-593.
- Makris, D. P., & Rossiter, J. T. (2001). Comparison of quercetin and a non-orthohydroxy flavonol as antioxidants by competing in vitro oxidation reactions. *Journal of Agricultural and Food Chemistry*, 49(7), 3370-3377.
- Maldener, G. (1989). Requirements and tests for HPLC apparatus and methods in pharmaceutical quality control. *Chromatographia*, 28(1-2), 85-88.
- Manahan, S. E. (2001). *Fundamentals of environmental chemistry*. 2nd Edition. USA: Lewis Publishers.
- Manav, Ö. G., Dinç-Zor, Ş., & Alpdoğan, G. (2019). Optimization of a modified QuEChERS method by means of experimental design for multiresidue determination of pesticides in milk and dairy products by GC–MS. *Microchemical Journal*, 144, 124-129.
- Manoli, E. & Samara, C. (1999) Polycyclic aromatic hydrocarbons in natural waters: Sources, occurrence and analysis. *Trac-Trends in Analytical Chemistry*, 18, 417-428.
- Marshall, M. R. (2010). Ash Analysis, Food Analysis, *Food Science Texts Series, Part 2, Chapter 7*, 105–115
- Martel, A.C., Zeggane, S. (2002). Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection. *Journal of Chromatography A*, 954, 173–189.

- Martin, H. (1968). *Pesticides manual*. London: British Crop Protection Council.
- Martins, M. L., Kemmerich, M., Prestes, O. D., Maldaner, L., Jardim, I. C., & Zanella, R. (2017). Evaluation of an alternative fluorinated sorbent for dispersive solid-phase extraction clean-up of the quick, easy, cheap, effective, rugged, and safe method for pesticide residues analysis. *Journal of Chromatography A*, 1514, 36-43.
- Marzec, A., & Bulinski, R. (1997). Zawartosc niektórych pierwiastkow sladowych w orzechach i jadalnych nasionach. *Bromatologia i Chemia Toksykologiczna*, 2(30), 125-128.
- Marzouka, H. A., & Kassemb, H. A. (2011). Improving fruit quality, nutritional value and yield of Zaghloul dates by the application of organic and/or mineral fertilizers. *Scientia Horticulturae*, 127, 249-254.
- Mathur, H. B., Agarwal, H. C., Johnson, S., & Saikia, N. (2005). *Analysis of pesticide residues in blood samples from villages of Punjab*. New Delhi: Centre for Science and Environment.
- Matusiewicz, H. (2003). Wet digestion methods. Sample preparation for trace element analysis, 41, 193-233.
- Maxson, E. D., & Rooney, L. W. (1972). Evaluation of methods for tannin analysis in sorghum grain. *Cereal Chemistry*, 49(6), 719-728.
- Mazellier, P., Leroy, E., De Laat, J., & Legube, B. (2003). Degradation of carbendazim by UV/H₂O₂ investigated by kinetic modelling. *Environmental Chemistry Letters*, 1(1), 68-72.
- McDonald, S., Prenzler, P. D., Antolovich, M., & Robards, K. (2001). Phenolic content and antioxidant activity of olive extracts. *Food Chemistry*, 73(1), 73-84.
- McFarlane, J. A. (1989). *Guidelines for pest management research to reduce stored food losses caused by insects and mites* (ODNRI Bulletin No. 22).
- Mecozzi, M. (2005). Estimation of total carbohydrate amount in environmental samples by the phenol-sulphuric acid method assisted by multivariate calibration. *Chemometrics and Intelligent Laboratory Systems*, 79(1-2), 84-90.
- Merck. (n.d.). *LC/MS/MS analysis of pesticide residues in dates*. Retrieved from <https://www.sigmaaldrich.com/technical-documents/articles/analytical-applications/hplc/lc-ms-ms-analysis-of-pesticide-residues-in-dates-g1006927.html>
- Meurs, J (2016). Flow rates in liquid chromatography, gas chromatography and supercritical fluid chromatography: A Tool for optimization. *Journal of Open Research Software*, 4: e32, DOI: <http://dx.doi.org/10.5334/jors.126> *Journal of open research software*.

- Meyer, V. R. & Majors, R. E. (2002). Minimizing the effect of sample preparation on measurement uncertainty. *LC GC Europe*, 15, 398-401.
- Michałowicz, J., & Duda, W. (2007). Phenols--Sources and Toxicity. *Polish Journal of Environmental Studies*, 16(3).
- Miller, J. N., & Miller, J. C. (2005). *Statistics and chemometrics for analytical chemistry*. Harlow: Pearson Prentice Hall.
- Mishra, A., & Shukla, S. K. (2014). Heavy metal toxicity: a blind evil. *Journal of Forensic Research*, 5(1), 116.
- Mishra, A., Shukla, S. K., & Gupta, A. K. (2014). Analysis of insecticides in body fluids: a review. *Journal of Chromatograph Separation Technique*, 5(234), 2.
- Mofida, E. W. A (2002). Determination of some toxic elements in local foodstuff of Saudi Arabia Kingdom using atomic absorption spectroscopy. *Journal of the Saudi Chemical Society*, (6), 7-14
- Mohammed, E., Mohammed, T., & Mohammed, A. (2017). Optimization of an acid digestion procedure for the determination of Hg, As, Sb, Pb and Cd in fish muscle tissue. *MethodsX*, 4, 513-523.
- Mohd Sahardi, N., & Makpol, S. (2019). Ginger (*zingiber officinale roscoe*) in the prevention of ageing and degenerative diseases; Review of current evidence. *Evidence-Based Complementary and Alternative Medicine*.
- Mohebi, A.H. 2011. Phytoremediation potential of three plant grown in monoculture and intercropping with date palm in contaminated soil. *World Applied Sciences Journal.*, 15(3): 429-435
- Mónica, A., Nadia, A., Margarita, B. & Mauricio, E. (2006). Changes on Chemical fractions of heavy metals in Chilean soils Amended with sewage sludge affected by a thermal impact. *Australian Journal of Soil Research*, 44, 619-625.
- Morrissey, J., & Guerinot, M. L. (2009). Iron uptake and transport in plants: the good, the bad, and the ionome. *Chemical Reviews*, 109(10), 4553-4567.
- Moser, V. C., & MacPhail, R. C. (1989). Investigations of amitraz neurotoxicity in rats: III. Effects on motor activity and inhibition of monoamine oxidase. *Fundamental and Applied Toxicology*, 12(1), 12-22.
- Mraihi, F., Journi, M., Chérif, J. K., Sokmen, M., Sokmen, A., & Trabelsi-Ayadi, M. (2013). Phenolic contents and antioxidant potential of *Crataegus* fruits grown in Tunisia as determined by DPPH, FRAP, and β -carotene/linoleic acid assay. *Journal of Chemistry*, 2013.
- Nakata, H., Kawazoe, M., Arizono, K., Abe, S., Kitano, T., Shimada, H., ... & Ding, X. (2002). Organochlorine pesticides and polychlorinated biphenyl residues in foodstuffs and human tissues from China: status of contamination, historical

- trend, and human dietary exposure. *Archives of Environmental Contamination and Toxicology*, 43(4), 0473-0480.
- Nasreddine, L., & Parent-Massin, D. (2002). Food contamination by metals and pesticides in the European Union. Should we worry? *Toxicology Letters*, 127(1-3), 29-41.
- Nasrin, F., Mahmood, A., Noushin, R., Masud, Y., Nasrin, S., Hassan, A., & Moghaddam, V. K. (2015). Effects of Wash Procedures and Storage Time on the Antioxidant Activity of Fresh Vegetables. *International Journal of Pharmacognosy and Phytochemical Research*, 7(5), 928-933.
- Needleman, H. L., Schell, A., Bellinger, D., Leviton, A., & Allred, E. N. (1990). The long-term effects of exposure to low doses of lead in childhood: an 11-year follow-up report. *New England Journal of Medicine*, 322(2), 83-88.
- Nemati, K., Bakar, N. K. A., Abas, M. R. B., Sobhanzadeh, E., & Low, K. H. (2010). Comparative study on open system digestion and microwave-assisted digestion methods for metal determination in shrimp sludge compost. *Journal of Hazardous Materials*, 182(1-3), 453-459.
- Nguyen, T. D., Han, E. M., Seo, M. S., Kim, S. R., Yun, M. Y., Lee, D. M., & Lee, G. H. (2008). A multi-residue method for the determination of 203 pesticides in rice paddies using gas chromatography/mass spectrometry. *Analytica Chimica Acta*, 619(1), 67-74.
- Norli, H. R., Christiansen, A., & Deribe, E. (2011). Application of QuEChERS method for extraction of selected persistent organic pollutants in fish tissue and analysis by gas chromatography mass spectrometry. *Journal of Chromatography A*, 1218(41), 7234-7241.
- Nowowi, M. F. M., Ishak, M. A. M., Ismail, K., & Zakaria, S. R. (2016). Study on the effectiveness of five cleaning solutions in removing chlorpyrifos residues in cauliflower (*Brassica oleracea*). *Journal of Environmental Chemistry and Ecotoxicology*, 8(7), 69-72.
- Oktay, M., Gülçin, İ., & Küfrevioğlu, Ö. İ. (2003). Determination of in vitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. *LWT-Food Science and Technology*, 36(2), 263-271.
- Omwenga, I. M. (2013). *Assessment of pesticide and heavy metal residues in tilapia fish from Machakos and Kiambu counties, Kenya* (Doctoral dissertation). University of Nairobi, Kenya.
- Osawa, T., & Namiki, M. (1981). A novel type of antioxidant isolated from leaf wax of Eucalyptus leaves. *Agricultural and Biological Chemistry*, 45(3), 735-739.
- Oshita, D., & Jardim, I. C. (2014). Comparison of different sorbents in the QuEChERS method for the determination of pesticide residues in strawberries by LC-MS/MS. *Chromatographia*, 77(19-20), 1291-1298.

- Osman, K. A. (2015). Production of date palm fruits free of acaricides residues by ozone technology as post-harvest treatment. *Journal of food science and technology*, 52(6), 3322-3335.
- Osman, K. A., Al-Humaid, A. I., Al-Redhaiman, K. N., & El-Mergawi, R. A. (2014). Safety methods for chlorpyrifos removal from date fruits and its relation with sugars, phenolics and antioxidant capacity of fruits. *Journal of Food Science and Technology*, 51(9), 1762-1772.
- Oteef, M. D. Y. (2008). *Analysis of the potato sprout inhibitor 1, 4-dimethylnaphthalene: HPLC method development and applications* (Doctoral dissertation). University of Glasgow, Scotland.
- Ottolenghi, A. (1959). Interaction of ascorbic acid and mitochondrial lipides. *Archives of Biochemistry and Biophysics*, 79, 355-363.
- Oyaizu, M. (1986). Studies on product of browning reaction prepared from glucose amine. *The Japanese Journal of Nutrition and Dietetics*, 44, 307-315.
- Pano-Farias, N. S., Ceballos-Magaña, S. G., Muniz-Valencia, R., & Gonzalez, J. (2017). Validation and assessment of matrix effect and uncertainty of a gas chromatography coupled to mass spectrometry method for pesticides in papaya and avocado samples. *Journal of Food and Drug Analysis*, 25(3), 501-509. <http://dx.doi.org/10.1016/j.jfda.2016.09.005>
- Parmar, M., & Thakur, L. S. (2013). Heavy metal Cu, Ni and Zn: toxicity, health hazards and their removal techniques by low-cost adsorbents: a short overview. *International Journal of Plant, Animal and Environmental Sciences*, 3(3), 143-157.
- Pastor, F. T., Šegan, D. M., Gorjanović, S. Ž., Kalušević, A. M., & Sužnjević, D. Ž. (2020). Development of voltammetric methods for antioxidant activity determination based on Fe (III) reduction. *Microchemical Journal*, 155, 104721.
- Patel, G. M., Rohit, J. V., Singhal, R. K., & Kailasa, S. K. (2015). Recognition of carbendazim fungicide in environmental samples by using 4-aminobenzenethiol functionalized silver nanoparticles as a colorimetric sensor. *Sensors and Actuators B: Chemical*, 206, 684-691.
- Pawar, R. R., Gosavi, N. R., More, B. P., & Daundakar, B. B. (2015). Chlorpyrifos in biological samples by HPTLC. *International Journal of Plant, Animal and Environmental Sciences*, 5(1), 300-304.
- Pillay, A. E., Williams, J. R., El Mardi, M. O., Hassan, S. M., & Al-Hamdi, A. (2002). Monitoring of cadmium in “on” and “off” date palms. *Environment international*, 28(4), 273-276.
- Pirsaheb, M., Limoe, M., Namdari, F., & Khamutian, R. (2015). Organochlorine pesticides residue in breast milk: a systematic review. *Medical journal of the Islamic Republic of Iran*, 29, 228.

- Pourreza, N., Rastegarzadeh, S., & Larki, A. (2015). Determination of fungicide carbendazim in water and soil samples using dispersive liquid-liquid microextraction and microvolume UV-vis spectrophotometry. *Talanta*, 134, 24-29.
- Prasad, J., Abraham, V. J., Minz, S., Abraham, S., Joseph, A., Muliylil, J. P & Jacob, K. S. (2006). Rates and factors associated with suicide in Kaniyambadi block, Tamil Nadu, South India, 2000–2002. *International Journal of Social Psychiatry*, 52(1), 65-71.
- Pratap, H.B., & Wendelaar, Bonga, S.E. (1990). Effects of waterborne cadmium on plasma cortisol and glucose in the cichlid fish, *Oreochromis mossambicus*. *Comparative Biochemistry and Physiology, Part C: Comparative Pharmacology*, 95, 313-317.
- Pratt, D. E. (1992). Natural antioxidants from plant material in phenolic compounds in food and their effects on health II. In: Hang, Ho, C., & Lee, C. (eds.), *Antioxidants and Cancer prevention (ACS symposium series)*. Washington DC: American Chemical Society.
- Price, M. L., & Butler, L. G. (1977). Rapid visual estimation and spectrophotometric determination of tannin content of sorghum grain. *Journal of Agricultural and Food Chemistry*, 25(6), 1268-1273.
- Price, M. L., Van Scoyoc, S., & Butler, L. G. (1978). A critical evaluation of the vanillin reaction as an assay for tannin in sorghum grain. *Journal of Agricultural and Food Chemistry*, 26(5), 1214-1218.
- Pugliese P, Moltó J.C, Damiania P, Marín R, Cossignania L, Mañes J (2004) Gas chromatographic evaluation of pesticide residue contents in nectarines after non-toxic washing treatments. *Journal of Chromatography A*, 1050, 185-191.
- Pulford, I. & Flowers, H. (2006). *Environmental chemistry at a glance*. Oxford: Blackwell.
- Qasim, A., Aashif, M., & al-Tahir, U. (1986). “Ta’thir al-ghubar ‘ala awraq wa thimar nakhil al-tamr”. In: *Ishdarat nadwah al-nakhil al-thaniyah* (vol. 2) (pp. 619-625). Saudi Arabia.
- Qassim, A., Ibrahim, A. M., & Ahmed, O. (1986). *Tather Alghbar ala Awraq wa theamar akheel attamar*. 2nd edition. Saudi Arabia.
- Queiroz-Neto, A., Juang, S. J., Souza, K. R., & Akamatsu, A. (1994). Antinociceptive effect of amitraz in mice and rats. Brazilian journal of medical and biological research. *Revista Brasileira de Pesquisas Medicas e Biologicas*, 27(6), 1407-1411.
- Quinn, L., Gray, S. G., Meaney, S., Finn, S., Kenny, O., & Hayes, M. (2017). Sinapinic and protocatechuic acids found in rapeseed: isolation, characterisation and potential benefits for human health as functional food ingredients. *Irish Journal of Agricultural and Food Research*, 56(1), 104-119.

- Radwan, M. A., Abu-Elamayem, M. M., Shiboob, M. H., & Abdel-Aal, A. (2005). Residual behaviour of profenofos on some field-grown vegetables and its removal using various washing solutions and household processing. *Food and Chemical Toxicology*, 43(4), 553-557.
- Rama E. M., Bortolan, S., Vieira, M. L., Gerardin, D. C., & Moreira, E. G. (2014). Reproductive and possible hormonal effects of carbendazim. *Regul Toxicol Pharmacol*, 69, 476-486. doi: 10.1016/j.yrtph.2014.05.016
- Rao, P., & Pattabiraman, T. N. (1989). Reevaluation of the phenol-sulfuric acid reaction for the estimation of hexoses and pentoses. *Analytical Biochemistry*, 181(1), 18-22.
- Rathod, A. L., & Garg, R. K. (2017). Chlorpyrifos poisoning and its implications in human fatal cases: A forensic perspective with reference to Indian scenario. *Journal of Forensic and Legal Medicine*, 47, 29-34.
- Rejczak, T., & Tuzimski, T. (2015). A review of recent developments and trends in the QuEChERS sample preparation approach. *Open Chemistry*, 13(1).
- Rizzetti, T. M., Kemmerich, M., Martins, M. L., Prestes, O. D., Adaime, M. B., & Zanella, R. (2016). Optimization of a QuEChERS based method by means of central composite design for pesticide multiresidue determination in orange juice by UHPLC-MS/MS. *Food Chemistry*, 196, 25-33.
- Salama, K. F., Randhawa, M. A., Al Mulla, A. A., & Labib, O. A. (2019). Heavy metals in some date palm fruit cultivars in Saudi Arabia and their health risk assessment. *International Journal of Food Properties*, 22(1), 1684-1692.
- Sanderson D. M. & Edson, E. F. (1964). Toxicological properties of the organophosphorus insecticide dimethoate. *British Journal of Industrial Medicine*, 21, 52-64.
- Sapbamrer, R., & Hongsibsong, S. (2014). Organophosphorus pesticide residues in vegetables from farms, markets, and a supermarket around Kwan Phayao Lake of Northern Thailand. *Archives of Environmental Contamination and Toxicology*, 67(1), 60-67.
- Sarkar, A., Ravindran, G., & Krishnamurthy, V. (2013). A brief review on the effect of cadmium toxicity: from cellular to organ level. *International Journal of Biotechnology and Research*, 3(1), 17-36.
- Satpathy, G., Tyagi, Y. K., & Gupta, R. K. (2012). Removal of organophosphorus (OP) pesticide residues from vegetables using washing solutions and boiling. *Journal of Agricultural Science*, 4(2), 69-78.
- Schellinger, A. P., & Carr, P. W. (2006). Isocratic and gradient elution chromatography: a comparison in terms of speed, retention reproducibility and quantitation. *Journal of Chromatography A*, 1109(2), 253-266.

- Schulze, L. D., Ogg, C., & Vitzthum, E. F. (2012). EC97-2505 *Signs and Symptoms of Pesticide Poisoning*. Historical Materials form University of Nebraska–Lincoln Extension. Paper 1225.
- Selmanoglu, G., Barlas, N., Songur, S., & KocSkaya, E. A. (2001). Carbendazim-induced haematological, biochemical and histopathological changes to the liver and kidney of male rats. *Human & Experimental Toxicology*, 20(12), 625-630.
- Shabir, G. A. (2003). Validation of high-performance liquid chromatography methods for pharmaceutical analysis: understanding the differences and similarities between validation requirements of the US Food and Drug Administration, the US Pharmacopeia and the International Conference on Harmonization. *Journal of chromatography A*, 987(1-2), 57-66.
- Shabir, G. A., John Lough, W., Arain, S. A., & Bradshaw, T. K. (2007). Evaluation and application of best practice in analytical method validation. *Journal of Liquid Chromatography & Related Technologies*, 30(3), 311-333.
- Shahidi, F., & Naczki, M. (1995). Food phenolics. Technomic Pub. Co.
- Shahidi, F., & Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of Functional Foods*, 18, 757-781.
- Shahidi, F., Naczki, M., Pegg, R. B., & Synowiecki, J. (1991). Chemical composition and nutritional value of processing discards of cod (*Gadus morhua*). *Food Chemistry*, 42(2), 145-151.
- Sharif Hossain, A. B. M. (2015). ‘Dried Dates Fruit and its Biochemical and Nutrient Content: Uses as Diabetic Food.’ *Asian Journal of Clinical Nutrition*, 7(3), 90-95.
- Sharma, K. K. (2007). *Pesticide residue analysis manual*. Indian Council of Agricultural Research.
- Sheikh, S. A., Nizamani, S. M., Jamali, A. A., Panhwar, A. A., Channa, M. J., & Mirani, B. N. (2012). Removal of pesticide residues from okra vegetable through traditional processing. *Journal of Basic & Applied Sciences*, 8(1), 79-84.
- Shelley, L. K., Balfry, S. K., Ross, P. S., & Kennedy, C. J. (2009). Immunotoxicological effects of a sub-chronic exposure to selected current-use pesticides in rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology*, 92(2), 95-103.
- Sher Mohammed, N. M. (2012). *Extraction and HPLC analysis of potato sprout suppressant chemicals* (Doctoral dissertation). University of Glasgow, Scotland.
- Shetty, P. K., Mitra, J., Murthy, N. B. K., Namitha, K. K., Savitha, K. N., & Raghu, K. (2000). Biodegradation of cyclodiene insecticide endosulfan by *Mucor thermohyalospora* MTCC 1384. *Current Science*, 1381-1383.

- Shimada, K., Fujikawa, K., Yahara, K., & Nakamura, T. (1992). Antioxidative properties of xanthan on the autoxidation of soybean oil in cyclodextrin emulsion. *Journal of Agricultural and Food Chemistry*, 40(6), 945-948.
- Simon, I., Miclean, M., Cadar, O. A. N. A., & Senila, L. Ȃ. (2016). Determination of the organochlorine pesticide residues contents in grapes by SBSE-TD-GC-ECD analysis. *Stud. Univ. Babes-Bolyai Chem*, 61(3TOM2), 431-440.
- Singh, K. P., Mohan, D., Sinha, S., & Dalwani, R. (2004). Impact assessment of treated/untreated wastewater toxicants discharged by sewage treatment plants on health, agricultural, and environmental quality in the wastewater disposal area. *Chemosphere*, 55(2), 227-255.
- Singh, S., Singh, N., Kumar, V., Datta, S., Wani, A. B., Singh, D., & Singh, J. (2016). Toxicity, monitoring and biodegradation of the fungicide carbendazim. *Environmental Chemistry Letters*, 14(3), 317-329.
- Smegal, D. C. (2000). *Human health risk assessment chlorpyrifos*. Washington, DC: US Environmental Protection Agency.
- Snyder, L. R., Kirkland, J. J., & Glajch, J. L. (1988). *Practical HPLC method development*. New York: John Wiley & Sons.
- Soleimani, M., Amini, N., Sadeghian, B., Wang, D., & Fang, L. (2018). Heavy metals and their source identification in particulate matter (PM_{2.5}) in Isfahan City, Iran. *Journal of environmental sciences*, 72, 166-175.
- Srivastava, S., Narvi, S. S., & Prasad, S. C. (2011). Levels of select organophosphates in human colostrum and mature milk samples in rural region of Faizabad district, Uttar Pradesh, India. *Human & Experimental Toxicology*, 30(10), 1458-1463.
- Stoeppler, M. (Ed.). (2012). Sampling and sample preparation: practical guide for analytical chemists. *Springer Science & Business Media*.
- Suantak, K., Chandrajit, B., Shri, C., & Suresh, S. (2011). Biosorption of Cd (II) and As (III) ions from aqueous solution by tea waste biomass. *African Journal of Environmental Science and Technology*, 5(1), 1-7.
- Suar, M., Van Der Meer, J. R., Lawlor, K., Holliger, C., & Lal, R. (2004). Dynamics of multiple lin gene expression in *Sphingomonas paucimobilis* B90A in response to different hexachlorocyclohexane isomers. *Applied and Environmental Microbiology*, 70(11), 6650-6656.
- Suleman, N. M. (2014). Spectroscopic determination of some trace elements as pollutants in fruit dates palm and agricultural soil at Zilfi province. *Journal of Analytical Chemistry*, 2(3), 11-16.
- Svanberg, O. (1976). Some haematological and biochemical effects of cadmium on fish. *Effects of pollutants on aquatic organisms*, 2, 35.

- Swain, T., & Hillis, W. E. (1959). The phenolic constituents of *Prunus domestica*. I.—The quantitative analysis of phenolic constituents. *Journal of the Science of Food and Agriculture*, 10(1), 63-68.
- Szepesi, G. (1990). *HPLC in pharmaceutical analysis: general considerations*. Boca Raton, FL: CRC Press.
- Szydłowska-Czerniak, A., Trokowski, K., Karlovits, G., & Szlyk, E. (2013). Spectroscopic determination of metals in palm oils from different stages of the technological process. *Journal of Agricultural and Food Chemistry*, 61(9), 2276-2283.
- Taha, K. K., & Al Ghtani, F. M. (2015). Determination of the elemental contents of date palm (*Phoenix dactylifera* L.) from Kharj Saudi Arabia. *World Scientific News*, 12, 125-135.
- Tahir, S., Tahir Anwar, I. A., & Khan, D (2014). Effects of washing on concentration of residual pesticides in salad vegetables. *International Journal of Biology and Biotechnology (Pakistan)*, 11 (4): 655-659.
- Tanabe, S. (2002). Contamination and toxic effects of persistent endocrine disrupters in marine mammals and birds. *Marine Pollution Bulletin*, 45(1-12), 69-77.
- Tandy, S., Schulin, R., & Nowack, B. (2006). The influence of EDDS on the uptake of heavy metals in hydroponically grown sunflowers. *Chemosphere*, 62(9), 1454-1463.
- Taylor, P. J. (2005). Matrix effects: the Achilles heel of quantitative highperformance liquid chromatography-electrospray-tandem mass spectrometry. *Clinica Biochemistry*, 38(4), 328-334.
- Thakur, L. S., & Parmar, M. (2013). Adsorption of heavy metal (Cu^{2+} , Ni^{2+} and Zn^{2+}) from synthetic wastewater by tea waste adsorbent. *International Journal of Chemical and Physical Sciences*, 2(6), 6-19.
- The Association of the Official Analytical Chemists. (2000). *Official Methods of Analysis*. Arlington: AOAC.
- The Royal Society of Chemistry. (1988). *The Agrochemical Handbook*. 2nd ed. Nottingham: RSC.
- Thompson, M., Ellison, S. L., Fajgelj, A., Willetts, P., & Wood, R. (1999). Harmonized guidelines for the use of recovery information in analytical measurement. *Pure and Applied Chemistry*, 71(2), 337-348.
- Tippawan Prapamontol, (2003). *The development, validation and application of chromatographic methods to study organochlorine pesticides in milk and water* (Doctoral thesis). The University of Surrey, United Kingdom.
- Tomlin, C.D.S. (2002). *The e-Pesticide manual version 2.2*. Surrey: The British Crop Protection Council.

- Torres, C. M., Picó, Y., & Manes, J. (1996). Determination of pesticide residues in fruit and vegetables. *Journal of Chromatography A*, 754(1-2), 301-331.
- Tortella, G. R., Mella-Herrera, R. A., Sousa, D. Z., Rubilar, O., Briceño, G., Parra, L., & Diez, M. C. (2013). Carbendazim dissipation in the biomixture of on-farm biopurification systems and its effect on microbial communities. *Chemosphere*, 93(6), 1084-1093.
- Tsochatzis, E. D., Tzimou-Tsitouridou, R., Menkissoglu-Spiroudi, U., Karpouzas, D. G., & Papageorgiou, M. (2012). Development and validation of an HPLC-DAD method for the simultaneous determination of most common rice pesticides in paddy water systems. *International Journal of Environmental Analytical Chemistry*, 92(5), 548-560.
- Tüzen, M. (2002). A comparison of sample preparation procedures for the determination of heavy metals in lichen samples by GFAAS. *Analytical letters*, 35(10), 1667-1676.
- Tzagoloff, A. (1963). Metabolism of sinapine in mustard plants. I. Degradation of sinapine into sinapic acid & choline. *Plant Physiology*, 38(2), 202.
- U.S. Environmental Protection Agency (U.S. EPA). (2006). *Interim reregistration eligibility decision for dimethoate* (Case No. 0088). Retrieved from <https://www.epa.gov/pesticides>
- Ullah, A. A., Maksud, M. A., Khan, S. R., Lutfi, L. N., & Quraishi, S. B. (2017). Dietary intake of heavy metals from eight highly consumed species of cultured fish and possible human health risk implications in Bangladesh. *Toxicology Reports*, 4, 574-579.
- Ulukaya, S., Demirağ, K., & Moral, A. (2001). Acute amitraz intoxication in human. *Intensive Care Medicine*, 27(5), 930-933.
- Uno, M., Y. Onji & K. Tanigawa. (1984). Removal of pyrethroids insecticides from agricultural products by washing a billing. *Journal of The Food Hygienic Society of Japan*, 25(3), 261-263.
- Vayalil, P. K. (2002). Antioxidant and antimutagenic properties of aqueous extract of date fruit (*Phoenix dactylifera* L. Arecaceae). *Journal of Agricultural and Food Chemistry*, 50(3), 610-617.
- Vessman, J. (1996). Selectivity or specificity? Validation of analytical methods from the perspective of an analytical chemist in the pharmaceutical industry. *Journal of Pharmaceutical and Biomedical Analysis*, 14(8-10), 867-869.
- Vessman, J., Stefan, R. I., Van Staden, J. F., Danzer, K., Lindner, W., Burns, D. T., & Müller, H. (2001). Selectivity in analytical chemistry (IUPAC Recommendations 2001). *Pure and Applied Chemistry*, 73(8), 1381-1386.
- Vračko, P., Tuomisto, J., Grad, J., & Kunsele, E. (2007). Exposure of children to chemical hazards in food. *World Health Organization*.

- Waheed, S., Siddique, N., Rahman, A., Saeed, S., Zaidi, J. H., & Ahmad, S. (2005). INAA and ETAAS of toxic element content of fruits harvested and consumed in Pakistan. *Journal of Radioanalytical and Nuclear Chemistry*, 262(3), 691-696.
- Walsh, P. R., & Hites, R. A. (1979). Dicofol solubility and hydrolysis in water. *Bulletin of Environmental Contamination and Toxicology*, 22(1), 305-311.
- Wang, I. H., Moorman, R., & Burleson, J. (2003). Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (S)-methoprene, MGK264, piperonyl butoxide, semithin and permethrin in pesticide formulation. *Journal of Chromatography A*, 983(1-2), 145-152.
- Wang, J., Leung, D., & Chow, W. (2010). Applications of LC/ESI-MS/MS and UHPLC QqTOF MS for the determination of 148 pesticides in berries. *Journal of Agricultural and Food Chemistry*, 58(10), 5904-5925.
- Ward, N. I. (2000). "Trace elements". In F. W. Fifield & P. J. Haines (eds.), *Environmental analytical chemistry* (pp. 360-392). Blackwell: Oxford, 2000.
- WHO & United Nations Environment Program (UNEP). (1990). *Public health impact of pesticides used in agriculture*. Retrieved from <http://www.who.int/iris/handle/10665/39772>
- WHO (2004). Pesticides and Health.
- WHO. (1967). *Specifications for pesticides used in public health*. 3rd ed. Geneva: WHO.
- WHO. (2003). *Cadmium in drinking-water: background document for preparation of WHO Guidelines for drinking-water quality*. Geneva, World Health Organization (WHO/SDE/WSH/03.04/80).
- WHO. (2008). "Cadmium?" In: *Guidelines for drinking-water quality* (pp. 317-319). 3rd edition, vol. 1. Retrieved from http://www.who.int/water_sanitation_health/dwq/GDW12rev1and2.pdf
- WHO. (2014). *Fact sheet: vector-borne diseases*. Retrieved from http://www.who.int/kobe_centre/mediacentre/vbdfactsheet.pdf
- WHO. (n.d.). *World Health Day*. Retrieved from <http://www.who.int/campaigns/world-health-day/2014/en/>
- Wibowo, A., & Suhartono, E. (2014). The role of urinary cadmium and lead level on pregnant women renal function. *Journal of Medical and Bioengineering*, Vol, 3(1).
- Wieling, J., Dijkstra, H., Mensink, C. K., Jonkman, J. H. G., Coenegracht, P. M. J., Duineveld, C. A. A., & Doornbos, D. A. (1993). Chemometrics in bioanalytical sample preparation: A fractionated combined mixture and factorial design for the modelling of the recovery of five tricyclic amines from plasma after liquid—liquid extraction prior to high-performance liquid chromatography. *Journal of Chromatography A*, 629(2), 181-199.

- Wiemeyer, S. N., Clark Jr, D. R., Spann, J. W., Belisle, A. A., & Bunck, C. M. (2001). Dicofol residues in eggs and carcasses of captive American kestrels. *Environmental Toxicology and Chemistry: An International Journal*, 20(12), 2848-2851.
- Williams, J. R., & Pillay, A. E. (2011). Metals, metalloids and toxicity in date palms: potential environmental impact. *Journal of Environmental Protection*, 2(05), 592.
- Williams, J. R., Pillay, A. E., El Mardi, M. O., Al-Lawati, S. M. H., & Al-Hamdi, A. (2005). Levels of selected metals in the Fard cultivar (date palm). *Journal of arid Environments*, 60(2), 211-225.
- Xia, E., Tao, W., Yao, X., Wang, J., & Tang, F. (2016). Effects of processing on carbendazim residue in *Pleurotus ostreatus*. *Food Science & Nutrition*, 4(4), 645-650.
- Yadav, A. P. S., Dwivedi, V., Kumar, S., Kushwaha, A., Goswami, L., & Reddy, B. S. (2021). Cyanobacterial extracellular polymeric substances for heavy metal removal: A mini review. *Journal of Composites Science*, 5(1), 1.
- Yamaguchi, F., Ariga, T., Yoshimura, Y., & Nakazawa, H. (2000). Antioxidative and anti-glycation activity of garcinol from *Garcinia indica* fruit rind. *Journal of Agricultural and Food Chemistry*, 48(2), 180-185.
- Yang, T., Doherty, J., Zhao, B., Kinchla, A. J., Clark, J. M., & He, L. (2017). Effectiveness of commercial and homemade washing agents in removing pesticide residues on and in apples. *Journal of Agricultural and Food Chemistry*, 65(44), 9744-9752.
- Yedjou, C. G., Patlolla, A. K., & Sutton, D. J. (2012). Heavy Metals Toxicity and the Environment Paul B Tchounwou. Published in final edited form as: *EXS*, 101, 133-164.
- Yenjerla, M., Cox, C., Wilson, L., & Jordan, M. A. (2009). Carbendazim inhibits cancer cell proliferation by suppressing microtubule dynamics. *Journal of Pharmacology and Experimental Therapeutics*, 328(2), 390-398.
- Youdeowei, A. (1983). *Pest and vector management in the tropics with particular reference to insects, ticks, mites and snails*. Harlow: Longman.
- Yousif, A.K., Benjamin, N.D., Kado, A., Alddin, S.M & Ali, S.M (1982). Chemical composition of four Iraqi date cultivars. *Date Palm Journal*. 1, 285–294
- Yu, L., Haley, S., Perret, J., & Harris, M. (2002). Antioxidant properties of hard winter wheat extracts. *Food Chemistry*, 78(4), 457-461.
- Zacharia & Tano, J. (2011). Identity, physical and chemical properties of pesticides, pesticides in the modern world - trends in pesticides analysis. In: M. Stoytcheva (ed.), *Pesticides in the modern world - trends in pesticides analysis* (pp. 1-18). *Intechopen*. doi: 10.5772/17513

- Zalat, O. A., Elsayed, M. A., Fayed, M. S., & Abd El Megid, M. K. (2014). Validation of UV Spectrophotometric and HPLC Methods for Quantitative determination of chlorpyrifos. *International Letters of Chemistry, Physics and Astronomy*, 2, 58-63.
- Zhang, X., Huang, Y., Harvey, P. R., Li, H., Ren, Y., Li, J., & Yang, H. (2013). Isolation and characterization of carbendazim-degrading *Rhodococcus erythropolis* djl-11. *PLoS One*, 8(10), e74810.
- Zhao, P., Alvarez, P. J., Li, X., & Pan, C. (2018). Development of an analytical method for pesticide residues in berries with dispersive solid phase extraction using multiwalled carbon nanotubes and primary secondary amine sorbents. *Analytical Methods*, 10(7), 757-766.
- Zheljazkov, V. D., & Nielsen, N. E. (1996). Effect of heavy metals on peppermint and cornmint. *Plant and Soil*, 178(1), 59-66.
- Zhong, W. S., Ren, T., & Zhao, L. J. (2016). Determination of Pb (Lead), Cd (Cadmium), Cr (Chromium), Cu (Copper), and Ni (Nickel) in Chinese tea with high-resolution continuum source graphite furnace atomic absorption spectrometry. *Journal of food and drug analysis*, 24(1), 46-55.
- Zin, Z. M., Abdul-Hamid, A., & Osman, A. (2002). Antioxidative activity of extracts from Mengkudu (*Morinda citrifolia* L.) root, fruit and leaf. *Food Chemistry*, 78(2), 227-231.
- Zinkutė, R., Taraškevičius, R., & Želvys, T. (2011). Major elements as possible factors of trace element urban pedochemical anomalies. *Open Chemistry*, 9(2), 337-347.
- Zrostlikova, J., & Hajslova, J. (2003). Matrix effects in (ultra) trace analysis of pesticide residues in food and biotic matrices. *Journal of Chromatography A*, 1000(1-2), 181-197.