

## References

- Abdullah, I., Saudi, M. M., & Marsal, K. A. (2017). Developing a Controlling Application of Wireless Sensor Networks Simulation. *IEEE*, 22–27.
- Abido, a. P., Azeez, N. a., Adesina, a. O., & Agbele, K. K. (2011). ANCAEE: A Novel Clustering Algorithm for Energy Efficiency in Wireless Sensor Networks. *Wireless Sensor Network*, 03(09), 307–312.
- Adamou, A., Ari, A., Omer, B., Labraoui, N., & Damakoa, I. (2016). A power efficient cluster-based routing algorithm for wireless sensor networks : Honeybees Swarm Intelligence based approach. *Journal of Network and Computer Applications*, 69, 77–97.
- Afsharfarnia, A., & Karimi, A. (2014). A New Clustering Algorithm Using Links' Weight to Decrease Consumed Energy in MANETs. *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, 12(2), 411–418.
- Al-kiyumi, R., Foh, C. H., Vural, S., Chatzimisios, P., & Tafazolli, R. (2018). Fuzzy Logic-based Routing Algorithm for Lifetime Enhancement in Heterogeneous Wireless Sensor Networks. *IEEE Transactions on Green Communications and Networking*, 2(2), 517–532.
- Al, A., Ayman, B., & Sayed, E. (2018). A new algorithm for cluster head selection in LEACH protocol for wireless sensor networks.
- Amine, K. (2019). An energy-degree evaluation metric for clustering purposes in mobile ad hoc networks.
- Arafat, M. Y., & Moh, S. (2019). Comparison of Clustering Algorithms Based on Weighted Clustering Metrics for Unmanned Aerial Vehicle Networks.
- Aslam, M., Munir, E. U., Bilal, M., Asad, M., Ali, A., Shah, T., & Bilal, S. (2014). HADCC: Hybrid advanced distributed and centralized clustering path planning algorithm for WSNs. In *IEEE* (pp. 657–664).
- Azni, A. H., Ahmad, R., & Noh, Z. (2013). Survivability modeling and analysis of mobile ad hoc network with correlated node behaviour. *Procedia Engineering*, 53, 435–440.
- Azni, A. H., Ahmad, R., & Seman, K. (2016). Correlated Topology Control Algorithm for Survival Network in MANETS Survival network Correlated behaviour. *Springer, Cham*, 93–102.
- Baghour, M., Hajraoui, A., & Chakkor, S. (2015). Low Energy Adaptive Clustering Hierarchy for Three-dimensional Wireless Sensor Network. *Recent Advances in Communications*, 214–218.
- Baidya, S. Sen, & Bhattacharyya, C. K. (2012). Coverage and Connectivity in Wireless Sensor

Networks : Their trade-offs. *IEEE*, 353–358.

- Baker, D., & Ephremides, A. (1981). The architectural organization of a mobile radio network via a distributed algorithm. *IEEE*, 29(11), 1694–1701.
- Behera, T. M., Mohapatra, S. K., Samal, U. C., Khan, M. S., Daneshmand, M., & Gandomi, A. H. (2019). Residual Energy Based Cluster-head Selection in WSNs for IoT Application. *IEEE Internet of Things Journal*, 6(3), 5132–5139.
- Bhadra, D. R., Soni, P. R., & Vyas, N. P. (2015). Packet Loss Probability in Wireless Networks : A Survey. *IEEE*, 1348–1354.
- Bhatia, M P S Ph, D., & Khurana, D. (2013). Analysis of Initial Centers for k-Means Clustering Algorithm. *International Journal of Computer Applications (0975 – 8887)*, 71(5), 9–12.
- Bhavana, H. T., & Murthy, J. K. (2014). Spatial Correlation Based Clustering Algorithm for Random and Uniform Topology in WSNs. *International Journal of Research in Engineering and Technology (IJRET)*, 3(6), 83–87.
- Bholowalia, Purnima, & Arvind, K. (2014). EBK-Means : A Clustering Technique based on Elbow Method and K-Means in WSN. *International Journal of Computer Applications (0975 – 8887)*, 105(9), 17–24.
- Boufares, N., Khoufi, I., Minet, P., Saidane, L., & Saied, Y. B. (2015). Three dimensional mobile wireless sensor networks redeployment based on virtual forces. *IEEE*, 563–568.
- Carrabs, F., Cerulli, R., Ambrosio, C. D., & Raiconi, A. (2015). Exact and heuristic approaches for the maximum lifetime problem in sensor networks with coverage and connectivity constraints. *RAIRO-Operations Research*, 51(3), 607–625.
- Chanak, P., Banerjee, I., & Sherratt, R. S. (2016). Mobile sink based fault diagnosis scheme for wireless sensor networks. *Journal of Systems and Software*, 45–57.
- Chen, R., & Zhong, Z. (2015). Performance analysis on network connectivity for vehicular ad hoc networks. *International Journal of Ad Hoc and Ubiquitous Computing*, 20(2), 67–77.
- Chhaya, L., Sharma, P., Bhagwatikar, G., & Kumar, A. (2017). Wireless Sensor Network Based Smart Grid Communications : Cyber Attacks , Intrusion Detection System and Topology Control. *Electronics*, 6(1), 5.
- Chu-hang, W., Xiao-li, L., Huang-shui, H., You-jia, H., & Mei-qin, Y. (2020). Energy-efficient and load-balanced clustering routing protocol for wireless sensor networks using a chaotic genetic algorithm. *IEEE Access*, 158082–158096.
- Delaney, D. (2015). An Introduction to NS , Nam and OTcl scripting Paul Meenaghan and Declan Delaney, (January 2004).
- Driss, E., & Abdelilah, M. (2013). Clustering Algorithms Based On Energy Efficiency In Wireless Sensor Networks : Survey. *ARNP Journal of Engineering and Applied Sciences*, 8(10), 785–795.

- Ejmaa, A. L. I. M. E., & Subramaniam, S. (2016). Neighbor-Based Dynamic Connectivity Factor Routing Protocol for Mobile Ad Hoc Network. *IEEE Access*, 4, 8053–8064.
- Eletreby, R., & Ya, O. (2019). Connectivity of Inhomogeneous Random K-out Graphs. *IEEE*, 1482–1486.
- Elrahim, A. G. A., Elsayed, H. A., Ramly, S. El, & Ibrahim, M. M. (2010). An Energy Aware WSN Geographic Routing Protocol, *I(2)*, 105–111.
- Ennaciri, A., Erritali, M., & Bengourram, J. (2019). Load Balancing Protocol ( EESAA ) to improve Quality of Service in Wireless sensor network. *Procedia Computer Science*, 151(2018), 1140–1145.
- Ephremides, A., Baker, D. J., & Wieselthier, J. E. (1987). A Design Concept for Reliable Mobile Radio Networks with Frequency Hopping Signaling. *Proceedings of the IEEE*, 75(1), 56–73.
- Farahmand, E., & Mahani, A. (2016). Load Balanced Energy-aware Genetic Algorithm Clustering in Wireless Sensor Networks, 119–124.
- Farman, H., Javed, H., Ahmad, J., Jan, B., & Zeeshan, M. (2016). Grid-Based Hybrid Network Deployment Approach for Energy Efficient Wireless Sensor Networks. *Sensors*.
- Gebreyohannes, M. B. (2014). Network Performance study on OpenStack Cloud Computing.
- Guo, S., Zhao, H., Wang, X., & Wang, F. (2015). Energy-efficient topology control algorithm for maximizing network lifetime in wireless sensor networks with mobile sink. *Applied Soft Computing Journal*, 34, Pages 539-550. h
- Gupta, A., & Nayyar, A. (2014). A Comprehensive Review of Cluster-Based Energy Efficient Routing Protocols in Wireless Sensor Networks. *IJRCCT*, 3(1), 104–110.
- Gupta, S. K., Ranjan, A., & Sharma, G. (2015). Clustering Techniques for Wireless Sensor Networks. *International Journal of Emerging Trends in Science and Technology Clustering*, 02(06), 2694–2698.
- Hao, J., Chen, Q., & Huo, H. (2011). Energy Efficient Clustering Algorithm for Data Gathering in Wireless Sensor Networks. *Journal of Networks*, 6(3), 490.
- Jain, M., & Chand, S. (2016). Issues and Challenges in Node Connectivity in Mobile Ad Hoc Networks : A Holistic Review. *Wireless Engineering and Technology*, 7(1), 24–35.
- Jan, M. A., Nanda, P., & He, X. (2013). Enhancing Lifetime and Quality of Data in Cluster-based Hierarchical Routing Protocol for Wireless Sensor Network. *IEEE*, 1400–1407.
- Jassbi, S. J., & Moridi, E. (2019). Fault Tolerance and Energy Efficient Clustering Algorithm in Wireless Sensor Networks : FTEC. *Wireless Personal Communications*. ht
- Jiang, Y., Zhao, K., Xia, K., Xue, J., Zhou, L., Ding, Y., & Qian, P. (2019). A Novel Distributed

- Multitask Fuzzy Clustering Algorithm for Automatic MR Brain Image Segmentation, 1–9.
- Jr, F. R. A., Brayner, A., Rodrigues, J. J. P. C., & Maia, J. E. B. (2017). Improving multidimensional wireless sensor network lifetime using Pearson correlation and fractal clustering. *Sensors*, 17(6), 1317.
- Kaaniche, H., & Kamoun, F. (2010). Mobility Prediction in Wireless Ad Hoc Networks using Neural Networks, 2(1), 95–101.
- Kareliya, B. (2013). Optimization of Low Energy Adaptive Clustering Hierarchy ( LEACH ) protocol. *IJSRD*, 1(10), 2301–2305.
- Karimi, A., Afsharfarnia, A., & Zarafshan, F. (2014). A Novel Clustering Algorithm for Mobile Ad Hoc Networks Based on Determination of Virtual Links ' Weight to Increase Network Stability, 2014.
- Kaur, R. (2020). Performance Evaluation of Clustering Techniques in Wireless Sensor Networks, 97–103.
- Khalil, E. a., & Attea, B. a. (2011). Energy-aware evolutionary routing protocol for dynamic clustering of wireless sensor networks. *Swarm and Evolutionary Computation*, 1(4), 195–203.
- Khan, R., Madani, S. A., Hayat, K., & Khan, S. U. (2011). Clustering-based power-controlled routing for mobile wireless sensor networks. *International Journal Of Communication Systems*.
- Khanvilkar, S., Bashir, F., Schonfeld, D., & Khokhar, A. (2005). Multimedia Networks and Communication, 1–58.
- Khoozani, P. A. (2013). A Low-Complexity Architecture and Framework for Enabling Cognition in Heterogenous Wireless Sensor Networks.
- Kim, K., Jin, J., & Jin, S. (2016). Classification between Failed Nodes and Left Nodes in Mobile Asset Tracking Systems †. *Sensors*, 16(2), 240.
- Kosunalp, S. (2015). MAC protocols for energy harvesting wireless sensor networks: Survey. *ETRI Journal*, 37(4), 804–812.
- Kumar, N., Kumar, M., & Patel, R. B. (2010). Neural Network Based Energy Efficient Clustering and Routing in Wireless Sensor Networks follows :, 2(1), 45–60.
- Kumar, R., & Rajpoot, P. (2018). Optimized H-LEACH algorithm for clustering to improve lifetime of WSN, 2393–2398.
- Kumarawadu, P., Dechene, D. J., Luccini, M., & Sauer, A. (2008). Algorithms for Node Clustering in Wireless Sensor Networks : A Survey. *IEEE*, 295–300.
- Lakshmaiah, K., Krishna, S. M., & Reddy, B. E. (2020). Design an Improved Linked Clustering

*Algorithm for Spatial Data Mining.*

- Lee, J., Member, S., & Cheng, W. (2012). Fuzzy-Logic-Based Clustering Approach for Energy Predication, *12*(9).
- Leroux, B. G. (1998). Statistical methods for studying associations between variables, (2).
- Li, G., Chen, H., Peng, S., Li, X., Wang, C., Yu, S., & Yin, P. (2018). A Collaborative Data Collection Scheme Based on Optimal Clustering for Wireless Sensor Networks, *18*(8), 2487.
- Li, Q.-Q., Gong, H., Liu, M., Yang, M., & Zheng, J. (2011). On prolonging network lifetime through load-similar node deployment in wireless sensor networks. *Sensors (Basel, Switzerland)*, *11*(4), 3527–3544.
- Lin, D., Member, S., & Wang, Q. (2019). An Energy-Efficient Clustering Algorithm Combined Game Theory and Dual-Cluster-Head Mechanism for WSNs. *IEEE Access*, *7*, 49894–49905.
- Lin, H., Wang, L., & Kong, R. (2015). Energy Efficient Clustering Protocol for Large - Scale Sensor Networks, (61501160).
- Liu, J., & Kato, N. (2016). A Markovian Analysis for Explicit Probabilistic Stopping-Based Information Propagation in Postdisaster Ad Hoc Mobile Networks. *IEEE Transactions on Wireless Communications*, *15*(1), 81–90.
- Liu, Q., Yang, Y., & Xue-song, Q. (2015). A Metric-Correlation-Based Fault Detection Approach Using Clustering Analysis in Wireless Sensor Networks. *IEEE*, 526–531.
- Liu, X.-X. (2012). A Survey on Clustering Routing Protocols in Wireless Sensor Networks. *Sensors*, *12*, 11113–11153.
- Liu, X., & Wu, J. (2019). A Method for Energy Balance and Data Transmission Optimal Routing in Wireless Sensor Networks. *Sensors*, 1–14.
- Manzoor, K., Jokhio, S. H., Khanzada, T. J. S., & Jokhio, I. A. (2019). Enhanced TL-LEACH routing protocol for large-scale WSN applications. *2019 Cybersecurity and Cyberforensics Conference (CCC)*, (Ccc), 35–39.
- Mirsadeghi, M., Mahani, A., & Shojaee, M. (2014). A Novel Distributed Clustering Protocol Using Fuzzy Logic. *Procedia Technology*, *17*, 742–748.
- Mittal, N., Singh, U., & Sohi, B. S. (2016). A stable energy efficient clustering protocol for wireless sensor networks. *Wireless Networks*, *23*(6), 1809–1821.
- Muriira, L. M., Zhao, Z., & Min, G. (2018). Exploiting Linear Support Vector Machine for Correlation-Based High Dimensional Data Classification in Wireless Sensor Networks. *Sensors*, *9*(18), 2840. h
- Muthulakshmi, M. V. (2013). Advanced LEACH Protocol in Large scale Wireless Sensor

Networks, 4(5), 248–254.

- Na, Shi, Xumin, Liu, G. yong. (2010). Research on k-means Clustering Algorithm. *IEEE*, 63–67.
- Neamatollahi, P., & Naghibzadeh, M. (2018). Distributed unequal clustering algorithm in large-scale wireless sensor networks using fuzzy logic. *The Journal of Supercomputing*, 6(74), 2329–2352.
- Palan, N. G., Barbadekar, B. V., & Patil, S. (2017). Low energy adaptive clustering hierarchy (LEACH) protocol: A retrospective analysis. *IEEE*, 1–12.
- Peiravi, A., Mashhadi, H. R., & Hamed Javadi, S. (2013). An optimal energy-efficient clustering method in wireless sensor networks using multi-objective genetic algorithm. *International Journal of Communication Systems*, 26(1), 114–126.
- Perur, S., & Iyer, S. (2006). Characterization of a Connectivity Measure for Sparse Wireless Multi-hop Networks. *IEEE*, 80–80.
- Rana, Jigish, Sangeeta Vhatkar, and M. A. (2015). Comparative Study of PEGASIS and PDCH Protocols in Wireless Sensor Network. *International Journal of Computer Applications*, (Icwet), 13–18.
- Rani, S., Malhotra, J., & Talwar, R. (2013). EEICCP-Energy Efficient Protocol for Wireless Sensor Networks. *Wireless Sensor Network*, 13(7), 127–136.
- Rao, P. C. S., & Banka, H. (2017). Energy efficient clustering algorithms for wireless sensor networks : novel chemical reaction optimization approach. *Wireless Networks*, 23(2), 433–452.
- Rasheedl, M. B., Javaid, N., Javaid, A., Khan, M. A., Bouk, S. H., & Khan, Z. A. (2013). Improving Network Efficiency by Removing Energy Holes in WSNs, 1303.5365.
- Rehman, E., Sher, M., Hussnain, S., Naqvi, A., Khan, K. B., & Ullah, K. (2017). Energy Efficient Secure Trust Based Clustering Algorithm for Mobile Wireless Sensor Network. *Journal of Computer Networks and Communications (Hindawi)*, 2017, 8.
- Rohit kumar ishwkarma, Arvind kumar, and S. arora. (2013). A Survey on Energy-Efficient protocol for Wireless Sensor Networks. *IJAR CET*, 2(2), 756–760.
- Romoozi, M., & Babaei, H. (2011). Improvement of Connectivity in Mobile Ad-hoc Networks by Adding Static Nodes Based on A Realistic Mobility Model, 8(4), 176–183.
- S. E. Khediri, A. Thaljaoui, A. D. & A. K. (2018). Clustering Algorithm in wireless sensor networks based on shortest path. *IEEE*, 335–338.
- Sajadian, S., Ibrahim, A., Freitas, E. P. De, & Larsson, T. (2011). Improving Connectivity of Nodes in Mobile WSN. *IEEE*.
- Saleem, M., Daniele, K., Malik, M. S., Khan, M. I., Javaid, N., & Bertino, E. (2017). Isolating

- Misbehaving Nodes in MANETs with an Adaptive Trust Threshold Strategy, 22(3), 493–509.
- Shankar, T., & Shanmugavel, S. (2014). Energy Optimization in Cluster Based Wireless Sensor Networks, 9(2), 246–260.
- Sharma, N., & Nayyar, A. (2014). A Comprehensive Review of Cluster Based Energy Efficient Routing Protocols for. *International Journal of Application or Innovation in Engineering & Management*, 3(1), 441–453.
- Singh, P., & Satvir, M. (2017). Energy-Efficient Hierarchical Routing for Wireless Sensor Networks : A Swarm Intelligence Approach. *Wireless Personal Communications*, 92(2), 785–805.
- Singh, R., Singh, J., & Singh, R. (2017). Fuzzy Based Advanced Hybrid Intrusion Detection System to Detect Malicious Nodes in Wireless Sensor Networks. *Wireless Communications and Mobile Computing*.
- Somauroo, A., & Bassoo, V. (2019). Energy-efficient genetic algorithm variants of PEGASIS for 3D Wireless Sensor Networks. *Applied Computing and Informatics*.
- Taheri, Yaser, Hossein Gharaee Garakani, and N. M. (2016). A Game Theory Approach for Malicious Node Detection in MANETs. *Journal Of Information Science And Engineering*, 573, 559–573.
- Tam, N. T., & Hai, D. T. (2018). Improving lifetime and network connections of 3D wireless sensor networks based on fuzzy clustering and particle swarm optimization. *Wireless Networks*, 24(5), 1477–1490.
- Thakkar, A., & Kotecha, K. (2014). Cluster head election for energy and delay constraint applications of wireless sensor network. *IEEE Sensors Journal*, 14(8), 2658–2664.
- Toor, A. S., & Jain, A. K. (2019). Energy Aware Cluster Based Multi-hop Energy Efficient Routing Protocol using Multiple Mobile Nodes ( MEACBM ) in Wireless Sensor Networks. *AEUE - International Journal of Electronics and Communications*, 41–53.
- Transactions, W. (2016). Rotated Hybrid , Energy-Efficient and Distributed ( R-HEED ) Clustering Protocol in, (January 2014).
- Ullah, Z. (2020). A Survey on Hybrid , Energy Efficient and Distributed ( HEED ) Based Energy Efficient Clustering Protocols for Wireless. *Wireless Personal Communications*.
- Velmani, R., & Kaarthick, B. (2015). An Efficient Cluster-Tree Based Data Collection Scheme for Large Mobile Wireless Sensor Networks. *IEEE SENSORS*, 15(4), 2377–2390.
- Veremyev, A., & Pasiliao, E. L. (2015). Critical Nodes for Distance-Based Connectivity. *Networks An International Journal*, 170–195.
- Villas, L. A., Boukerche, A., De Oliveira, H. A. B. F., De Araujo, R. B., & Loureiro, A. A. F. (2014). A spatial correlation aware algorithm to perform efficient data collection in

- wireless sensor networks. *Ad Hoc Networks*, 12(1), 69–85.
- Virmani, D., Kaur, S., & Jain, S. (2015). Secure and Fault Tolerant Dynamic Cluster Head Selection Method
- Wang, F., Wu, S., Wang, K., & Hu, X. (2016). Energy-Efficient Clustering Using Correlation and Random Update based on Data Change Rate for Wireless Sensor Networks. *IEEE Sensors Journal*, 16(13), 5471–5480. h
- Wang, J., Gao, Y., Liu, W., & Sangaiah, A. K. (2019). Energy Efficient Routing Algorithm with Mobile Sink Support for Wireless Sensor Networks. *Sensors*, 19(7), 1494.
- Wang, J., Gao, Y., Yin, X., Li, F., & Kim, H. (2018). An Enhanced PEGASIS Algorithm with Mobile Sink Support for Wireless Sensor Networks. *Wireless Communications and Mobile Computing*, 9.
- Wang, Q., Guo, S., Hu, J., & Yang, Y. (2018). Spectral partitioning and fuzzy C-means based clustering algorithm for big data wireless sensor networks. *EURASIP Journal on Wireless Communications and Networking*, 1, 1–11.
- Wang, W. (2006). Modeling and Analysis of Connectivity in Mobile Ad Hoc Networks with Misbehaving Nodes. *IEEE*, 4, 1879–1884.
- Wang, Y., Lin, Y., Lin, Y., & Chang, H. (2013). A Grid-Based Clustering Routing Protocol for Wireless Sensor Networks, 491–499.
- Wang, Z., Zheng, L., Li, Y., & Wang, S. (2019). Linkage Based Face Clustering via Graph Convolution Network. *In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, 1117–1125.
- Xing, F., & Wang, W. (2010). On the Survivability of Wireless Ad Hoc Networks in the Presence of Routing Malfunction. *IEEE Transactions on Dependable and Secure Computing*, 7(3), 284–299.
- Yang, S., Shim, J., & Jang, Y. (2017). Design of Clustering Algorithm for Efficient Energy Management in Wireless Sensor Network Environments. *Springer, Singapore.*, 607–612.
- Ye, M., Li, C., Chen, G., & Wu, J. (2005). EECS : An Energy Efficient Clustering Scheme in Wireless Sensor Networks. *IEEE*.
- Younis, M., Youssef, M., & Arisha, K. (2003). Energy-aware management for cluster-based sensor networks. *Computer Networks*, 43(5), 649–668.
- Younis, O., & Fahmy, S. (2004). HEED: a hybrid, energy-efficient, distributed clustering approach for ad hoc sensor networks. *Mobile Computing, IEEE Transactions On*.
- Zeb, A., Islam, A. M., Zareei, M., Al Mamoon, I., Mansoor, N., Baharun, S., ... & Komaki, S. (2016). Clustering Analysis in Wireless Sensor Networks: The Ambit of Performance Metrics and Schemes Taxonomy. *International Journal of Distributed Sensor Networks*, 12(7), 4979142.

- Zhang, D., Ge, H., Zhang, T., Cui, Y. Y., Liu, X., & Mao, G. (2018). New Multi-Hop Clustering Algorithm for Vehicular Ad Hoc Networks. *IEEE Transactions on Intelligent Transportation Systems*, 20(4), 1517–1530.
- Zhang, D., Liu, S., Zhang, T., & Liang, Z. (2017). Novel Unequal Clustering Routing Protocol Considering Energy Balancing Based on Network Partition & Distance for Mobile Education. *Journal of Network and Computer Applications*, 1–9.
- Zhang, M. (2013). Energy-Balanced Distributed Clustering Algorithm in Wireless Sensor Networks. *Journal of Software*, 8(8), 2008–2014.
- Zhao, Z., Shi, D., Hui, G., & Zhang, X. (2019). An Energy-Optimization Clustering Routing Protocol Based on Dynamic Hierarchical Clustering in 3D WSNs. *IEEE Access*, 7, 80159–80173.
- Zhu, C., Zheng, C., Shu, L., & Han, G. (2012). A survey on coverage and connectivity issues in wireless sensor networks. *Journal of Network and Computer Applications*, 35(2), 619–632.

