

REFERENCES

- Akyildiz, IF., Su W, Sankarasubramaniam Y&E Cayirci. 2002."A CCEPTED FROM O PEN C ALL A Survey on Sensor Networks"August, 102–114.
- Akyildiz, IF., Su W, Sankarasubramaniam Y, &E Cayirci. 2002."Wireless sensor networks: a survey". *Computer Networks*, 38(4), 393–422.
- Cardei, M&JWu.2006"Energy-efficient coverage problems in wireless ad-hoc sensor networks". *Computer Communications*, 29(4), 413–420.
- Chakrabarty, K., Iyengar S-S, Qi H&E Cho.2002."Grid coverage for surveillance and target location in distributed sensor networks". *Computers, IEEE Transactions on*.
- Chang, J&L Tassiulas.2000."Energy Conserving Routing in Wireless Ad-hoc Networks".
- Chen, B., Jamieson K, Balakrishnan H& R. Morris. 2001."Span : An Energy-Efficient Coordination Algorithm for Topology Maintenance in Ad Hoc Wireless Networks".
- Goel, A&SPlotkin. 2004."Set K-Cover Algorithms for Energy Efficient".
- Haartsen, J. C.&S Mattisson. 2000 "Bluetooth a new low-power radio interface providing short-range connectivity". *Proceedings of the IEEE*.
- Habib, S. J. 2007"Modeling and simulating coverage in sensor networks". *Computer Communications*, 30(5), 1029–1035.
- Hu,L.1993."Topology control for multihop packet radio networks" . *Communications, IEEE Transactions on*.
- Huang, C.F.&Y. C, Tseng. 2003."The coverage problem in a wireless sensor network". *Proceedings of the 2nd ACM International Conference on Wireless Sensor Networks and Applications - WSNA '03*, 115.
- Intanagonwiwat,C., Govindan R&D Estrin. 2000."Directed Diffusion: A Scalable and Robust Communication Paradigm for Sensor Networks". In *Proceedings of the 6th Annual International Conference on Mobile Computing and Networking* (pp. 56–67). New York, NY, USA: ACM.
- Jia, J.,Chen J, Chang G&Z Tan.2009."Energy efficient coverage control in wireless sensor networks based on multi-objective genetic algorithm". *Computers & Mathematics with Applications*, 57(11-12), 1756–1766.
- Langendoen, K&G Halkes. 2004."Energy-Efficient Medium Access Control".

- Li, Y., Cheng X&W Wu. 2005."Optimal topology control for balanced energy consumption in wireless networks". *Journal of Parallel and Distributed Computing*, 65(2), 124–131.
- Lin, F. Y.S.,Yen, H-H&S-P Lin. 2009."A Novel Energy-Efficient MAC Aware Data Aggregation Routing in Wireless Sensor Networks". *Sensors (Basel, Switzerland)*, 9(3), 1518–33.
- Martins, F. V. C., Carrano, E. G, Wanner, E. F, Takahashi, R. H. C&G R Mateus.2009. "A dynamic multiobjective hybrid approach for designing Wireless Sensor Networks". *Evolutionary Computation, 2009. CEC '09. IEEE Congress on*.
- Meguerdichian, S., Koushanfar F, Potkonjak, M&M B Srivastava. 2001."Coverage problems in wireless ad-hoc sensor networks". *Proceedings IEEE INFOCOM 2001. Conference on Computer Communications, Twentieth Annual Joint Conference of the IEEE Computer and Communications Society (Cat. No.01CH37213)*, 3, 1380–1387.
- Meguerdichian, S &MPotkonjak. 2003."Low power 0/1 coverage and scheduling techniques in sensor networks". UCLA.
- Ramanathan, R&R Rosales-hain.2000."sTopology Control of Multihop Wireless Networks using Transmit Power Adjustment", 00(c).
- Rey, M., Heidemann J,Estrin Rey. M.2001."Geography-informed Energy Conservation for Ad Hoc Routing" 70–84.
- Ryu, J&D -HCho. 2000."A new routing scheme concerning power-saving in mobile ad-hoc networks". *Communications, 2000. ICC 2000. 2000 IEEE International Conference on*.
- Shih, E., Cho S, IckesN, Min R, Sinha A, Wang A&A, Chandrakasan. 2001. "Physical Layer Driven Protocol and Algorithm Design for Energy-Efficient Wireless Sensor Networks", 272–286.
- Slijepcevic, S&M, Potkonjak.2001."Power efficient organization of wireless sensor networks". *Communications, 2001. ICC 2001. IEEE International Conference on*.
- Srinivas, N&K, Deb. 1994. "Multiobjective Optimization Using Nondominated Sorting in Genetic Algorithms". *Evolutionary Computation*, 2(3), 221–248. doi:10.1162/evco.1994.2.3.221
- Stojmenovic, I&X, Lin. 2001. "Power-aware localized routing in wireless networks". *Parallel and Distributed Systems, IEEE Transactions on*.
- Tassiulas, L.1999."Routing for Maximum System Lifetime in Wireless Ad-hoc Networks".

- Tian, D&N. D., Georganas.2003."Energy Efficient Routing with Guaranteed Delivery in Wireless Sensor Networks".
- Tseng, Y -C., Chang Y -N & T, Bour-Hour. 2004."Energy-Efficient Topology Control for Wireless Ad Hoc Sensor Networks". *Journal Of Information Science And Engineering*, 20, 27–37.
- Tseng, Y-C., Hsu C-S &T-Y, Hsieh. 2002. "Power-saving protocols for IEEE 802.11-based multi-hop ad hoc networks". *INFOCOM 2002. Twenty-First Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE*.
- Wang, L &S. S., Kulkarni.2006. "Sacrificing a Little Coverage Can Substantially Increase Network Lifetime 1", 1–33.
- Wang, X., Xing G, Zhang Y, Lu C, Pless R, Gill C&S, Louis, 2003."Integrated Coverage and Connectivity Configuration in Wireless Sensor Networks", 28–39.
- Wattenhofer, R., Li L, Bahl P&Y-M, Wang.. 2001."Distributed topology control for power efficient operation in multihop wireless ad hoc networks". *INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE*.
- Woesner, H., EbertJ-P, Schlager M&A, Wolisz. 1998. "Power-saving mechanisms in emerging standards for wireless LANs: the MAC level perspective". *Personal Communications, IEEE*.
- Ye, F., Zhong G, Cheng J, Lu S&L, Zhang..2003. "PEAS: a robust energy conserving protocol for long-lived sensor networks". *Distributed Computing Systems, 2003. Proceedings. 23rd International Conference on*.
- Ye, W., Heidemann J&D, Estrin. 2002."An energy-efficient MAC protocol for wireless sensor networks". *INFOCOM 2002. Twenty-First Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE*.
- Zhang, H&J. C., Hou. 2005,"Maintaining Sensing Coverage and Connectivity in Large Sensor Networks", 1, 89–124.
- Zhou, H,Liang T, Xu C&J, Xie. 2012."Multiobjective Coverage Control Strategy for Energy-Efficient Wireless Sensor Networks". *International Journal of Distributed Sensor Networks*, 2012, 1–10.
- Jones,C E., Krishna MSivalingam, PrathimaAgrawal&Cheng. Chen,Jyh. 2001. "A Survey of Energy Efficient Network Protocols for Wireless Networks". *Wireless Networks*. Volume 7, Issue (4) August 2001. Pg. 343-358. ISSN:1022-0038

- Manoj, B.S.&Siva. Ram. Murthy, C.2004. “*Ad Hoc Wireless Networks: Architectures and Protocols*”. Prentice Hall, 2004. Chapter 11. ISBN:013147023X
- Karl,Holger. 2003. “*An Overview of Energy-Efficiency Techniques for Mobile Communication Systems*”. TKN Technical Reports Series. TechnischeUniversitaet Berlin, 2003. http://www.tkn.tu-berlin.de/publications/papers/TechReport_03_017.pdf
- IEEE 802.11 ,1999 Standard. *IEEE Standards for Information Technology -- Telecommunications and Information Exchange between Systems -- Local and Metropolitan Area Network -- Specific Requirements -- Part II: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications*. <http://standards.ieee.org/getieee802/download/802.11-1999.pdf>
- IEEE 802.11 PSM Standard. *Power Management for Wireless Networks*. Section 11.11.2: Power Management. <http://www.spirentcom.com/documents/841.pdf>
- IEEE 802.11h ,2003 Standard Enhancement. *IEEE Standard for Information technology -- Telecommunications and Information Exchange Between Systems-- LAN/MAN Specific Requirements -- Part II: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Spectrum and Transmit Power Management Extensions in the 5GHz band in Europe*. <http://standards.ieee.org/getieee802/download/802.11h-2003.pdf>
- IEEE 802.15.1 ,2005 Standard. *IEEE Standard for Information technology-- Telecommunications and information exchange between systems-- Local and metropolitan area networks-- Specific requirements Part 15.1: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Wireless Personal Area Networks (WPANs(tm))*. <http://standards.ieee.org/getieee802/download/802.15.1-2005.pdf>
- IEEE 802.15.3. 2005. Standard. *IEEE Standard for Information technology-- Telecommunications and information exchange between systems-- Local and metropolitan area networks-- Specific requirements Part 15.3: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for High Rate Wireless Personal Area Networks (WPAN)*. <http://standards.ieee.org/getieee802/download/802.15.3-2003.pdf>
- IEEE 802.15.4. 2003. Standard. *IEEE Standard for Information technology-- Telecommunications and information exchange between systems-- Local and metropolitan area networks-- Specific requirements Part 15.4: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Low Rate Wireless Personal Area Networks (LR-WPANs)*. <http://standards.ieee.org/getieee802/download/802.15.4-2003.pdf>
- Zigbee Specification. *Industry Standard for 802.15.4 (LR-WPANs)*. http://www.zigbee.org/en/spec_download/download_request.asp

- Negri, Luca, Domenico Barretta & Fornaciari, William. 2004. "*Pervasive computing: Application-level power management in pervasive computing systems: a case study*". Proceedings of the 1st conference on Computing frontiers. Pg. 78-88. 2004. ISBN:1-58113-741-9.
- Tsaoussidis, V. & Badr, H. 2000. "*TCP-Probing: Towards an Error Control Schema with Energy and Throughput Performance Gains*". In Proceedings of the 8th IEEE Conference on Network Protocols, Japan, November 2000. <http://citeseer.csail.mit.edu/tsaoussidis00tcp probing.html>
- Zhang, C. & Tsaoussidis, V. 2001. "*TCP Real: Improving Real-time Capabilities of TCP over Heterogeneous Networks*". In Proceedings of the 11th IEEE/ACM NOSSDAV 2001, New York, 2001. <http://citeseer.csail.mit.edu/zhang01tcpreal.html>
- Bao, Lichun & Garcia-Luna-Aceves, J. J. 2003. "*Topology & MAC: Topology management in ad hoc networks*". Proceedings of the 4th ACM international symposium on Mobile ad hoc networking & computing. Pg. 129-140. 2003. ISBN:1-58113-684-6.
- Alghamdi, Mohammed. I., Tao Xie & Qin, Xiao. 2005. "*PARM: a power-aware message scheduling algorithm for real-time wireless networks*". Proceedings of the 1st ACM workshop on Wireless multimedia networking and performance modeling. Pg. 86-92. 2005. ISBN:1-59593-183-X.
- Jayashree, S, B S Manoj & Siva Ram Murthy, C. 2004. "*On using battery state for medium access control in ad hoc wireless networks*". Proceedings of the 10th annual international conference on Mobile computing and networking. Pg. 360-373. 2004. ISBN:1-58113-868-7.
- Zheng, Rong, Jennifer CHou & Lui Sha. 2003. "*Resource management: Asynchronous wakeup for ad hoc networks*". Proceedings of the 4th ACM international symposium on Mobile ad hoc networking & computing. Pg. 35-45. 2003. ISBN:1-58113-684-6.
- Dam, T. V. & Langendoen, Koen. 2003. "*Energy-efficient MAC: An adaptive energy-efficient MAC protocol for wireless sensor networks*". Proceedings of the 1st international conference on Embedded networked sensor systems. Pg. 171-180. 2003. ISBN:1-58113-707-9.
- Jacome, M. & Francky Catthoor. 2003. "*Special issue on power-aware embedded computing*". ACM Transactions on Embedded Computing Systems (TECS) - Volume 2, Issue (3) August 2003. Pg. 251-254. ISSN:1539-9087.
- Simunic, T. 2005. "*Power Saving Techniques for Wireless LANs*". Proceedings of the conference on Design, Automation and Test in Europe - Volume 3. Pg. 96-97. 2005. ISSN:1530-159.

- Bononi L , Marco C&D, Lorenzo. 2001. “*A distributed mechanism for power saving in IEEE 802.11 wireless LANs*”. Mobile Networks and Applications. Volume 6 , Issue 3 June 2001. Pg. 211-222. 2001. ISSN:1383-469X.
- MoltaD.2005. “*Wi-Fi and the need for more power*”. Network Computing. December 8, 2005. <http://www.powermanagementdesignline.com/showArticle.jhtml?articleID=174909898>
- Gruteser, M., Ashish J, J D, Feng Z &G, Dirk.2001.“*Exploiting Physical Layer Power Control Mechanisms in IEEE 802.11b Network Interfaces*” . Department of Computer Science, University of Colorado at Boulder. Tech Report: CU-CS-924-01. 2001. <http://citeseer.ist.psu.edu/gruteser01exploiting.html>
- Chen,H&Huang, Cheng-Wei.2004. “*Power management modeling and optimal policy for IEEE 802.11 WLAN systems*” . IEEE Vehicular Technology Conference 2004. http://eeipc3.ee.ccu.edu.tw/teacher/huan/paper/VTC04fall_PS_2099260022.pdf
- Anastasi, G, M Conti, EGregori&Passarella, A.2004 “*A performance study of power-saving polices for Wi-Fi hotspots*”. Computer Networks: The International Journal of Computer and Telecommunications Networking. Volume 45 , Issue 3 (June 2004). Pg. 295-318. 2004. ISSN:1389-1286.
- Brown,Chappell. 2006. “*Endless energy is harvesting's promise*”. EE Times. February 27, 2006. <http://www.powermanagementdesignline.com/showArticle.jhtml?articleID=181400884>
- Cerpa, A&Estrin, D“*ASCENT: Adaptive Self-Configuring sEnsor Networks Topologies*”. Unpublished. <http://citeseer.csail.mit.edu/559481.html>
- Chen,Benjie., Kyle Jamieson, HariBalakrishnan&Morris, Robert.2002. “*Span: an energy-efficient coordination algorithm for topology maintenance in ad hoc wireless networks*”. Wireless Networks. Volume 8 , Issue 5 September 2002. Pg. 481-494. ISSN:1022-0038.
- Ye,W, JHeidemann&Estrin, D. 2002. “*An energy-efficient MAC protocol for wireless sensor networks*”. In INFOCOM 2002. <http://citeseer.csail.mit.edu/article/ye02energyefficient.html>
- Ye, F, GZhong, S Lu&Zhang, L.2003. “*PEAS: A Robust Energy Conserving Protocol for Long-lived Sensor Networks*”. International Conference on Distributed Computing Systems (ICDCS '03), Rhode Island, May 2003. <http://citeseer.csail.mit.edu/ye03peas.html>
- Singh,Suresh.,Mike Woo&Raghavendra, C. S.1998. “*Power-Aware Routing in Mobile Ad Hoc Networks*”. In The Fourth Annual ACM/IEEE International Conference

on Mobile Computing and Networking, pages 181--190, 1998.
<http://citeseer.csail.mit.edu/singh98poweraware.html>

Polastre, J., Jonathan Hui, Philip Levis, Jerry Zhao, David Culler, Scott Shenker & Stoica, Ion. 2005. "Networking: A unifying link abstraction for wireless sensor networks". Proceedings of the 3rd international conference on Embedded networked sensor systems. Pg. 76-89. 2005. ISBN:1-59593-054-X.

Chipcon. <http://www.chipcon.com> Website for the Chipcon radio manufacturer.

Xbow. <http://www.xbow.com> Website for Crossbow Technologies. Crossbow provides innovative wireless sensor network solutions.

Motiv. <http://www.motiv.com> Website for Motiv Inc. Motiv provides innovative wireless sensor network solutions.

Van, Dam.T & Langendoan, K. 2003. "Energy-efficient MAC: An adaptive energy-efficient MAC protocol for wireless sensor networks", In: Proc IEEE IntConf Embed Networked Sensor Syst (Sensys 2003), Los Angeles, CA, November 5-7, 2003, pp. 171- 180.

Langendoan, K & Halkes, G. 2004. "Energy Efficient Medium Access Control, Delft University of Technology, Netherlands, Technical Paper, 2004.

Monolithics RF. 2005. "TR1001 868.35 MHz Hybrid Transceiver", <http://www.rfm.com> [Accessed April 2005].

Sing, S & Raghavendra, C. 1998. "PAMAS: Power Aware multi-access protocol with signaling for ad hoc networks." In: ACM Comp Commun Review, July 1998, Vol. 28, No. 3, pp. 5-26.

Ye, W, J Heidemann & Estrin, D. 2002 "An energy-efficient MAC protocol for wireless sensor networks," In: Proc Joint IEEE Joint Conf IEEE Comp Commun Soc (Infocom 2002), June 23-27, 2002, pp. 1167-1176.

Kar, K, & Banerjee, S. 2003. "Node placement for connected coverage in sensor networks", in: Proceedings of the Workshop on Modeling and Optimization in Mobile, Ad Hoc and Wireless Networks (WiOpt'03), Sophia Antipolis, France, 2003.

Arora, A., P Dutta, S Bapat, V Kulathumani, H Zhang, V Naik, V Mittal, H Cao, M Gonda, Y Choi, T Herman, S Kulkarni, U Arumugam, M Nesterenko, A Vora, Miyashita, M. 2004. "A Line in the Sand: A Wireless Sensor Network for Target Detection, Classification, and Tracking, Computer Networks: The International Journal of Computer and Telecommunications Networking", Volume 46 Issue 5, December 2004

Cardei, M., M Thai, L Yingshu, Weili, W. 2005. "Energy-efficient target coverage in wireless sensor networks", INFOCOM 2005. 24th Annual Joint Conference of

the IEEE Computer and Communications Societies. Proceedings IEEE, Volume: 3, On page(s): 1976- 1984 , March 2005.

- Cardei,M &Du,D.2005. "Improving Wireless Sensor Network Lifetime through Power Aware Organization", Wireless Networks, Volume 11 Issue 3, May 2005
- Cardei,M., J Wu, M Lu &Pervaiz,M.2005. "Maximum network lifetime in wireless sensor networks with adjustable sensing ranges". In Proceedings of the IEEE International Conference on Wireless And Mobile Computing, Networking And Communications (WiMob).
- Zhang,H, HWang&Feng, H. 2009. "A Distributed Optimum Algorithm for Target Coverage in Wireless Sensor Networks", 2009 Asia-Pacific Conference on Information Processing.
- Zhang,H,2009. "Energy-Balance Heuristic Distributed Algorithm for Target Coverage in Wireless Sensor Networks with Adjustable Sensing Ranges", 2009 Asia-Pacific Conference on Information Processing.
- Cardei, M&Wu,J. 2006. "Energy-efficient coverage problems in wireless ad-hoc sensor networks", Computer Communications Volume 29 Issue 4 pp. 413-420, February 2006.
- Meguerdichian, S., F Koushanfar, MPotkonjak&Stivastava, M.2001. "CoverageProblems in Wireless Ad-Hoc Sensor Networks", IEEE Infocom 3 (2001) 1380-1387.
- Chen, A., S Kumar, &Lai, T -H.2007. "Designing Localized Algorithms for BarrierCoverage" in MOBICOM. ACM, Sep, 2007.
- Osmani, A., MDehghan, HPourakbar&Emdadi, P.2009. "Fuzzy-Based Movement-Assisted Sensor Deployment Method in Wireless Sensor Networks", 2009 FirstInternational Conference on Computational Intelligence, Communication Systems andNetworks.
- Howard,A., M Matari'c&Sukhatme, G S.2002. "An incremental self deploymentalgorithm for mobile sensor networks," Autonomous Robots, vol. 13, no. 2, pp. 113-126, Sep. 2002.
- Wang,G., G Cao&La. Porta, T.2004. "Movement-Assisted Sensor Deployment," inProc. of the 23rd IEEE INFOCOM, 2004.
- Bai,X.,Z Yun, D Xuan, T Lai&Jia, W.2008. "Optimal Patterns for Four-Connectivityand Full Coverage in Wireless Sensor Networks", IEEE Transactions on MobileComputing, 2008.
- Li, X-Y., P -J Wan &Frieder,O.2002. "Coverage in Wireless Ad-hoc Sensor Networks", IEEE Transactions on Computers, Vol 52 (2002), pp 753-763.

- Cărbunar, B., A Grama, J Vitek & Cărbunar, O. 2006. "Redundancy and coverage detection in sensor networks", ACM Transactions on Sensor Networks (TOSN), Volume 2, Issue 1, Pages: 94 –128, February 2006.
- M. Cardei and J. Wu, "Coverage in Wireless Sensor Networks", Hand-book Networks, M. Ilyas and I. Magboub (eds.), CRC Press, 2004.
- Slijepcevic, S. and M. Potkonjak, Power Efficient Organization of Wireless Sensor Networks Proc. of IEEE International Conference on Communications 2 (2001) 472-476. Accessed 2001, from WWW.cs.ucla.edu.
- Honghai Zhang and Jennifer C. Hou, "Maintaining Sensing Coverage and Connectivity in Large Sensor Networks", NSF International Workshop on Theoretical and algorithmic Aspects of Sensor, Ad Hoc Wireless and Peer-to-peer Networks, Feb, 2004.
- Wang, X. G. Xing, Y. Zhang, C. Lu, R. Pless, and C. D. Gill, "Integrated Coverage and Connectivity Configuration in Wireless Sensor Networks, accepted to the First ACM Conference on Embedded Networked Sensor Systems (2003). Accessed November 05-0, 2003, from WWW.{wang, xing, yizhang, lu, pless, cdgill}@cse.wustl.edu.
- K. Dasgupta, M. Kukreja and K. Kalpakis, "Topology-Aware Placement and Role Assignment for Energy-Efficient Information Gathering in Sensor Networks" Proc. Of Eighth IEEE International Symposium Computers and Communication, 2003. Vol. 1. PP 341-348
- Meguerdichian, S., F. Koushanfar, M. Potkonjak, and M. Srivastava, Coverage Problems in Wireless Ad-Hoc Sensor Networks, IEEE Infocom 3 1380-1387. Accessed www.gicl.cs.drexel.edu/people/regli/Classes/.../Sensor%20Nets/power3.pdf
- S. Shakkottai, R. Srikant and N. Shroof, "Unreliable Sensor Grids: Coverage Connectivity and Diameter", Proc. Of IEEE INFOCOM, 2003
- Christos. H. Papadimitriou, Kenneth Steiglitz, "Combinatorial Optimization Algorithms and Complexity", Dover Publication Inc., 1988.
- P. Konstantinos, Ferentios Theodore, A. Tsiligirdis, "Adaptive design optimization of wireless sensor networks using genetic Algorithms". 2nd IEEE Conference on Sensor and Ad-Hoc Communications and Networks (SECON 2005), Santa Clara, CA, USA 26-29 Sep 2005. Pages 1286-1389.

- Ferentinos, K. P., & Tsiligiridis, T. A. (2005). Evolutionary energy management and design of wireless sensor networks. In Proc. 2nd IEEE Conference on Sensor and Ad Hoc Communications and Networks (SECON'05) . Santa Clara, CA, USA.
- Ferentinos, K. P., Tsiligiridis, T. A., & Arvanitis, K. G. (2005). Energy optimization of wireless sensor networks for environmental measurements. In Proc. IEEE International Conference on Computational Intelligence for Measurement Systems and Applications (CIMSA'05) . Giardini-Naxos, Italy
- Ghiasi, S., Srivastava, A., Yang, X., & Sarrafzadeh, M. (2002). Optimal energy aware clustering in sensor networks. *Sensors* ,2, 258-269.
- Konstantinos P. Ferentinos and Theodore A. Tsiligiridis.,(2006). Proceedings of the 15th IST Mobile Wireless ..., 2006 - aua.gr Heuristic Design and Energy Conservation of Wireless Sensor Networks for Precision Agriculture
- S. Ghiasi, A. Srivastava, X. Yang, M. Sarrafzadeh, Optimal energy aware clustering in sensor networks, *Sensors* 2 (2002) 258–269