

REFERENCES

- Abdul Aziz, A. R., Mohd Yusof, M. Y., Amat, M. I., & Abdul Wahab, M. N. (2021). Konsep Kawalan Kendiri dan Kualiti Kehidupan bagi Mencegah Relaps Ketagihan Dadah dalam kalangan Tahanan. *Malaysian Journal of Social Sciences and Humanities (MJSSH)*, 6(7), 83–97.
- Abdollahi, Z., Taghizadeh, F., Hamzehgardeshi, Z., & Bahramzad, O. (2014). Relationship between Addiction Relapse and Self-Efficacy Rates in Injection Drug Users Referred to Maintenance Therapy Center of Sari, 1391. *Global Journal of Health Science*, 6(3).
- Akoglu, H. (2018). User's guide to correlation coefficients. *Turkish Journal of Emergency Medicine*, 18(3), 91–93
- Ali, B., Green, K. M., Daughters, S. B., & Lejuez, C. (2017). Distress tolerance interacts with circumstances, motivation, and readiness to predict substance abuse treatment retention. *Addictive Behaviors*, 73, 99–104.
- Alhadjri, A. (2021, November 29). "63% banduan pesalah kecil dadah, reformasi penjara perlu disegerakan." Malaysiakini. Retrieved December 20, 2022, from <https://www.malaysiakini.com/news/601070>
- Azizul, M. D. A., Mohd Khir, A., & Wan Jaafar, W. M. (2018). Faktor Luaran Relaps Dalam Kalangan Penagih Lelaki Dewasa di Cure and Care Service Centre,

Kuala Pilah. *Malaysian Journal of Social Sciences and Humanities (MJSSH)*, Volume 3(Issue 2), 159–168.

Bahaudin, N. H. (2022, October 11). *Dua pertiga banduan jalani pemulihan dalam komuniti [METROTV]*. myMetro. Retrieved December 20, 2022, from <https://www.hmetro.com.my/mutakhir/2022/10/891298/dua-pertiga-banduan-jalani-pemulihan-dalam-komuniti-metrotv>

Bunt, G. C., Muehlbach, B., & Moed, C. O. (2008). The Therapeutic Community: An International Perspective. *Substance Abuse*, 29(3), 81–87.

Cahill, M. A., Adinoff, B., Hosig, H., Muller, K., & Pulliam, C. (2003). Motivation for treatment preceding and following a substance abuse program. *Addictive Behaviors*, 28(1), 67–79. [https://doi.org/10.1016/s0306-4603\(01\)00217-9](https://doi.org/10.1016/s0306-4603(01)00217-9)

Caputo, A. (2018). The Experience of Therapeutic Community: Emotional and Motivational Dynamics of People with Drug Addiction Following Rehabilitation. *International Journal of Mental Health and Addiction*, 17(1), 151–165.

Daley, D. C., Marlatt, G. A., & Douaihy, A. (2011). *Relapse prevention Lowinson and Ruiz's substance abuse: a comprehensive textbook* (5th ed). Strain EC Lippincott, Williams and Wilkins.

De Leon, G., Melnick, G. J., Kressel, D., & Jainchill, N. (1994). Circumstances, Motivation, Readiness, and Suitability (The CMRS Scales): Predicting

Retention in Therapeutic Community Treatment. *American Journal of Drug and Alcohol Abuse*, 20(4), 495–515. <https://doi.org/10.3109/009529999409109186>

DiClemente, C. C., Bellino, L. E., & Neavins, T. M. (1999). Motivation for change and alcoholism treatment. *PubMed*, 23(2), 86–92. <https://pubmed.ncbi.nlm.nih.gov/10890801>

Dolan, S. L., Martin, R. A., & Rohsenow, D. J. (2008). Self-efficacy for cocaine abstinence: Pretreatment correlates and relationship to outcomes. *Addictive Behaviors*, 33(5), 675–688.

Downey, L., Rosengren, D. B., & Donovan, D. M. (2001). Sources of motivation for abstinence. *Addictive Behaviors*, 26(1), 79–89. [https://doi.org/10.1016/s0306-4603\(00\)00090-3](https://doi.org/10.1016/s0306-4603(00)00090-3)

El,Sheikh, S. E., & Bashir, T. Z. (2004). High-risk relapse situations and self-efficacy: Comparison between alcoholics and heroin addicts. *Addictive Behaviors*, 29(4), 753–758. <https://doi.org/10.1016/j.addbeh.2004.02.003>

Erickson, J. R., Stevens, S., McKnight, P., & Figueredo, A. J. (1996). Willingness for Treatment as a Predictor of Retention and Outcomes. *Journal of Addictive Diseases*, 14(4), 135–150. https://doi.org/10.1300/j069v14n04_08

Gorski, T. T. (1997). *Passages Through Recovery: An Action Plan for Preventing Relapse*. Hazelden Publishing.

- Gideon, L. (2009). Drug Offenders' Perceptions of Motivation. *International Journal of Offender Therapy and Comparative Criminology*, 54(4), 597–610.
<https://doi.org/10.1177/0306624x09333377>
- Hyde, J., Hankins, M. J., Deale, A., & Marteau, T. M. (2008). Interventions to increase self-efficacy in the context of addiction behaviours. *Journal of Health Psychology*, 13(5), 607–623. <https://doi.org/10.1177/1359105308090933>
- Hiller, M. L., Knight, K., Leukefeld, C., & Simpson, D. D. (2002). Motivation as a Predictor of Therapeutic Engagement in Mandated Residential Substance Abuse Treatment. *Criminal Justice and Behavior*, 29(1), 56–75.
<https://doi.org/10.1177/0093854802029001004>
- Ibrahim, F., Samah, B. A., Talib, M. A., & Sabran, M. S. (2012). Penagih Dadah Dan Keadaan Berisiko Tinggi Kembali Relaps. *E-BANGI*, 7(1), 12.
- Ibrahim, F., Kumar, N., & Abu Samah, B. (2011). Self Efficacy and Relapsed Addiction Tendency: An Empirical Study. *The Social Sciences*, 6(4), 277–282.
<https://doi.org/10.3923/sscience.2011.277.282>
- Idris, A., Shaffie, F., & Mariandaran, S. D. (2020c). FAKTOR-FAKTOR PENCEGAHAN FENOMENA RELAPSE DALAM KALANGAN PENGGUNA DADAH. *Asian People Journal (APJ)*, 3(2), 161–168.
<https://doi.org/10.37231/apj.2020.3.2.185>

Joe, G. W., Kalling Knight, D., Becan, J. E., & Flynn, P. M. (2014). Recovery among adolescents: Models for post-treatment gains in drug abuse treatments. *Journal of Substance Abuse Treatment*, 46(3), 362–373. <https://doi.org/10.1016/j.jsat.2013.10.007>

Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. *Addiction*, 93(8), 1177–1190. <https://doi.org/10.1080/09652149835008>

Kadden, R. M., & Litt, M. D. (2011). The role of self-efficacy in the treatment of substance use disorders. *Addictive Behaviors*, 36(12), 1120–1126. <https://doi.org/10.1016/j.addbeh.2011.07.032>

Kelly, J. F., & Greene, M. C. (2014). Beyond motivation: Initial validation of the commitment to sobriety scale. *Journal of Substance Abuse Treatment*, 46(2), 257–263. <https://doi.org/10.1016/j.jsat.2013.06.010>

Kelly, J. M., & Greene, M. I. (2014). Where there's a will there's a way: A longitudinal investigation of the interplay between recovery motivation and self-efficacy in predicting treatment outcome. *Psychology of Addictive Behaviors*, 28(3), 928–934. <https://doi.org/10.1037/a0034727>

LaChance, H. R., Ewing, S. W. F., Bryan, A. D., & Hutchison, K. E. (2009). What makes group MET work? A randomized controlled trial of college student

drinkers in mandated alcohol diversion. *Psychology of Addictive Behaviors*, 23(4), 598–612. <https://doi.org/10.1037/a0016633>

Lu, F., Wen, S., Deng, G., & Tang, Y. (2017). Self-concept mediate the relationship between childhood maltreatment and abstinence motivation as well as self-efficacy among drug addicts. *Addictive Behaviors*, 68, 52–58. <https://doi.org/10.1016/j.addbeh.2017.01.017>

Majer, J. M., Olson, B. D., Komer, A. C., & Jason, L. A. (2015). Motivation Among Exoffenders Exiting Treatment: The Role of Abstinence Self-Efficacy. *Journal of Offender Rehabilitation*, 54(3), 161–174. <https://doi.org/10.1080/10509674.2015.1023483>

Maleske, R. T. (1995). Foundations for gathering and interpreting behavioral data. Pacific Grove, CA: Brooks/Cole Publishing Company.

Maneesriwongul, W., & Dixon, J. K. (2004). Instrument translation process: a methods review. *Journal of Advanced Nursing*, 48(2), 175–186. <https://doi.org/10.1111/j.1365-2648.2004.03185.x>

Marlatt, G. A., & Donovan, D. M. (2005). *Relapse Prevention, Second Edition: Maintenance Strategies in the Treatment of Addictive Behaviors* (2nd ed.). The Guilford Press

McBride, C. M., Curry, S. J., Stephens, R. S., Wells, E. A., Roffman, R. A., & Hawkins, J. D. (1994). Intrinsic and extrinsic motivation for change in cigarette smokers, marijuana smokers, and cocaine users. *Psychology of Addictive Behaviors*, 8, 243 ± 250.

McIntosh, J., & McKeganey, N. (2001). Identity and Recovery from Dependent Drug Use: the addict's perspective. *Drugs: Education, Prevention and Policy*, 8(1), 47–59. <https://doi.org/10.1080/09687630124064>

McKay, J. R., Foltz, C., Leahy, P., Stephens, R., Orwin, R. G., & Crowley, E. M. (2004). Step down continuing care in the treatment of substance abuse: correlates of participation and outcome effects. *Evaluation and Program Planning*, 27(3), 321–331. <https://doi.org/10.1016/j.evalprogplan.2004.04.005>

Melemis, S. (2015). Relapse Prevention and the Five Rules of Recovery. *PubMed*, 88(3), 325–332. <https://pubmed.ncbi.nlm.nih.gov/26339217>

Melnick, G., Hawke, J., & De Leon, G. (2014). Motivation and Readiness for Drug Treatment: Differences by Modality and Special Populations. *Journal of Addictive Diseases*, 33(2), 134–147. <https://doi.org/10.1080/10550887.2014.909700>

Miller, W. R., & Rollnick, S. (2013). *Motivational Interviewing* (3rd ed.). New York, NY: The Guilford Press.

Muhamad, N., & Baharudin, M. N. (2019). Differences Among Adult Drug Offenders In Terms Of The Level Of Depression And The Readiness To Change. *Malaysia Correctional Journal*, 3, 20–37.

Moos, R. H., & Moos, B. S. (2006). Rates and predictors of relapse after natural and treated remission from alcohol use disorders. *Addiction*, 101(2), 212–222. <https://doi.org/10.1111/j.1360-0443.2006.01310.x>

Moniz-Lewis, D. I., Stein, E. R., Bowen, S., & Witkiewitz, K. (2022). Self-Efficacy as a potential mechanism of behavior change in Mindfulness-Based Relapse Prevention. *Mindfulness*, 13(9), 2175–2185. <https://doi.org/10.1007/s12671-022-01946-z>

Müller, A., Znoj, H., & Moggi, F. (2019). How Are Self-Efficacy and Motivation Related to Drinking Five Years after Residential Treatment A Longitudinal Multicenter Study. *European Addiction Research*, 25(5), 213–223. <https://doi.org/10.1159/000500520>

Nikmanesh, Z., Baluchi, M. H., & Pirasteh Motlagh, A. A. (2016). The Role of Self-Efficacy Beliefs and Social Support on Prediction of Addiction Relapse. *International Journal of High Risk Behaviors and Addiction*, 6(1). <https://doi.org/10.5812/ijhrba.21209>

Nochajski, T. H., & Stasiewicz, P. R. (2005). Assessing Stages of Change in DUI Offenders. *Journal of Addictions Nursing*, 16(1), 57–67.
<https://doi.org/10.1080/10884600590919127>

Nor Azizah, M. (2022, May 20). *Fokus tangani isu dadah dahulu - Hamzah*. Berita Harian. Retrieved December 24, 2022, from
<https://www.bharian.com.my/berita/nasional/2022/05/957588/fokus-tangani-isu-dadah-dahulu-hamzah>

Opsal, A., Kristensen, Ø., & Clausen, T. (2019). Readiness to change among involuntarily and voluntarily admitted patients with substance use disorders. *Substance Abuse Treatment Prevention and Policy*, 14(1).
<https://doi.org/10.1186/s13011-019-0237-y>

Öztuna, D., Elhan, A. H., & Tüccar, E. (2006). Investigation of Four Different Normality Tests in Terms of Type 1 Error Rate and Power under Different Distributions. *DergiPark* (Istanbul University).
<https://dergipark.org.tr/tr/pub/tbtkmedical/issue/12334/147826>

Rao, S. R. (2004). *The relation of stages of motivation to treatment process* (Order No. 3150008). Available from ProQuest Central; ProQuest Dissertations & Theses Global. (305134644). <https://www.proquest.com/dissertations-theses/relation-stages-motivation-treatment-process/docview/305134644/se-2>

Ramo, D. E., Anderson, K. G., Tate, S. R., & Brown, S. A. (2005). Characteristics of relapse to substance use in comorbid adolescents. *Addictive Behaviors*, 30(9), 1811–1823. <https://doi.org/10.1016/j.addbeh.2005.07.021>

Romo, L., Strat, Y. L., Aubry, C., Marquez, S., Houdeyer, K., Batel, P., Adès, J., & Gorwood, P. (2009). The Role of Brief Motivational Intervention on Self-Efficacy and Abstinence in a Cohort of Patients with Alcohol Dependence. *The International Journal of Psychiatry in Medicine*, 39(3), 313–323. <https://doi.org/10.2190/pm.39.3.g>

Salleh, M. A., & M, A. (2015). Therapeutic Community Approach In Drug Abuse Treatment : A Systematic Review. *International Journal of Public Health and Clinical Sciences*, 2(1), 81–91.

Schunk, D. H., & DiBenedetto, M. K. (2021). Self-efficacy and human motivation. In *Advances in motivation science* (pp. 153–179). Elsevier BV. <https://doi.org/10.1016/bs.adms.2020.10.001>

Torrecillas, F. L. (2015). Predictive Capacity of Self-Efficacy in Drug Dependence and Substance Abuse Treatment. *Journal of Psychology & Clinical Psychiatry*, 2(3). <https://doi.org/10.15406/jpcpy.2015.02.00073>

Uhlig, D. J. (2009). *Mindfulness Based Relapse Prevention and the matrix model in substance abuse relapse prevention* (Order No. 3355064). Available from ProQuest Dissertations & Theses Global. (305068874).

<https://www.proquest.com/dissertations-theses/mindfulness-based-relapse-prevention-matrix-model/docview/305068874/se-2>

Volkow, N. D., Baler, R., & Goldstein, R. Z. (2011). Addiction: Pulling at the Neural Threads of Social Behaviors. *Neuron*, 69(4), 599–602.
<https://doi.org/10.1016/j.neuron.2011.01.027>

Wadgave, U., & Khairnar, M. R. (2019). Parametric test for non-normally distributed continuous data: For and against. *Electronic Physician*, 11(2), 7468–7470.
<https://doi.org/10.19082/7468>

Witkiewitz, K., & Marlatt, G. A. (2009). Relapse prevention for alcohol and drug problems: That was Zen, this is Tao. In *American Psychological Association eBooks* (pp. 403–427). <https://doi.org/10.1037/11855-016>