

## REFERENCES

- A.O, D. (2012). Langmuir, Freundlich, Temkin and Dubinin–Radushkevich Isotherms Studies of Equilibrium Sorption of Zn<sup>2+</sup> Unto Phosphoric Acid Modified Rice Husk. *IOSR Journal of Applied Chemistry*, 3(1), 38–45. [https://doi.org/ 10.9790/5736-0313845](https://doi.org/10.9790/5736-0313845)
- Abad M., Noguera P., Pushades R., Maquieire A., oguera V (2002), Physico-chemical and chemical properties of coconut coir dusts for use as a peat substitute for containerised ornamental plants. *Biosource Technology*. 82, 241-245. DOI:10.1016/S0960-8524(01)00189-4
- Abdel-ghani, N. T., & El-chaghaby, G. A. (2014). Biosorption for Metal Ions Removal From Aqueous Solutions : a Review of a Review of Recent Studies. *International Journal of Latest Research in Science and Technology*., 3(1), 24–42. [http:// www.mnkjournals.com/ijlrst.htm](http://www.mnkjournals.com/ijlrst.htm)
- Abdel-Ghani, N. T., & Elchaghaby, G. A. (2007). Influence of operating conditions on the removal of Cu, Zn, Cd and Pb ions from wastewater by adsorption. *International Journal of Environmental Science and Technology*, 4(4), 451–456. <https://doi.org/10.1007/BF03325980>
- Abdel Wahab, O. (2007). Kinetic and isotherm studies of copper (II) removal from wastewater using various adsorbents. 33(1), 125–142.
- Abdolali, A., Guo, W. S., Ngo, H. H., Chen, S. S., Nguyen, N. C., & Tung, K. L. (2014). Typical lignocellulosic wastes and by-products for biosorption process in water and wastewater treatment: A critical review. *Bioresource Technology*, 160, 57–66. <https://doi.org/10.1016/j.biortech.2013.12.037>
- Acharya, J., Sahu, J. N., Mohanty, C. R., & Meikap, B. C. (2009). Removal of lead (II) from wastewater by activated carbon developed from Tamarind wood by zinc chloride activation. *Chemical Engineering Journal*, 149(1–3), 249–262. <https://doi.org/10.1016/j.cej.2008.10.029>
- Achaw, O.-W. (2012). A Study of the Porosity of Activated Carbons Using the Scanning Electron Microscope. *Scanning Electron Microscopy*. <https://doi.org/10.5772/36337>
- Adegoke, K. A., & Bello, O. S. (2015). Dye sequestration using agricultural wastes as adsorbents. *Water Resources and Industry*, 12, 8–24. [https://doi.org/ 10.1016/j.wri.2015.09.002](https://doi.org/10.1016/j.wri.2015.09.002)
- Adinata, D., Wan Daud, W. M. A., & Aroua, M. K. (2007). Preparation and characterization of activated carbon from palm shell by chemical activation with K<sub>2</sub>CO<sub>3</sub>. *Bioresource Technology*, 98(1), 145–149. [https://doi.org/ 10.1016/j.biortech.2005.11.006](https://doi.org/10.1016/j.biortech.2005.11.006)

- Ahiduzzaman, M., & Sadrul Islam, A. K. M. (2016). Preparation of porous biochar and activated carbon from rice husk by leaching ash and chemical activation. *SpringerPlus*, 5(1). <https://doi.org/10.1186/s40064-016-2932-8>
- Ahmad, F., Daud, W. M. A. W., Ahmad, M. A., & Radzi, R. (2011). Using cocoa (*Theobroma cacao*) shell-based activated carbon to remove 4-nitrophenol from aqueous solution: Kinetics and equilibrium studies. *Chemical Engineering Journal*, 178, 461–467. <https://doi.org/10.1016/j.cej.2011.10.044>
- Ahmad, F., Daud, W. M. A. W., Ahmad, M. A., & Radzi, R. (2012). Cocoa (*Theobroma cacao*) shell-based activated carbon by CO<sub>2</sub> activation in removing of Cationic dye from aqueous solution: Kinetics and equilibrium studies. *Chemical Engineering Research and Design*, 90(10), 1480–1490. <https://doi.org/10.1016/j.cherd.2012.01.017>
- Ahmad, F., Daud, W. M. A. W., Ahmad, M. A., & Radzi, R. (2013). The effects of acid leaching on porosity and surface functional groups of cocoa (*Theobroma cacao*)-shell based activated carbon. *Chemical Engineering Research and Design*, 91(6), 1028–1038. <https://doi.org/10.1016/j.cherd.2013.01.003>
- Ahmad, M. A., & Alrozi, R. (2010). Optimization of preparation conditions for mangosteen peel-based activated carbons for the removal of Remazol Brilliant Blue R using response surface methodology. *Chemical Engineering Journal*, 165(3), 883–890. <https://doi.org/10.1016/j.cej.2010.10.049>
- Ahmad, M. A., & Alrozi, R. (2011). Removal of malachite green dye from aqueous solution using rambutan peel-based activated carbon: Equilibrium, kinetic and thermodynamic studies. *Chemical Engineering Journal*, 171(2), 510–516. <https://doi.org/10.1016/j.cej.2011.04.018>
- Ahmad, M. A., & Rahman, N. K. (2011). Equilibrium, kinetics and thermodynamics of Remazol Brilliant Orange 3R dye adsorption on coffee husk-based activated carbon. *Chemical Engineering Journal*, 170(1), 154–161. <https://doi.org/10.1016/j.cej.2011.03.045>
- Ahmaruzzaman, M. (2011). Industrial wastes as low-cost potential adsorbents for the treatment of wastewater laden with heavy metals. *Advances in Colloid and Interface Science*, 166(1–2), 36–59. <https://doi.org/10.1016/j.cis.2011.04.005>
- Ahmed, M. B., Zhou, J. L., Ngo, H. H., & Guo, W. (2015). Adsorptive removal of antibiotics from water and wastewater : Progress and challenges Science of the Total Environment Adsorptive removal of antibiotics from water and wastewater : Progress and challenges. *Science of the Total Environment*, The, 532(November), 112–126. <http://dx.doi.org/10.1016/j.scitotenv.2015.05.130>

- Ahmed, M. B., Zhou, J. L., Ngo, H. H., Johir, M. A. H., Sun, L., Asadullah, M., & Belhaj, D. (2018). Sorption of hydrophobic organic contaminants on functionalized biochar: Protagonist role of  $\Pi$ - $\Pi$  electron-donor-acceptor interactions and hydrogen bonds. *Journal of Hazardous Materials*, 360, 270–278. <https://doi.org/10.1016/j.jhazmat.2018.08.005>
- Ajmal, M., Ali Khan Rao, R., Anwar, S., Ahmad, J., & Ahmad, R. (2003). Adsorption studies on rice husk: Removal and recovery of Cd(II) from wastewater. *Bioresource Technology*, 86(2), 147–149. [https://doi.org/10.1016/S0960-8524\(02\)00159-1](https://doi.org/10.1016/S0960-8524(02)00159-1)
- Akhtar, M., Iqbal, S., Kausar, A., Bhangar, M. I., & Shaheen, M. A. (2010). An economically viable method for the removal of selected divalent metal ions from aqueous solutions using activated rice husk. *Colloids and Surfaces B: Biointerfaces*, 75(1), 149–155. <https://doi.org/10.1016/j.colsurfb.2009.08.025>
- Aksu, Z., & Gönen, F. (2004). Biosorption of phenol by immobilized activated sludge in a continuous packed bed: Prediction of breakthrough curves. *Process Biochemistry*, 39(5), 599–613. [https://doi.org/10.1016/S0032-9592\(03\)00132-8](https://doi.org/10.1016/S0032-9592(03)00132-8)
- Al-Qodah, Z., & Shawabkha, R. (2009). Production and characterization of granular activated carbon from activated sludge. *Brazilian Journal of Chemical Engineering*, 26(1), 127–136. <https://doi.org/10.1590/S0104-66322009000100012>
- Alabadi, A., Razzaque, S., Yang, Y., Chen, S., & Tan, B. (2015). Highly porous activated carbon materials from carbonized biomass with high CO<sub>2</sub> capturing capacity. *Chemical Engineering Journal*, 281, 606–612. <https://doi.org/10.1016/j.cej.2015.06.032>
- Alam, M. M., Hossain, M. A., Hossain, M. D., Johir, M. A. H., Hossen, J., Rahman, M. S., Zhou, J. L., Hasan, A. T. M. K., Karmakar, A. K., & Ahmed, M. B. (2020). The potentiality of rice husk-derived activated carbon: From synthesis to application. *Processes*, 8(2). <https://doi.org/10.3390/pr8020203>
- Alfarra, A., Frackowiak, E., & Béguin, F. (2004). The HSAB concept as a means to interpret the adsorption of metal ions onto activated carbons. *Applied Surface Science*, 228(1–4), 84–92. <https://doi.org/10.1016/j.apsusc.2003.12.033>
- Alias, N., Zaini, M. A. A., & Kamaruddin, M. J. (2017). Relationships between dielectric properties and characteristics of impregnated and activated samples of potassium carbonate-and sodium hydroxide-modified palm kernel shell for microwave-assisted activation. *Carbon Letters*. <https://doi.org/10.5714 /CL.2017.24.062>
- All, F. E. I. C. (2005). *User 's Operation Manual*.

- Allwar, H. (2012). Characteristics of micro- and mesoporous structure and surface chemistry of activated carbons produced by oil palm shell. *Chemical, Ecology and Environmental Sciences (ICEES'2012)*, 138–141.
- Alslaibi, T. M., Abustan, I., Ahmad, M. A., & Foul, A. A. (2013). A review: Production of activated carbon from agricultural byproducts via conventional and microwave heating. *Journal of Chemical Technology and Biotechnology*, 88(7), 1183–1190. <https://doi.org/10.1002/jctb.4028>
- Al-Degs, Y.S., El-Barghouthi, M.I., El-Sheikh, A.H., Walker, G.M., (2008). Effect of solution pH, ionic strength, and temperature on adsorption behavior of reactive dyes on activated carbon. *Dyes and Pigments* 77, 16–23.
- American Society of Testing and Materials (ASTM). (2006). ASTM E1756-01 standard test method for moisture analysis of particulate wood fuels. New York: *ASTM International*.
- ASTM. (2006). ASTM E872-82 standard test method for volatile matter in the analysis of particulate wood fuels. New York: *ASTM International*.
- ASTM. (2007). ASTM E1755-01 standard test method for ash in biomass. New York: *ASTM International*
- Amuda, O. S., Giwa, A. A., & Bello, I. A. (2007). Removal of heavy metal from industrial wastewater using modified activated coconut shell carbon. *Biochemical Engineering Journal*, 36(2), 174–181. <https://doi.org/10.1016/j.bej.2007.02.013>
- Anfruns, A., Montes-Morán, M. A., Gonzalez-Olmos, R., & Martin, M. J. (2013). H<sub>2</sub>O<sub>2</sub>-based oxidation processes for the regeneration of activated carbons saturated with volatile organic compounds of different polarity. *Chemosphere*, 91(1), 48–54. <https://doi.org/10.1016/j.chemosphere.2012.11.068>
- Anirudhan, T. S., Divya, L., & Ramachandran, M. (2008). Mercury(II) removal from aqueous solutions and wastewaters using a novel cation exchanger derived from coconut coir pith and its recovery. *Journal of Hazardous Materials*, 157(2–3), 620–627. <https://doi.org/10.1016/j.jhazmat.2008.01.030>
- Arafat, M. G., & Mohamed, S. O. (2013). Preliminary study on efficacy of leaves, seeds and bark extracts of *Moringa oleifera* in reducing bacterial load in water. *International Journal of Advanced Research*, 1(October), 124–130.
- Arnoldsson, E., Bergman, M., Matsinhe, N., & Persson, K. M. (2008). Assessment of drinking water treatment using *Moringa oleifera* natural coagulant. *Vatten*, 64, 137–150.
- Aworn, A., Thiravetyan, P., & Nakbanpote, W. (2008). Preparation and characteristics of agricultural waste activated carbon by physical activation having micro- and mesopores. *Journal of Analytical and Applied Pyrolysis*, 82(2), 279–285.

<https://doi.org/10.1016/j.jaap.2008.04.007>

- Azeh Engwa, G., Udoka Ferdinand, P., Nweke Nwalo, F., & N. Unachukwu, M. (2019). Mechanism and Health Effects of Heavy Metal Toxicity in Humans. *Poisoning in the Modern World New Tricks for an Old Dog?* <https://doi.org/10.5772/intechopen.82511>
- Azouaou, N., Sadaoui, Z., Djaafri, A., & Mokaddem, H. (2010). Adsorption of cadmium from aqueous solution onto untreated coffee grounds: Equilibrium, kinetics and thermodynamics. *Journal of Hazardous Materials*, 184(1–3), 126–134. <https://doi.org/10.1016/j.jhazmat.2010.08.014>
- Babu, B. V., & Gupta, S. (2008). Adsorption of Cr(VI) using activated neem leaves: Kinetic studies. *Adsorption*, 14(1), 85–92. <https://doi.org/10.1007/s10450-007-9057-x>
- Badrudodoza, A. Z. M., Shawon, Z. B. Z., Tay, W. J. D., Hidajat, K., & Uddin, M. S. (2013). Fe 3O 4/cyclodextrin polymer nanocomposites for selective heavy metals removal from industrial wastewater. *Carbohydrate Polymers*, 91(1), 322–332. <https://doi.org/10.1016/j.carbpol.2012.08.030>
- Bakulski, K. M., Seo, Y. A., Hickman, R. C., Brandt, D., Vadari, H. S., Hu, H., & Park, S. K. (2020). Heavy Metals Exposure and Alzheimer's Disease and Related Dementias. *Journal of Alzheimer's Disease*, 76(4), 1215–1242. <https://doi.org/10.3233/JAD-200282>
- Baral, A., & Engelken, R. D. (2002). Chromium-based regulations and greening in metal finishing industries in the USA. *Environmental Science and Policy*, 5(2), 121–133. [https://doi.org/10.1016/S1462-9011\(02\)00028-X](https://doi.org/10.1016/S1462-9011(02)00028-X)
- Bayuo, J., Pelig-Ba, K. B., & Abukari, M. A. (2019). Adsorptive removal of chromium(VI) from aqueous solution unto groundnut shell. *Applied Water Science*, 9(4), 1–11. <https://doi.org/10.1007/s13201-019-0987-8>
- Bello, O. S., Adegoke, K. A., & Akinyunni, O. O. (2017). Preparation and characterization of a novel adsorbent from Moringa oleifera leaf. *Applied Water Science*, 7(3), 1295–1305. <https://doi.org/10.1007/s13201-015-0345-4>
- Bello, O. S., Adelaide, O. M., Hamed, M. A., & Popoola, O. A. M. (2010). Kinetic and equilibrium studies of methylene blue removal from aqueous solution by adsorption on treated sawdust. *Macedonian Journal of Chemistry and Chemical Engineering*, 29(1), 77–85. <https://doi.org/10.20450/mjcce.2010.181>
- Bhatnagar, A., Hogland, W., Marques, M., & Sillanpää, M. (2013). An overview of the modification methods of activated carbon for its water treatment applications. *Chemical Engineering Journal*, 219, 499–511. <https://doi.org/10.1016/j.cej.2013.04.007>

2012.12.038

- Bhattacharyya, K. G., & Sharma, A. (2004). Azadirachta indica leaf powder as an effective biosorbent for dyes: A case study with aqueous Congo Red solutions. *Journal of Environmental Management*, 71(3), 217–229. <https://doi.org/10.1016/j.jenvman.2004.03.002>
- Bhuptawat, H., Folkard, G. K., & Chaudhari, S. (2007). Innovative physico-chemical treatment of wastewater incorporating *Moringa oleifera* seed coagulant. *Journal of Hazardous Materials*, 142(1–2), 477–482. <https://doi.org/10.1016/j.jhazmat.2006.08.044>
- Bichi, M. H. (2013). A Review of the Applications of *Moringa oleifera* Seeds Extract in Water Treatment. *Civil and Environmental Research*, 3(8), 1–11.
- Bohli T, Villaescusa I, Ouederni A (2013) Comparative study of bivalent cationic metals adsorption Pb(II), Cd(II), Ni(II), and Cu (II) on olive stones chemically activated carbon. *J Chem Eng Process Technol* 4:158–164
- Bonvin, F., Jost, L., Randin, L., Bonvin, E., & Kohn, T. (2016). Super-fine powdered activated carbon (SPAC) for efficient removal of micropollutants from wastewater treatment plant effluent. *Water Research*, 90, 90–99. <https://doi.org/10.1016/j.watres.2015.12.001>
- Bulut, Y., Aydin, H., (2006). A kinetics and thermodynamics study of methylene blue adsorption on wheat shells. *Desalination* 194, 259–267.
- Bulut, E., Özacar, M., & Şengil, I. A. (2008). Adsorption of malachite green onto bentonite: Equilibrium and kinetic studies and process design. *Microporous and Mesoporous Materials*, 115(3), 234–246. <https://doi.org/10.1016/j.micromeso.2008.01.039>
- Cabal, B., Ania, C. O., Parra, J. B., & Pis, J. J. (2009). Kinetics of naphthalene adsorption on an activated carbon: Comparison between aqueous and organic media. *Chemosphere*, 76(4), 433–438. <https://doi.org/10.1016/j.chemosphere.2009.04.002>
- Cabrera-Codony, A., Gonzalez-Olmos, R., & Martín, M. J. (2015). Regeneration of siloxane-exhausted activated carbon by advanced oxidation processes. *Journal of Hazardous Materials*, 285, 501–508. <https://doi.org/10.1016/j.jhazmat.2014.11.053>
- Çelekli, A., & Bozkurt, H. (2011). Bio-sorption of cadmium and nickel ions using *Spirulina platensis*: Kinetic and equilibrium studies. *Desalination*, 275(1–3), 141–147. <https://doi.org/10.1016/j.desal.2011.02.043>
- Cetin, S., & Pehlivan, E. (2007). The use of fly ash as a low cost, environmentally friendly alternative to activated carbon for the removal of heavy metals from

- aqueous solutions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 298(1–2), 83–87. <https://doi.org/10.1016/j.colsurfa.2006.12.017>
- Chandra, T. C., Mirna, M. M., Sunarso, J., Sudaryanto, Y., & Ismadji, S. (2009). Activated carbon from durian shell: Preparation and characterization. *Journal of the Taiwan Institute of Chemical Engineers*, 40(4), 457–462. <https://doi.org/10.1016/j.jtice.2008.10.002>
- Chatterjee, S., Lee, M. W., & Wooa, S. H. (2010). Adsorption of congo red by chitosan hydrogel beads impregnated with carbon nanotubes. *Bioresource Technology*, 101(6), 1800–1806. <https://doi.org/10.1016/j.biortech.2009.10.051>
- Chaudhuri, T. K. (2011). Comparison of adsorption behaviour of coconut coir activated carbon and commercial activated carbon for textile dye. *WIT Transactions on Ecology and The Environment*, 106-107.
- Chen, C., & Wang, J. (2008). Removal of  $Pb^{2+}$ ,  $Ag^+$ ,  $Cs^+$  and  $Sr^{2+}$  from aqueous solution by brewery's waste biomass. *Journal of Hazardous Materials*, 151(1), 65–70. <https://doi.org/10.1016/j.jhazmat.2007.05.046>
- Chen, S. S., Cheng, C. Y., Li, C. W., Chai, P. H., & Chang, Y. M. (2007). Reduction of chromate from electroplating wastewater from pH 1 to 2 using fluidized zero valent iron process. *Journal of Hazardous Materials*, 142(1–2), 362–367. <https://doi.org/10.1016/j.jhazmat.2006.08.029>
- Chen, Y., Zhu, Y., Wang, Z., Li, Y., Wang, L., Ding, L., Gao, X., Ma, Y., & Guo, Y. (2011). Application studies of activated carbon derived from rice husks produced by chemical-thermal process - A review. *Advances in Colloid and Interface Science*, 163(1), 39–52. <https://doi.org/10.1016/j.cis.2011.01.006>
- Cheng, Z., Zhang, L., Guo, X., Jiang, X., & Li, T. (2015). Adsorption behavior of direct red 80 and congo red onto activated carbon/surfactant: Process optimization, kinetics and equilibrium. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 137, 1126–1143. <https://doi.org/10.1016/j.saa.2014.08.138>
- Choi, H. J., & Yu, S. W. (2019). Biosorption of methylene blue from aqueous solution by agricultural bioadsorbent corn cob. *Environmental Engineering Research*, 24(1), 99–106. <https://doi.org/10.4491/eer.2018.107>
- Chumark, P., Khunawat, P., Sanvarinda, Y., Phornchirasilp, S., Morales, N. P., Phivthong-ngam, L., Ratanachamngong, P., Srisawat, S., & Pongrapeeporn, K. upsorn S. (2008). The in vitro and ex vivo antioxidant properties, hypolipidaemic and antiatherosclerotic activities of water extract of *Moringa oleifera* Lam. leaves. *Journal of Ethnopharmacology*, 116(3), 439–446. <https://doi.org/10.1016/j.jep.2007.12.010>

- Conrad, K., & Bruun Hansen, H. C. (2007). Sorption of zinc and lead on coir. *Bioresource Technology*, 98(1), 89–97. <https://doi.org/10.1016/j.biortech.2005.11.018>
- Considine, R., Denoyel, R., Pendleton, P., Schumann, R., & Wong, S. H. (2001). The influence of surface chemistry on activated carbon adsorption of 2-methylisoborneol from aqueous solution. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 179(2–3), 271–280. [https://doi.org/10.1016/S0927-7757\(00\)00647-6](https://doi.org/10.1016/S0927-7757(00)00647-6)
- Danewalia, S. S., Sharma, G., Thakur, S., & Singh, K. (2016). Agricultural wastes as a resource of raw materials for developing low-dielectric glass-ceramics. *Scientific Reports*, 6(April), 1–12. <https://doi.org/10.1038/srep24617>
- Demiral, H., & Gündüzoğlu, G. (2010). Removal of nitrate from aqueous solutions by activated carbon prepared from sugar beet bagasse. *Bioresource Technology*, 101(6), 1675–1680. <https://doi.org/10.1016/j.biortech.2009.09.087>
- Demirbas, A. (2008). Heavy metal adsorption onto agro-based waste materials: A review. *Journal of Hazardous Materials*, 157(2–3), 220–229. <https://doi.org/10.1016/j.jhazmat.2008.01.024>
- Demirbas, E., Kobya, M., Senturk, E., & Ozkan, T. (2004). Adsorption kinetics for the removal of chromium (VI) from aqueous solutions on the activated carbons prepared from agricultural wastes. *Water SA*, 30(4), 533–539. <https://doi.org/10.4314/wsa.v30i4.5106>
- Desta, M. B. (2013). Batch sorption experiments: Langmuir and freundlich isotherm studies for the adsorption of textile metal ions onto teff straw (eragrostis tef) agricultural waste. *Journal of Thermodynamics*. <https://doi.org/10.1155/2013/375830>
- El-Sayed, G. O., Yehia, M. M., & Asaad, A. A. (2014). Assessment of activated carbon prepared from corncob by chemical activation with phosphoric acid. *Water Resources and Industry*, 7–8, 66–75. <https://doi.org/10.1016/j.wri.2014.10.001>
- El Haddad, M., Slimani, R., Mamouni, R., ElAntri, S., & Lazar, S. (2013). Removal of two textile dyes from aqueous solutions onto calcined bones. *Journal of the Association of Arab Universities for Basic and Applied Sciences*, 14(1), 51–59. <https://doi.org/10.1016/j.jaubas.2013.03.002>
- Elangovan, R., Philip, L., & Chandraraj, K. (2008). Biosorption of chromium species by aquatic weeds: Kinetics and mechanism studies. *Journal of Hazardous Materials*, 152(1), 100–112. <https://doi.org/10.1016/j.jhazmat.2007.06.067>
- Elementar. 2017. “Data Bulletin - CHN analysis in coal and fly ash using the vario MACRO cube”. elementar. [http://www.elementar.de/fileadmin/user\\_upload/Elementar\\_Website/Downloads/Data\\_Bulletins/vario\\_MACRO\\_cube/DB-CHN-](http://www.elementar.de/fileadmin/user_upload/Elementar_Website/Downloads/Data_Bulletins/vario_MACRO_cube/DB-CHN-)

analysis-in-coal-and-fly-ash-using-thevario-MACRO-cube.pdf.

Ellis, T. G. (2016). *PL C E O – March*.

Eman, N. A., Tan, C. S., & Makky, E. A. (2014). Impact of <i>Moringa oleifera</i> & It;</i> Cake Residue Application on Waste Water Treatment: A Case Study. *Journal of Water Resource and Protection*, 06(07), 677–687. <https://doi.org/10.4236/jwarp.2014.67065>

Fałtynowicz, H., Kaczmarczyk, J., & Kułazyński, M. (2015). Preparation and characterization of activated carbons from biomass material - Giant knotweed (*Reynoutria sachalinensis*). *Open Chemistry*, 13(1), 1150–1156. <https://doi.org/10.1515/chem-2015-0128>

Foo, K. Y., & Hameed, B. H. (2012). Coconut husk derived activated carbon via microwave induced activation: Effects of activation agents, preparation parameters and adsorption performance. *Chemical Engineering Journal*, 184, 57–65. <https://doi.org/10.1016/j.cej.2011.12.084>

Gad, H. M. H., & El-Sayed, A. A. (2009). Activated carbon from agricultural by-products for the removal of Rhodamine-B from aqueous solution. *Journal of Hazardous Materials*, 168(2–3), 1070–1081. <https://doi.org/10.1016/j.jhazmat.2009.02.155>

Gomes, P. C., Fontes, M. P. F., da Silva, A. G., de S. Mendonça, E., & Netto, A. R. (2001). Selectivity Sequence and Competitive Adsorption of Heavy Metals by Brazilian Soils. *Soil Science Society of America Journal*, 65(4), 1115–1121. <https://doi.org/10.2136/sssaj2001.6541115x>

Guo, H., & Deng, X. L. (2013). Preparation and characterization of activated carbon from palm shell by catalytic activation with steam. *Advanced Materials Research*, 787, 46–51. <https://doi.org/10.4028/www.scientific.net/AMR.787.46>

Guo, S., Peng, J., Li, W., Yang, K., Zhang, L., Zhang, S., & Xia, H. (2009). Effects of CO<sub>2</sub> activation on porous structures of coconut shell-based activated carbons. *Applied Surface Science*, 255(20), 8443–8449. <https://doi.org/10.1016/j.apsusc.2009.05.150>

Hamdaoui, O. (2006). Batch study of liquid-phase adsorption of methylene blue using cedar sawdust and crushed brick. *Journal of Hazardous Materials*, 135(1–3), 264–273. <https://doi.org/10.1016/j.jhazmat.2005.11.062>

Hamza, U. D., Nasri, N. S., Amin, N. A. S., Mohammed, J., & Zain, H. M. (2016). Microwave assisted K<sub>2</sub>CO<sub>3</sub> palm shell activated carbon as sorbent for CO<sub>2</sub> adsorption application. *Jurnal Teknologi*, 78(8–3), 127–136. <https://doi.org/10.11113/jt.v78.9576>

Han, R., Ding, D., Xu, Y., Zou, W., Wang, Y., Li, Y., & Zou, L. (2008). Use of rice

- husk for the adsorption of congo red from aqueous solution in column mode. *Bioresource Technology*, 99(8), 2938–2946. <https://doi.org/10.1016/j.biortech.2007.06.027>
- Higgins, F. (n.d.). *Agilent Cary 630 FTIR Pharmacopoeia compliance Application note*. September 2011, 87–88.
- Horne, J. (2013). Economic approaches to water management in Australia. *International Journal of Water Resources Development*, 29(4), 526–543. <https://doi.org/10.1080/07900627.2012.712336>
- Horsfall, M., Abia, A. A., & Spiff, A. I. (2006). Kinetic studies on the adsorption of  $\text{Cd}^{2+}$ ,  $\text{Cu}^{2+}$  and  $\text{Zn}^{2+}$  ions from aqueous solutions by cassava (*Manihot sculenta* Cranz) tuber bark waste. *Bioresource Technology*, 97(2), 283–291. <https://doi.org/10.1016/j.biortech.2005.02.016>
- Hu, Z., Chen, H., Ji, F., & Yuan, S. (2010). Removal of Congo Red from aqueous solution by cattail root. *Journal of Hazardous Materials*, 173(1–3), 292–297. <https://doi.org/10.1016/j.jhazmat.2009.08.082>
- Huang, P. H., Cheng, H. H., & Lin, S. H. (2015). Adsorption of carbon dioxide onto activated carbon prepared from coconut shells. *Journal of Chemistry*, 2015. <https://doi.org/10.1155/2015/106590>
- Hussaro, K., & Rattanakosin. (2014). Preparation of activated carbon from palm oil shell by chemical activation with  $\text{Na}_2\text{CO}_3$ . *Americal Journal of Environmental Sciences*, 101(4), 177–185. <https://doi.org/10.3844/ajessp.2014>
- Ikomuanya, M., Nashiru, B., Ifudu, N., & Igwilo, C. (2017). Effect of pore size and morphology of activated charcoal prepared from midribs of *Elaeis guineensis* on adsorption of poisons using metronidazole and *Escherichia coli* O157:H7 as a case study. *Journal of Microscopy and Ultrastructure*, 5(1), 32. <https://doi.org/10.1016/j.jmau.2016.05.001>
- Irina Lehmann, U. S. (2011). Metal Ions Affecting the Immune System. *Met. Ions Life Science*, 157-185.
- Ioannidou, O., & Zabaniotou, A. (2007). Agricultural residues as precursors for activated carbon production-A review. *Renewable and Sustainable Energy Reviews*, 11(9), 1966–2005. <https://doi.org/10.1016/j.rser.2006.03.013>
- Jabar, J. M., & Odusote, Y. A. (2020). Removal of cibacron blue 3G-A (CB) dye from aqueous solution using chemo-physically activated biochar from oil palm empty fruit bunch fiber. *Arabian Journal of Chemistry*, 13(5), 5417–5429. <https://doi.org/10.1016/j.arabjc.2020.03.020>
- Jain, A., Balasubramanian, R., & Srinivasan, M. P. (2016). Hydrothermal conversion

- of biomass waste to activated carbon with high porosity: A review. *Chemical Engineering Journal*, 283, 789–805. <https://doi.org/10.1016/j.cej.2015.08.014>
- Järup, L. (2003). Hazards of heavy metal contamination. *British Medical Bulletin*, 68, 167–182. <https://doi.org/10.1093/bmb/ldg032>
- Jawad, A. H., Rashid, R. A., Ishak, M. & Wilson, L. D. (2016). Adsorption of methylene blue onto activated carbon developed from biomass waste by H<sub>2</sub>SO<sub>4</sub> activation: kinetic, equilibrium and thermodynamic studies. *Desalination and Water Treatment*, 57, 25194–25206
- Jodeh, S., Abdelwahab, F., Jaradat, N., Warad, I., & Jodeh, W. (2016). Adsorption of diclofenac from aqueous solution using Cyclamen persicum tubers based activated carbon (CTAC). *Journal of the Association of Arab Universities for Basic and Applied Sciences*, 20, 32–38. <https://doi.org/10.1016/j.jaubas.2014.11.002>
- Joshua, R., & Vasu, V. (2013). Characteristics of Stored Rain Water and Its Treatment Technology. *Int. J. LifeSc. Bt & Pharm. Res.*, 2(1), 2250–3137.
- Kalavathy, M. H., Karthikeyan, T., Rajgopal, S., & Miranda, L. R. (2005). Kinetic and isotherm studies of Cu(II) adsorption onto H<sub>3</sub>PO<sub>4</sub>-activated rubber wood sawdust. *Journal of Colloid and Interface Science*, 292(2), 354–362. <https://doi.org/10.1016/j.jcis.2005.05.087>
- Kalijadis, A. M., Vukčević, M. M., Jovanović, Z. M., Laušević, Z. V., & Laušević, M. D. (2011). Characterisation of surface oxygen groups on different carbon materials by the Boehm method and temperature-programmed desorption. *Journal of the Serbian Chemical Society*, 76(5), 757–768. <https://doi.org/10.2298/JSC091224056K>
- Kamali, A. R., & Fray, D. J. (2013). Molten salt corrosion of graphite as a possible way to make carbon nanostructures. *Carbon*, 56, 121–131. <https://doi.org/10.1016/j.carbon.2012.12.076>
- Kannan, N., & Meenakshisundaram, M. (2002). Adsorption of congo red on various activated carbons A Comparative Study. *Water Air and Soil Pollution*, 138(1–4), 289–305.
- Karagöz, S., Tay, T., Ucar, S., & Erdem, M. (2008). Activated carbons from waste biomass by sulfuric acid activation and their use on methylene blue adsorption. *Bioresource Technology*, 99(14), 6214–6222. <https://doi.org/10.1016/j.biortech.2007.12.019>
- Kenneth A.K.\*, G. C. (2015). Structural and microstructural properties of Neem husk and seed carbon activated with zinc chloride and phosphoric acid. *Journal of Chemical and Pharmaceutical Research*, 2471.

- Khaled, A., El Nemr, A., El-Sikaily, A., & Abdelwahab, O. (2009). Treatment of artificial textile dye effluent containing Direct Yellow 12 by orange peel carbon. *Desalination*. <https://doi.org/10.1016/j.desal.2008.02.014>
- Khodaie, M., Ghasemi, N., Moradi, B., & Rahimi, M. (2013). Removal of methylene blue from wastewater by adsorption onto ZnCl<sub>2</sub> activated corn husk carbon equilibrium studies. *Journal of Chemistry*, 2013. <https://doi.org/10.1155/2013/383985>
- Kobylewski, S., & Jacobson, M. F. (2010). Food Dyes: A Rainbow of Risks. *Decision Sciences*, 30(2), 337–360.
- Kadirvelu K, Goel J, Rajagopal C (2008) Sorption of lead, mercury and cadmium ions in multi-component systems using carbon aerogel as adsorbent. *J Hazard Mater* 153:502–507
- Kumar, A., & Jena, H. M. (2016). Removal of methylene blue and phenol onto prepared activated carbon from Fox nutshell by chemical activation in batch and fixed-bed column. *Journal of Cleaner Production*, 137, 1246–1259. <https://doi.org/10.1016/j.jclepro.2016.07.177>
- Kumar, P. S., Ramalingam, S., Kirupha, S. D., Murugesan, A., Vidhyadevi, T., & Sivanesan, S. (2011). Adsorption behavior of nickel(II) onto cashew nut shell: Equilibrium, thermodynamics, kinetics, mechanism and process design. *Chemical Engineering Journal*, 167(1), 122–131. <https://doi.org/10.1016/j.cej.2010.12.010>
- Lee, M. S., Park, M., Kim, H. Y., & Park, S. J. (2016). Effects of Microporosity and Surface Chemistry on Separation Performances of N-Containing Pitch-Based Activated Carbons for CO<sub>2</sub>/N<sub>2</sub> Binary Mixture. *Scientific Reports*, 6(April). <https://doi.org/10.1038/srep23224>
- Li, B. (2012). Characterization of Pore Structure and Surface Chemistry of Activated Carbons – A Review. *Fourier Transform - Materials Analysis*. <https://doi.org/10.5772/37460>
- Li, Y., Jin, H., Liu, W., Su, H., Lu, Y., & Li, J. (2018). Study on regeneration of waste powder activated carbon through pyrolysis and its adsorption capacity of phosphorus. *Scientific Reports*, 8(1), 1–7. <https://doi.org/10.1038/s41598-017-19131-x>
- Liu, Q. S., Zheng, T., Wang, P., & Guo, L. (2010). Preparation and characterization of activated carbon from bamboo by microwave-induced phosphoric acid activation. *Industrial Crops and Products*, 31(2), 233–238. <https://doi.org/10.1016/j.indcrop.2009.10.011>
- Lockett, C. T., Calvert, C. C., & Grivetti, L. E. (2000). Energy and micronutrient composition of dietary and medicinal wild plants consumed during drought. Study

- of rural Fulani, Northeastern Nigeria. *International Journal of Food Sciences and Nutrition*, 51(3), 195–208. <https://doi.org/10.1080/09637480050029700>
- López, F. A., Centeno, T. A., Rodríguez, O., & Alguacil, F. J. (2013). Preparation and characterization of activated carbon from the char produced in the thermolysis of granulated scrap tyres. *Journal of the Air and Waste Management Association*, 63(5), 534–544. <https://doi.org/10.1080/10962247.2013.763870>
- Lu, P. J., Lin, H. C., Yu, W. Te, & Chern, J. M. (2011). Chemical regeneration of activated carbon used for dye adsorption. *Journal of the Taiwan Institute of Chemical Engineers*, 42(2), 305–311. <https://doi.org/10.1016/j.jtice.2010.06.001>
- Łukaszewicz, J. P., & Zieliński, K. (2011). Durability and narrow pore size distribution (PSD) of carbons fabricated from *Salix viminalis* wood. *Chemical and Process Engineering - Inzynieria Chemiczna i Procesowa*, 32(3), 195–201. <https://doi.org/10.2478/v10176-011-0015-5>
- Lürling, M., & Beekman, W. (2010). Anti-cyanobacterial activity of *Moringa oleifera* seeds. *Journal of Applied Phycology*, 22(4), 503–510. <https://doi.org/10.1007/s10811-009-9485-y>
- Manocha, S. M. (2003). Porous carbons. *Sadhana - Academy Proceedings in Engineering Sciences*, 28(1–2), 335–348. <https://doi.org/10.1007/BF02717142>
- Mazlan, M. A. F., Uemura, Y., Osman, N. B., & Yusup, S. (2015). Characterizations of bio-char from fast pyrolysis of Meranti wood sawdust. *Journal of Physics: Conference Series*, 622(1). <https://doi.org/10.1088/1742-6596/622/1/012054>
- Meneghel, A. P., Gonçalves, A. C., Rubio, F., Dragunski, D. C., Lindino, C. A., & Strey, L. (2013). Biosorption of cadmium from water using moringa (*Moringa oleifera* Lam.) Seeds. *Water, Air, and Soil Pollution*, 224(3), 1–13. <https://doi.org/10.1007/s11270-012-1383-2>
- Micromeritics. (2006). ASAP 2020 Operator's Manual. In *Micromeritics* (Issue October).
- Mohammadi, A. A., Alinejad, A., Kamarehie, B., Javan, S., Ghaderpoury, A., Ahmadvour, M., & Ghaderpoori, M. (2017). Metal-organic framework UiO-66 for adsorption of methylene blue dye from aqueous solutions. *International Journal of Environmental Science and Technology*, 14(9), 1959–1968. <https://doi.org/10.1007/s13762-017-1289-z>
- Mohd Din, A. T., Hameed, B. H., & Ahmad, A. L. (2009). Batch adsorption of phenol onto physicochemical-activated coconut shell. *Journal of Hazardous Materials*, 161(2–3), 1522–1529. <https://doi.org/10.1016/j.jhazmat.2008.05.009>
- Momčilović, M., Purenović, M., Bojić, A., Zarubica, A., & Randelovid, M. (2011). Removal of lead(II) ions from aqueous solutions by adsorption onto pine cone

- activated carbon. *Desalination*, 276(1–3), 53–59. <https://doi.org/10.1016/j.desal.2011.03.013>
- Monser, L., & Adhoum, N. (2002). Modified activated carbon for the removal of copper, zinc, chromium and cyanide from wastewater. *Separation and Purification Technology*, 26(2–3), 137–146. [https://doi.org/10.1016/S1383-5866\(01\)00155-1](https://doi.org/10.1016/S1383-5866(01)00155-1)
- Mopoung, S. (2008). Surface image of charcoal and activated charcoal from banana peel. *Journal of Microscopy Society of Thailand*, 22(August), 15–19.
- Naiya, T. K., Bhattacharya, A. K., Mandal, S., & Das, S. K. (2009). The sorption of lead(II) ions on rice husk ash. *Journal of Hazardous Materials*, 163(2–3), 1254–1264. <https://doi.org/10.1016/j.jhazmat.2008.07.119>
- Nakagawa, Y., Molina-Sabio, M., & Rodríguez-Reinoso, F. (2007). Modification of the porous structure along the preparation of activated carbon monoliths with  $H_3PO_4$  and  $ZnCl_2$ . *Microporous and Mesoporous Materials*, 103(1–3), 29–34. <https://doi.org/10.1016/j.micromeso.2007.01.029>
- Naja G, Vanessa M, Volesky B (2010) Biosorption, metal, encyclopedia of industrial biotechnology: bioprocess, bioseparation, and cell technology. Wiley, New York
- Ng, K. C., Burhan, M., Shahzad, M. W., & Ismail, A. Bin. (2017). A Universal Isotherm Model to Capture Adsorption Uptake and Energy Distribution of Porous Heterogeneous Surface. *Scientific Reports*, 7(1), 1–11. <https://doi.org/10.1038/s41598-017-11156-6>
- Nguyen, L. N., Hai, F. I., Kang, J., Price, W. E., & Nghiem, L. D. (2013). Coupling granular activated carbon adsorption with membrane bioreactor treatment for trace organic contaminant removal: Breakthrough behaviour of persistent and hydrophilic compounds. *Journal of Environmental Management*, 119, 173–181. <https://doi.org/10.1016/j.jenvman.2013.01.037>
- Nikman, K., Ahmad, F., Hassan, M., Nikman, K., & Ahmad, M. A. (2017). Adsorption of Chemically Prepared Cocoa Nibs Based Activated Carbon Onto Methylene Blue: Equilibrium and Kinetic Studies. *International Journal of Petrochemistry and Research*, 1(1), 15–18. <https://doi.org/10.18689/ijpr-1000104>
- Nimmo, J. R. (2004). Porosity and Pore-Size Distribution. *Encyclopedia of Soils in the Environment*, 4, 295–303. <https://doi.org/10.1016/B0-12-348530-4/00404-5>
- Njoku, V. O., & Hameed, B. H. (2011). Preparation and characterization of activated carbon from corncob by chemical activation with  $H_3PO_4$  for 2,4-dichlorophenoxyacetic acid adsorption. *Chemical Engineering Journal*, 173(2), 391–399. <https://doi.org/10.1016/j.cej.2011.07.075>
- Nomanbhay, S. M., & Palanisamy, K. (2005). Removal of heavy metal from industrial wastewater using chitosan coated oil palm shell charcoal. *Electronic Journal of*

*Biotechnology*, 8(1), 43–53. <https://doi.org/10.2225/vol8-issue1-fulltext-7>

- Nowicki, P., Kazmierczak, J., & Pietrzak, R. (2015). Comparison of physicochemical and sorption properties of activated carbons prepared by physical and chemical activation of cherry stones. *Powder Technology*, 269, 312–319. <https://doi.org/10.1016/j.powtec.2014.09.023>
- Nwankwo I H, Nwaiwu, N. E., & Nwabanne. (2018). Production And Characterization Of Activated Carbon From Animal Bone. *American Journal of Engineering Research (AJER)*, 7, 335–341. [www.ajer.org](http://www.ajer.org)
- Okafor, J. O., Agbajelola, D. O., Peter, S., Adamu, M., & David, G. T. (2015). Studies on the Adsorption of Heavy Metals in a Paint Industry Effluent Using Activated Maize Cob. *Journal of Multidisciplinary Engineering Science and Technology*, 2(2), 39–46.
- Okman, I., Karagöz, S., Tay, T., & Erdem, M. (2014). Activated carbons from grape seeds by chemical activation with potassium carbonate and potassium hydroxide. *Applied Surface Science*, 293, 138–142. <https://doi.org/10.1016/j.apsusc.2013.12.117>
- Onyuka, J. H. O., Kakai, R., Arama, P. F., & Ofulla, A. V. O. (2013). Comparison of antimicrobial activities of brine salting, chlorinated solution and Moringa oleifera plant extracts in fish from Lake Victoria Basin of Kenya. *African Journal of Food, Agriculture, Nutrition and Development*, 13(3), 7772–7788. <http://search.ebscohost.com/login.aspx?direct=true&db=lbh&AN=20133254957&login.asp?cuid=magn1307&site=ehostlive&cuid=magn1307%0Ahttp://www.cabi.org/cabdirect/showpdf.aspx?PAN=http://www.cabi.org/cabdirect/showpdf.aspx?PAN=20133254957%0Ahttp://www.ajf>
- Örkün, Y., Karatepe, N., & Yavuz, R. (2012). Influence of temperature and impregnation ratio of H<sub>3</sub>PO<sub>4</sub> on the production of activated carbon from hazelnut shell. *Acta Physica Polonica A*. <https://doi.org/10.12693/APhysPolA.121.277>
- Ozmen, M., Can, K., Arslan, G., Tor, A., Cengeloglu, Y., & Ersoz, M. (2010). Adsorption of Cu(II) from aqueous solution by using modified Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles. *Desalination*, 254(1–3), 162–169. <https://doi.org/10.1016/j.desal.2009.11.043>
- Pakshirajan, K., & Swaminathan, T. (2006). Continuous biosorption of Pb, Cu, and Cd by Phanerochaete chrysosporium in a packed column reactor. *Soil and Sediment Contamination*, 15(2), 187–197. <https://doi.org/10.1080/15320380500506347>
- Pathan, A. K., Bond, J., & Gaskin, R. E. (2010). Sample preparation for SEM of plant surfaces. *Materials Today*, 12(SUPPL.), 32–43. [https://doi.org/10.1016/S1369-7021\(10\)70143-7](https://doi.org/10.1016/S1369-7021(10)70143-7)
- Pathania, D., Sharma, S., & Singh, P. (2017). Removal of methylene blue by adsorption

- onto activated carbon developed from *Ficus carica* bast. *Arabian Journal of Chemistry*, 10, S1445–S1451. <https://doi.org/10.1016/j.arabjc.2013.04.021>
- Phan, N. H., Rio, S., Faur, C., Le Coq, L., Le Cloirec, P., & Nguyen, T. H. (2006). Production of fibrous activated carbons from natural cellulose (jute, coconut) fibers for water treatment applications. *Carbon*, 44(12), 2569–2577. <https://doi.org/10.1016/j.carbon.2006.05.048>
- Prabhu, K., Murugan, K., Nareshkumar, A., Ramasubramanian, N., & Bragadeeswaran, S. (2011). Larvicidal and repellent potential of *Moringa oleifera* against malarial vector, *Anopheles stephensi* Liston (Insecta: Diptera: Culicidae). *Asian Pacific Journal of Tropical Biomedicine*, 1(2), 124–129. [https://doi.org/10.1016/S2221-1691\(11\)60009-9](https://doi.org/10.1016/S2221-1691(11)60009-9)
- Prahas, D., Kartika, Y., Indraswati, N., & Ismadji, S. (2008). Activated carbon from jackfruit peel waste by  $H_3PO_4$  chemical activation: Pore structure and surface chemistry characterization. *Chemical Engineering Journal*, 140(1–3), 32–42. <https://doi.org/10.1016/j.cej.2007.08.032>
- Pua, F. L., Sajab, M. S., Chia, C. H., Zakaria, S., Rahman, I. A., & Salit, M. S. (2013). Alkaline-treated cocoa pod husk as adsorbent for removing methylene blue from aqueous solutions. *Journal of Environmental Chemical Engineering*. <https://doi.org/10.1016/j.jece.2013.06.012>
- Purnomo, C. W., Salim, C., & Hinode, H. (2012). Synthesis of pure Na-X and Na-A zeolite from bagasse fly ash. *Microporous and Mesoporous Materials*, 162, 6–13. <https://doi.org/10.1016/j.micromeso.2012.06.007>
- Radhakrishnan, K., Sethuraman, L., Panjanathan, R., Natarajan, A., Solaiappan, V., & Thilagaraj, W. R. (2016). Biosorption of heavy metals from actual electroplating wastewater using encapsulated *Moringa oleifera* beads in fixed bed column. *Desalination and Water Treatment*, 57(8), 3572–3587. <https://doi.org/10.1080/19443994.2014.985725>
- Rafatullah, M., Sulaiman, O., Hashim, R., & Ahmad, A. (2010). Adsorption of methylene blue on low-cost adsorbents: A review. *Journal of Hazardous Materials*, 177(1–3), 70–80. <https://doi.org/10.1016/j.jhazmat.2009.12.047>
- Rafiq, M. K., Bachmann, R. T., Rafiq, M. T., Shang, Z., Joseph, S., & Long, R. L. (2016). Influence of pyrolysis temperature on physico-chemical properties of corn stover (*zea mays* l.) biochar and feasibility for carbon capture and energy balance. *PLoS ONE*, 11(6), 1–17. <https://doi.org/10.1371/journal.pone.0156894>
- Rahman, M. A., Amin, S. M. R., & Alam, A. M. S. (2012). Removal of Methylene Blue from Waste Water Using Activated Carbon Prepared from Rice Husk. *Dhaka University Journal of Science*, 60(2), 185–189. <https://doi.org/10.3329/dujs.v60i2.11491>

- Raj, A., Gopalakrishnan, V., Yadav, S., & Dorairaj, S. (2011). Antimicrobial activity of *Moringa oleifera* (Lam.) root extract. *Journal of Pharmacy Research*, 4(5), 1426–1430.
- Rakić, V., Rac, V., Krmar, M., Otman, O., & Auroux, A. (2015). The adsorption of pharmaceutically active compounds from aqueous solutions onto activated carbons. *Journal of Hazardous Materials*, 282, 141–149. <https://doi.org/10.1016/j.jhazmat.2014.04.062>
- Rashidi, N. A., Yusup, S., & Borhan, A. (2014). Development of Novel Low-Cost Activated Carbon for Carbon Dioxide Capture. *International Journal of Chemical Engineering and Applications*, 5(2), 90–94. <https://doi.org/10.7763/ijcea.2014.v5.357>
- Liu R, Guan Y, Chen L and Lian B (2018). Adsorption and Desorption Characteristics of Cd<sup>2+</sup> and Pb<sup>2+</sup> by Micro and Nano-sized Biogenic CaCO<sub>3</sub>. *Front. Microbiol.* 9:41. doi: 10.3389/fmicb.2018.00041
- Rhodes, G., Huys, G., Swings, J., McGann, P., Hiney, M., Smith, P., & Pickup, R. W. (2000). Distribution of oxytetracycline resistance plasmids between aeromonads in hospital and aquaculture environments: Implication of Tn1721 in dissemination of the tetracycline resistance determinant Tet A. *Applied and Environmental Microbiology*, 66(9), 3883–3890. <https://doi.org/10.1128/AEM.66.9.3883-3890.2000>
- Rodriguez Correa, C., Otto, T., & Kruse, A. (2017). Influence of the biomass components on the pore formation of activated carbon. *Biomass and Bioenergy*, 97, 53–64. <https://doi.org/10.1016/j.biombioe.2016.12.017>
- Rozhan, A. N., & Purwanto, H. (2015). Development process for tar filtering from biomass pyrolysis. *Energy and Sustainability V: Special Contributions, 1*, 315–323. <https://doi.org/10.2495/ess140281>
- Ruíz-Baltazar, A., & Pérez, R. (2015). Kinetic adsorption study of silver nanoparticles on natural zeolite: Experimental and theoretical models. *Applied Sciences (Switzerland)*, 5(4), 1869–1881. <https://doi.org/10.3390/app5041869>
- Sa, Y., & Aktay, Y. (2001). Application of equilibrium and mass transfer models to dynamic removal of Cr(VI) ions by Chitin in packed column reactor. *Process Biochemistry*, 36(12), 1187–1197. [https://doi.org/10.1016/S0032-9592\(01\)001509](https://doi.org/10.1016/S0032-9592(01)001509)
- Sahira, J., Mandira, A., Prasad, P. B., & Ram, P. R. (2013). Effects of Activating Agents on the Activated Carbons Prepared from Lapsi Seed Stone. *Research Journal of Chemical Science*, 3(5), 19–24.

- Saini, M. K., Srivastava, P. K., & Choudhury, N. (2015). Development of Moisture and Ash Based Correlation for the Estimation of Mineral Matter in High Ash Indian Coal. *International Journal of Clean Coal and Energy*, 04(02), 33–42. <https://doi.org/10.4236/ijcce.2015.42004>
- Salleh, M. A. M., Mahmoud, D. K., Karim, W. A. W. A., & Idris, A. (2011). Cationic and anionic dye adsorption by agricultural solid wastes: A comprehensive review. *Desalination*, 280(1–3), 1–13. <https://doi.org/10.1016/j.desal.2011.07.019>
- Salman, J. M., & Hameed, B. H. (2010). Effect of preparation conditions of oil palm fronds activated carbon on adsorption of bentazon from aqueous solutions. *Journal of Hazardous Materials*, 175(1–3), 133–137. <https://doi.org/10.1016/j.jhazmat.2009.09.139>
- Salmi Abdullah, N. M. H. (2017). Preparation and characterization of activated carbon from *Moringa Oleifera* seed pod. *Sci.Int.(Lahore)*, 7.
- Sarkar, M., Acharya, P. K., & Bhattacharya, B. (2003). Modeling the adsorption kinetics of some priority organic pollutants in water from diffusion and activation energy parameters. *Journal of Colloid and Interface Science*, 266(1), 28–32. [https://doi.org/10.1016/S0021-9797\(03\)00551-4](https://doi.org/10.1016/S0021-9797(03)00551-4)
- Sebbahi, S., Ahmido, A., Kifani-Sahban, F., El Hajjaji, S., & Zoulalian, A. (2014). Preoxidation and Activation of the Lignin Char: Carbonization and Oxidation Procedures. *Journal of Engineering (United Kingdom)*, 2014. <https://doi.org/10.1155/2014/972897>
- Semerjian, L. (2010). Equilibrium and kinetics of cadmium adsorption from aqueous solutions using untreated *Pinus halepensis* sawdust. *Journal of Hazardous Materials*, 173(1–3), 236–242. <https://doi.org/10.1016/j.jhazmat.2009.08.074>
- Semerjian, L., & Ayoub, G. M. (2003). High-pH-magnesium coagulation-flocculation in wastewater treatment. *Advances in Environmental Research*, 7(2), 389–403. [https://doi.org/10.1016/S1093-0191\(02\)00009-6](https://doi.org/10.1016/S1093-0191(02)00009-6)
- Shakoor, S., & Nasar, A. (2016). Removal of methylene blue dye from artificially contaminated water using citrus limetta peel waste as a very low cost adsorbent. *Journal of the Taiwan Institute of Chemical Engineers*, 66, 154–163. <https://doi.org/10.1016/j.jtice.2016.06.009>
- Shahmoradi M. H., B. A. (2015). Removal of nitrate from ground water using activated carbon prepared from rice husk and sludge of paper industry wastewater treatment. *ARPJ Journal of Engineering and Applied Sciences*, 7856-7857.
- Sharma, P., Kaur, R., Baskar, C., & Chung, W. J. (2010). Removal of methylene blue from aqueous waste using rice husk and rice husk ash. *Desalination*, 259(1–3), 249–257. <https://doi.org/10.1016/j.desal.2010.03.044>

- Silva, J. S. da, Rosa, M. P. da, Beck, P. H., Peres, E. C., Dotto, G. L., Kessler, F., & Grasel, F. S. (2018). Preparation of an alternative adsorbent from *Acacia Mearnsii* wastes through acetosolv method and its application for dye removal. *Journal of Cleaner Production*, *180*, 386–394. <https://doi.org/10.1016/j.jclepro.2018.01.201>
- Singh, R., Gautam, N., Mishra, A., & Gupta, R. (2011). Heavy metals and living systems: An overview. *Indian Journal of Pharmacology*, *43*(3), 246–253. <https://doi.org/10.4103/0253-7613.81505>
- Srihari, V., & Das, A. (2008). The kinetic and thermodynamic studies of phenol-sorption onto three agro-based carbons. *Desalination*, *225*(1–3), 220–234. <https://doi.org/10.1016/j.desal.2007.07.008>
- Suhas, Carrott, P. J. M., & Ribeiro Carrott, M. M. L. (2007). Lignin - from natural adsorbent to activated carbon: A review. *Bioresource Technology*, *98*(12), 2301–2312. <https://doi.org/10.1016/j.biortech.2006.08.008>
- Sulaymon AH, Abood DW, Ali AH (2011) Competitive adsorption of phenol and lead from synthetic wastewater onto granular activated carbon. *J Enviro Sci Eng* *5*(11):1389–1399
- Tan, I. A. W., Ahmad, A. L., & Hameed, B. H. (2008). Adsorption of basic dye on high-surface-area activated carbon prepared from coconut husk: Equilibrium, kinetic and thermodynamic studies. *Journal of Hazardous Materials*, *154*(1–3), 337–346. <https://doi.org/10.1016/j.jhazmat.2007.10.031>
- Tan, I. A. W., Ahmad, A. L., & Hameed, B. H. (2009). Adsorption isotherms, kinetics, thermodynamics and desorption studies of 2,4,6-trichlorophenol on oil palm empty fruit bunch-based activated carbon. *Journal of Hazardous Materials*, *164*(2–3), 473–482. <https://doi.org/10.1016/j.jhazmat.2008.08.025>
- Tang, L., Cai, Y., Yang, G., Liu, Y., Zeng, G., Zhou, Y., Li, S., Wang, J., Zhang, S., Fang, Y., & He, Y. (2014). Cobalt nanoparticles-embedded magnetic ordered mesoporous carbon for highly effective adsorption of rhodamine B. *Applied Surface Science*, *314*, 746–753. <https://doi.org/10.1016/j.apsusc.2014.07.060>
- Tay, T., Ucar, S., & Karagöz, S. (2009). Preparation and characterization of activated carbon from waste biomass. *Journal of Hazardous Materials*, *165*(1–3), 481–485. <https://doi.org/10.1016/j.jhazmat.2008.10.011>
- Tchapda, A. H., & Pisupati, S. V. (2014). A review of thermal co-conversion of coal and biomass/waste. *Energies*, *7*(3), 1098–1148. <https://doi.org/10.3390/en7031098>
- Temdrara, L., Addoun, A., & Khelifi, A. (2015). Development of olivestones-activated carbons by physical, chemical and physicochemical methods for phenol removal: a comparative study. *Desalination and Water Treatment*, *53*(2), 452–461. <https://doi.org/10.1080/19443994.2013.838523>

- Theivarasu, C., & Mylsamy, S. (2010). Equilibrium and Kinetic adsorption studies of Rhodamine-B from aqueous solutions using cocoa (Theobroma cacao) shell as a new adsorbent. *International Journal of Engineering Science and Technology*, 2(11), 6284–6292.
- Tongpoothorn, W., Sriuttha, M., Homchan, P., Chanthai, S., & Ruangviriyachai, C. (2011). Preparation of activated carbon derived from Jatropha curcas fruit shell by simple thermo-chemical activation and characterization of their physico-chemical properties. *Chemical Engineering Research and Design*, 89(3), 335–340. <https://doi.org/10.1016/j.cherd.2010.06.012>
- United Nations. (2015). The United Nations world water development report 2015: water for a sustainable world - UNESCO Digital Library. In *Unesco*. <https://unesdoc.unesco.org/ark:/48223/pf0000231823>
- Upadhyay, K. (2006). Solution for wastewater problem related to electroplating industry: An overview. *Journal of Industrial Pollution Control*, 22(1), 59–66.
- Van Vliet, J. A., M. Slingerland & K. E. Giller. 2015. Mineral Nutrition of Cocoa: A Review. Review, Wageningen: Wageningen University and Research Centre.
- Valdman, E., Erijman, L., Pessoa, F. L. P., & Leite, S. G. F. (2001). Continuous biosorption of Cu and Zn by immobilized waste biomass Sargassum sp. *Process Biochemistry*, 36(8–9), 869–873. [https://doi.org/10.1016/S0032-9592\(00\)002880](https://doi.org/10.1016/S0032-9592(00)002880)
- Veksha, A., Bhuiyan, T. I., & Hill, J. M. (2016). Activation of aspen wood with carbon dioxide and phosphoric acid for removal of total organic carbon from oil sands produced water: Increasing the yield with bio-oil recycling. *Materials*, 9(1). <https://doi.org/10.3390/ma9010020>
- Venkateswarlu, P., Ratnam, M. V., Rao, D. S., & Rao, M. V. (2007). Removal of chromium from an aqueous solution using Azadirachta indica (neem) leaf powder as an adsorbent. *International Journal of Physical Sciences*, 2(8), 188–195.
- Vishnudas, S., Savenije, H. H. G., van der Zaag, P., Anil, K. R., & Balan, K. (2005). Experimental study using coir geotextiles in watershed management. *Hydrology and Earth System Sciences Discussions*, 2(6), 2327–2348. <https://doi.org/10.5194/hessd-2-2327-2005>
- Wan Ngah, W. S., & Hanafiah, M. A. K. M. (2008). Removal of heavy metal ions from wastewater by chemically modified plant wastes as adsorbents: A review. *Bioresource Technology*, 99(10), 3935–3948. <https://doi.org/10.1016/j.biortech.2007.06.011>
- Wang, L., Skreiberg, Ø., Van Wesenbeeck, S., Grønli, M., & Antal, M. J. (2016). Experimental Study on Charcoal Production from Woody Biomass. *Energy and Fuels*, 30(10), 7994–8008. <https://doi.org/10.1021/acs.energyfuels.6b01039>

- Wu, M., Guo, Q., & Fu, G. (2013). Preparation and characteristics of medicinal activated carbon powders by CO<sub>2</sub> activation of peanut shells. *Powder Technology*, 247, 188–196. <https://doi.org/10.1016/j.powtec.2013.07.013>
- Yahya, M. A., Al-Qodah, Z., & Ngah, C. W. Z. (2015). Agricultural bio-waste materials as potential sustainable precursors used for activated carbon production: A review. *Renewable and Sustainable Energy Reviews*, 46, 218–235. <https://doi.org/10.1016/j.rser.2015.02.051>
- Yakout, S. M., & Sharaf El-Deen, G. (2016). Characterization of activated carbon prepared by phosphoric acid activation of olive stones. *Arabian Journal of Chemistry*, 9, S1155–S1162. <https://doi.org/10.1016/j.arabjc.2011.12.002>
- Yu, B., Zhang, Y., Shukla, A., Shukla, S. S., & Dorris, K. L. (2000). The removal of heavy metal from aqueous solutions by sawdust adsorption - Removal of copper. *Journal of Hazardous Materials*, 80(1–3), 33–42. [https://doi.org/10.1016/S0304-3894\(00\)00278-8](https://doi.org/10.1016/S0304-3894(00)00278-8)
- Zhao, S. X., Ta, N., & Wang, X. D. (2017). Effect of temperature on the structural and physicochemical properties of biochar with apple tree branches as feedstock material. *Energies*, 10(9). <https://doi.org/10.3390/en10091293>