

REFERENCES

- Aanen, D.K., H.H. De Fine Licht, A.J. Debets, N.A. Kerstes, R.F. Hoekstra, J.J. Boomsma (2009). High Symbiont Relatedness Stabilizes Mutualistic Cooperation in Fungus-Growing Termites. *Journal of Science*, 326(5956), 1103–1106.
- Abarca, V., Rodolfo, V. Petricevich (2019). Comparison of Different Extraction Methods for the Phenolic Compounds Recovery with the Antioxidant Activity of *Bougainvillea x buttiana*. *Current Analytical Chemistry*, 15, 1-9.
- Abd Razak, D.L., A. Jamaluddin, N.Y. Abd Rashid, N.A. Sani, M. Abdul Manan (2020). Assessment of Cosmeceutical Potentials of Selected Mushroom Fruitbody Extracts through Evaluation of Antioxidant, Anti-Hyaluronidase and Anti-Tyrosinase Activity. *Multidisciplinary Scientific Journal* ,3, 329-342.
- Abd Malek, S.N., G. Kanagasabapathy, V. Sabaratnam, N. Abdullah, H. Yaacob (2012) Lipid Components of a Malaysian Edible Mushroom, *Termitomyces Heimii* Natarajan. *International Journal of Food Properties*, 15 (4), 809-814.
- Abdullah, N., R. Abdulghani, S.M. Ismail, M.H.Z. Abidin (2017). Immune-Stimulatory Potential of Hot Water Extracts of Selected Edible Mushrooms. *Journal of Food and Agricultural Immunology*, 28 (3), 374-387.
- Adejumo, T.O., M.E. Coker, V.O. Akinmoladun (2015). Identification and Evaluation of Nutritional Status of Some Edible and Medicinal Mushrooms in Akoko Area, Ondo State, Nigeria. *International Journal of Current Microbiology and Applied Sciences*,4 (4), 1011-1028.
- Ahmad, R., S. Muniandy, N.I.A. Shukri, S.M. Usyida, Alias, A.A. Hamid, W.M. Wan Yusoff, S. Senafi, F. Daud (2014). Antioxidant Properties and Glucan compositions of Various Crude Extract from *Lentinus Squarrosulus* Mycelial Culture. *Advances in Bioscience and Biotechnology*, 5, 805-814.
- Ahmad, R., S.M. Usyida Alias, A.A. Hamid, W.M. Wan Yusoff, E. Ismail, F. Daud (2015). Production and Antiproliferative Activity of Various Crude Extract from *Lentinus Squarrosulus* Mycelium. *Scholars Academic Journal of Biosciences*, 3(4), 377-385.
- Ansari, A.Q., S.A. Ahmed, M.A. Waheed, A.S. Juned (2013). Extraction and Determination of Antioxidant Activity of *Withania Somnifera* Dunal. *European Journal of Experimental Biology*, 3 (5), 502-507.
- Avin, F., S. Bhasu, V. Sabaratnam (2013). A Simple and Low-Cost Technique of DNA Extraction from Edible Mushrooms Examined by Molecular Phylogenetics. *Research on Crops Journal*, 14 (3), 897-901.

- Azmir, J., I. Zaidul, M. Rahman, M. Sharif, A. Mohamed, F. Sahena, A. Jahurul, K. Ghafoor, N. Norulaini, M. Omar (2013). Techniques for Extraction of Bioactive Compounds from Plant Materials: A Review. *Journal of Food Engineering*, 117, 426-436.
- Azwanida, N (2015). A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Journal of Med Aromat Plants*, 4, 1-6.
- Barros, L., R.C. Calhella, J.A. Vaz, I.C.F.R. Ferreira, P. Baptista, L.M. Estevinho (2007). Antimicrobial Activity and Bioactive Compounds of Portuguese Wild Edible Mushrooms Methanolic Extracts. *Eur Food Res Technol*, 225, 151–156.
- Bhanja, S.K., C.K. Nandan, S. Mandal, B. Bhunia, T.K. Maiti, S. Mondal, S.S. Islam (2012). Isolation and Characterization of the Immunostimulating β -Glucans of an Edible Mushroom *Termitomyces Robustus* Variant. *Carbohydrate Research Journal*, 357, 83–89.
- Chandrawati, P.S., K. Narendra, N.N. Tripathi (2014). Macrofungal Wealth of Kusumhi Forest of Gorakhpur, UP, India. *American International Journal of Research in Formal, Applied and Natural Sciences*, 5 (1), 71-75.
- Chen-Fing, J., J. Yu-Bin, M. De-You (2013). Sulfated Modification and Anti-Tumor Activity of Laminarin. *Experimental and therapeutic medicine*, 6, 1259-1264.
- Chen, H.P., M.Y. Weng, Y. Zer-Ran, M. Koo, J.B. Wan (2016). Extraction Temperature Affects the Activities of Antioxidation, Carbohydrate-Digestion Enzymes, and Angiotensin-Converting Enzyme of *Pleurotus Citrinopileatus* Extract. *Journal of Food and Drug analysis*, 24 (3), 548- 555.
- Concepta, N.W.S., O.O. Kenneth, W. Rebecca, A.O. Lucy (2021). Phytochemical Profile and Antimicrobial Activities of Edible Mushroom *Termitomyces striatus*. *Hindawi Journal*, 1, 1-10.
- Dapkevicius, A., R. Venskutonis, B.T.A. Van, P.H. Linssen (1998). Antioxidant Activity of Extracts Obtained by Different Isolation Procedures from Some Aromatic Herbs Grown in Lithuania. *Journal of the Science of Food and Agricultural*, 77, 140-146.
- Farhana, N., M. Nadzir (2017). Antimicrobial Activity of *Centella Asiatica* on *Aspergillus Niger* and *Bacillus Subtilis*. *Journal of Chemical Engineering Transactions*, 56, 1381-1386.
- Ferreira, I.C.F.R., L. Barros, R.M. Abreu (2009). Antioxidants in Wild Mushrooms. *Journal of Curr. Med. Chem*, 16 (12), 1543.
- Friedman, M (2016). Mushroom Polysaccharides: Chemistry and Anti-Obesity, Anti Diabetes, Anticancer, and Antibiotic Properties in Cells, Rodents, and Humans. *Journal of Foods*, 5 (4), 80.

- Froslev, T.G. D.K., Aanen, T. Laessoe, S. Rosendahl (2003). Phylogenetic Relationships of *Termitomyces* and Related Taxa. *Mycol*, 107, 1277-1286.
- Gameli, K.K (2020). Determining the Optimum Conditions for Drying Mushrooms. *Nairobi Journal of Food Science and Technology*, 1 (1), 11-21.
- Gebreyohannes, G., A. Nyerere, C. Bii, B.S. Desta (2019). Investigation of Antioxidant and Antimicrobial Activities of Different Extracts of *Auricularia* and *Termitomyces* Species of Mushrooms. *The Scientific World Journal*, 1, 1-10.
- Ghorai, S., S.P. Banik, D. Verma, S. Chowdhury, S. Mukherjee, S. Khowala (2009). Fungal Biotechnology in Food and Feed Processing. *Food Research International*, 42, 577-587.
- Giavasis, I (2014). Bioactive Fungal Polysaccharide as Potential Functional Ingredients in Food and Nutraceuticals. *Current Opinion in Biotechnology*, 26, 162-172.
- Guedes, P.D., B. Ribeiro, R.F. Goncalves, P. Baptista, P. Valentao, R.M. Seabre, P.B. Andrade (2008). Correlation Between the Pattern Volatiles and the Overall Aroma of Wild Edible Mushrooms. *Journal of Agricultural and Food Chemistry*, 56, 1704-1712.
- Hafizah, M.H., A.C.Y. Mohd, Z. Salman, R. Fahim (2014). The Effects of Solvents and Extraction Methods on the Antioxidant Activity of *P. niruri*. *Jurnal Teknologi (Sciences and Engineering)*, 68, 47-52.
- Hennicke, F., A.Z. Cheikh, T. Liebisch (2016). Distinguishing Commercially Grown *Ganoderma Lucidum* from *Ganoderma Lingzhi* from Europe and East Asia on the Basis of Morphology, Molecular Phylogeny, and Triterpenic Acid Profiles. *Phytochemistry*, 127, 29-37.
- Hou, X., M. Xiao, S.C.A. Chen (2016). Sequencer-Based Capillary Gel Electrophoresis (SCGE) Targeting the rDNA Internal Transcribed Spacer (ITS) Regions for Accurate Identification of Clinically Important Yeast Species. *PLoS One*, 11, 1-5.
- Hsieh, H.M., Y.M. Ju (2018). Medicinal Components in *Termitomyces* Mushrooms. *Applied Microbiology and Biotechnology*, 10, 1-8.
- Hsieh, H.M., M.C. Chung, P.Y. Chen, F.M. Hsu, W.W. Liao, A.N. Sung, C.R. Lin, C.R. Wang, Y.H. Kao, M.J. Fang, C.Y. Lai, C.C. Huang, J.C. Chou, W.N. Chou, B.C. Chang, Y.M. Ju (2017). A Termite Symbiotic Mushroom Maximizing Sexual Activity at Growing Tips of Vegetative Hyphae. *Bot Stud*, 58 (39), 1-14.
- Ibrahim, M. J (2012). Involvement of Nitrogen on Flavonoids, Glutathione, Anthocyanin, Ascorbic Acid and Antioxidant Activities of Malaysian Medicinal Plant *Labisa Pumila Blume* (Kacip Fatimah). *International Journal of Molecular Sciences*, 1 (13), 393-408.

- Jagadish, K.L., D. Gunasundari, M. Hemalatha, R. Shenbhagaraman, V. Kaviyaran (2010). Antioxidant and Phytochemical Potential of Wild Edible Mushroom *Termitomyces Reticulatus*: Individual Cap and Stipe Collected from South Eastern Part of India. *International Journal of Pharmaceutical Sciences and Research*, 1 (7), 62-72.
- Jasinghe, V.J., C.O. Perera, S.S. Sablami (2007). Kinetics of the Conversion of Ergosterol in Edible Mushrooms. *Journal of Food Engineering*, 79, 864-869.
- Johnsy, G., V. Kaviyaran (2014). Evaluation of Antioxidant Activities and Determination of Bioactive Compounds in Two Wild Edible *Termitomyces* (*T. microcarpus* and *THR2*). *World Journal of Dairy & Food Sciences*, 9 (1), 10-19.
- Ji, C.F., Y.B. Ji, D.Y. Meng (2013). Sulfated Modification and Anti-Tumor Activity of Laminarin. *Experimental and Therapeutic Medicine*, 6, 1259-1264.
- Ji, Y.B., C.F. H. Zhang (2012). Laminarin Induces Apoptosis of Human Colon Cancer LOVO Cells Through a Mitochondrial Pathway. *Molecules*, 17, 9947-9960.
- Kumar, N., N. Goel (2019). Phenolic Acids: Natural Versatile Molecules with Promising Therapeutic Applications. *Biotechnology Reports, ELSEVIER*, 24, 1-10.
- Liao, B., X. Chen, J. Han (2015). Identification of Commercial *Ganoderma* (*Lingzhi*) Species by ITS2 Sequences. *Chin Med*, 10 (22), 1-10.
- Lopez-Vazquez, E., F.A. Prieto-Garcia, M. Gayosso-Canales, S.E.M. Otazo, J.R. Villagomez Ibarra (2017). Phenolic Acids, Flavonoids, Ascorbic Acid, β -Glucans and Antioxidant Activity in Mexican Wild Edible Mushrooms. *Italian Journal Food Science*, 29, 766-774.
- Manan, M.A., C. Webb (2018). Estimating Fungal Growth in Submerged Fermentation in the Presence of Solid Particles Based on Colour Development. *Biotechnology & Biotechnological Equipment*, 32, 618-627.
- Manzi, P., L. Gambelli, S. Marconi, V. Vivanti, L. Pizzoferrato (1999). Nutrients in Edible Mushrooms: An Interspecies Comparative Study. *Food Chemistry*, 65 (4), 477-482.
- Maftoun, P., R.A. Malek, H. Masry, F. Agouillal, A. Pareek, S.Z. Hanapi, H. El Enshasy (2017). Effect of Additives on *Pleurotus Ostreatus* Growth on Agar Medium. *Journal of Pharmacy and Biological Sciences*, 12 (3), 106-110.
- Mahadeva, R., A. Muhammad S.M. Khamsah (2016). Phytochemical Screening, Total Flavonoid and Phenolic Content Assays of Various Solvent Extracts of Tepal of *Musa Paradisiaca*. *Malaysian Journal of Analytical Sciences*, 20 (5), 1181-1190.

- Mahamat, O., A.L. Njouonkou, C. Tume, A.M. Abamukong, A. Kamanyi (2018). Assessment of Antimicrobial and Immunomodulatory Activities of Termite Associated Fungi, *Termitomyces Clypeatus* R. Heim (Lyophyllaceae, Basidiomycota). *Journal of Clinical Phytoscience*, 4 (28), 1-7.
- Minato, K.I., L.C. Laan, D.I. Van, M. Mizuno (2019). *Pleurotus Citrinopileatus* Polysaccharide Stimulates Anti-Inflammatory Properties During Monocyte-to-Macrophage Differentiation. *Int. J. Biol. Macromolecules*, 122, 705-712.
- Mitra, P., N.C. Mandal, K. Acharya (2016a). Mycochemicals and Antioxidant Activity of Polyphenol-Rich Fraction of *Termitomyces Microcarpus*. *International Food Research Journal*, 23(6), 2384-2389.
- Mitra, P., C.M. Narayan, R.K.A. Anirban (2016b). Phytochemical Study and Antioxidative Property of Ethanolic Extract from *Termitomyces Clypeatus*. *Journal of Applied Pharmaceutical Science*, 6 (07), 120-124.
- Mondal, A., D. Banerjee, D.R. Majumder, T. Maity, S. Khowala (2016). Evaluation of In-Vitro Antioxidant, Anticancer and In-Vivo Antitumour Activity of *Termitomyces Clypeatus*. *Pharmaceutical biology*, 54, 1-11.
- Mondal, S., I. Chakraborty, D. Rout, S.S. Islam (2006). Isolation and Structural Elucidation of a Water-Soluble Polysaccharide (PS-I) of a Wild Edible Mushroom, *Termitomyces Striatus*. *Carbohydr Res*, 341, 878-886.
- Moazzem, S.M., M. Hossen, H.A. Shahadat, T.M. Yusuf, C. Priya, U.E. Nazim, J. Pracheta (2021). Profiling of Phytochemical and Antioxidant Activity of Wild Mushrooms: Evidence from the In-Vitro Study and Phytoconstituent's Binding Affinity to the Human Erythrocyte Catalase and Human Glutathione Reductase. *Journal of food science and nutrition*, 10, 88-102.
- Mueller, U.G., N.M. Gerardo, D.K. Aanen, D.L. Six, T.R. Schultz, (2005). The Evolution of Agriculture in Insects. *Annu Rev Ecol Evol Syst*, 36, 563-595
- Nakalembe, I., J.D. Kabasa, D. Olila (2015). Comparative Nutrient Composition of Selected Wild Edible Mushrooms from Two Agro-Ecological Zones, Uganda. *Spring*, 4, 433-447.
- Njouonkou, A.L., S.A.B. Ekobo, F.N. Njyou, O. Raspe, P.F. Moundipa, F.J. Degree (2020): Occurrence, Use and Antioxidant Potential of *Termitomyces Reticulatus* in Cameroon. *Czech Mycol*, 72 (1), 19–32.
- Opige, M., E. Kateyo, J.D. Kabasa, D. Olila (2006). Antibacterial Activity of Extracts of Selected Indigenous Edible and Medicals Mushroom of Eastern Uganda. *International Journal of Tropical Medicine*, 1 (3), 111-116.
- Oyetayo, O.V (2011). Medicinal Uses of Mushrooms in Nigeria: Towards Full and Sustainable Exploitation. *African Journal Traditional Complement Altern Med*, 8, 267-274

- Papaspyridi, L.M., N. Aligiannis, E. Topakas, P. Christakopoulos, A.L. Skaltsounis, A. N. Fokialakis (2012). Submerged Fermentation of the Edible Mushroom *Pleurotus Ostreatus* in a Batch Stirred Tank Bioreactor as a Promising Alternative for the Effective Production of Bioactive Metabolites. *Molecules Journal*, 17, 2714-2724.
- Park, H.G., H.G. Ko, S.H. Kim (2004). Molecular Identification of Asian Isolates of Medicinal Mushroom *Hericium Erinaceum* by Phylogenetic Analysis of Nuclear ITS rDNA. *Journal of Microbiol Biotechnology*, 14, 816- 821.
- Paul, N.W., M.G. Eliud, M.G. Benson, M.O. Keziah (2017). Antimicrobial Activity of Mushroom (*Agaricus Bisporus*) and Fungal (*Trametes Gibbosa*) Extracts from Mushrooms and Fungi of Egerton Main Campus, Njoro Kenya. *Journal of Biomed Science*, 6, 1 –6.
- Puttaraju, N.G., S.U. Venkateshaiah, S.M. Dharmesh, S.M.N. Urs, R. Somasundaram (2006). Antioxidant Activity of Indigenous Edible Mushrooms. *Journal of Agric Food Chem*, 54, 9764-9772.
- Rahmad, N., J.R. Al-Obaidi, N.M.N. Rashid (2014). Comparative Proteomic Analysis of Different Developmental Stages of the Edible Mushroom *Termitomyces Heimii*. *Biological research*, 47(30), 1-8.
- Reis, F.S., S.A. Heleno, L. Barros, M.J. Sousa, A. Martins, C.S. Buelga, I.C.F.R. Ferreira (2011). Toward the Antioxidant and Chemical Characterization of Mycorrhizal Mushrooms from Northeast Portugal. *Journal of Food Science*, 76 (6), 824-830.
- Romi, S (2017). Antifungal Activity of *Termitomyces*. *International Journal of Advanced Research, IJAR*, 5 (7), 1503-1505.
- Ramesh, C.H., G.P. Manohar (2010). Antimicrobial Properties, Antioxidant Activity and Bioactive Compounds from Six Wild Edible Mushrooms of Western Ghats of Karnataka, India. *Phcog Res*, 2, 12-107.
- Santhi, K.G., K.P.K. Ratna, S. Geetha (2017). In Vitro Antioxidant and Antimicrobial Activity of Edible Mushroom (*Termitomyces heimii*). *International Journal of Development Research*, Vol 7 (12), 17531-17535.
- Sargunam, S.D., G. Johnsy, A.S. Samuel, V. Kaviyaran (2012). Mushrooms in the Food Culture of the Kaani Tribe of Kanyakumari District. *Indian Journal Traditional Knowledge*, 11, 150-153.
- Sachan, S.K.S., J.K. Patra, H.N. Thatoi (2013). Indigenous Knowledge of Ethnic Tribe for Utilization of Wild Mushrooms as Food and Medicine in Similipal Biosphere Reserve, Odisha, India. *Journal Agriculture Technology*, 9, 335-348.

- Sathiya, S.J.S., Y.C. Shu, F.F. She, M. Dawood, Y.S. Tan, M.J. Kim, M.S. Park, Y.W. Lim (2020). New Species of *Termitomyces* (*Lyophyllaceae*, Basidiomycota) from Sabah (Northern Borneo), Malaysia. *Mycobiology*, 48 (2), 95-103.
- Singha, K., P.K. Hor, J.P. Soren, J. Mondal, K.C. Mondal, B.R. Pati, P.K.D. Mohapatra (2021). Exploration of Bioactive Prospects of a Polysaccharide Fraction from *Termitomyces Heimii* Against Colorectal Cancer and Broad-Spectrum Bacteria. *Bioactive Carbohydrates and Dietary Fibre Journal*, 25, 1-15.
- Song, G., Q. Du (2010). Isolation of a Polysaccharide with Anticancer Activity from *Auricularia Polytricha* using High-Speed Counter Current Chromatography with an Aqueous Two-Phase System. *Journal of Chromatogram*, 1217 (38), 5930-4.
- Sri, N.A.M., K. Gowri, S. Vikineswary, A. Noorlidah, Y. Hashim (2012). Lipid Components of a Malaysian Edible Mushroom, *Termitomyces Heimii* Natarajan. *International Journal of Food Properties*, 15 (4), 809-814.
- Srivastava, B.A., A. Dwivedi, V. Pandey (2011). Morphological Characterization and Yield Potential of *Termitomyces* spp. Mushroom in Gorakhpur Forest Division. *Bulletin of Environment, Pharmacology and Life Sciences*, 1 (1), 54-56.
- Steluti, R.M., E.C. Giese, M.M. Piggato, A.F.G. Sumiya, L.G. Covizzi, A.E. Job, M.S. Cardoso, D.S.M.L. Corradi, R.F.H. Dekker, A.M. Barbosa (2004). Comparison of Botryosphaeran Production by the Ascomyceteous Fungus *Botryosphaeria* sp., Grown on Different Carbohydrate Carbon Sources, and Their Partial Structural Features. *Basic Microbiol Journal*, 44, 480-486.
- Supramani, S., R. Ahmad, I. Ilham, M.S.M. Annuar, Wan- Mohtar (2019). Optimisation of Biomass, Exopolysaccharide and Intracellular Polysaccharide Production from the Mycelium of an Identified *Ganoderma Lucidum* Strain QRS 5120 using Response Surface Methodology. *AIMS Microbiology*, 5 (1), 19-38.
- Tibuhwa, D.D (2012a). Antiradical and Antioxidant Activities of Methanolic Extracts of Indigenous Termitarian Mushroom from Tanzania. *Food Science and Quality Management*, 7, 13-23.
- Tibuhwa, D.D (2012b). Folk Taxonomy and use of Mushrooms in Communities Around Ngorongoro and Serengeti National Park, Tanzania. *J Ethnobiol Ethnomed*, 8, 36-44.
- Villares, A., V.L. Mateo, E. Guillamon (2012). Structural Features and Healthy Properties of Polysaccharides Occurring in Mushrooms. *Agriculture Journal*, 2, 452-471.
- Venkatachalapathi, A., S. Paulsamy (2016). Exploration of Wild Medicinal Mushroom Species in Walayar Valley, the Southern Western Ghats of Coimbatore District Tamil Nadu. *Mycosphere*, 7, 118-130.

- Tsai, S.H., T.P. Wu, S.J. Huang, J.L. Mau (2006). Non-Volatile Taste Components of *Agaricus Bisporus* Harvested at Different Stages of Maturity. *Food Chemistry*, 103, 1457-1464.
- Ubaidillah, N., N. Hafizah, N. Abdullah (2015). Isolation of the Intracellular and Extracellular Polysaccharides of *Ganoderma Neojaponicum* (Imazeki) and Characterization of their Immunomodulatory Properties. *Electron J Biotech*, 18, 188-195.
- Usuldin, S.R.A., N. Mahmud, Z. Ilham, N.K.K. Ikram, R. Ahmad, W.A.A.Q. Imad-Wan Mohtar (2020). In-Depth Spectral Characterization of Antioxidative (1,3)- β -D-Glucan from the Mycelium of an Identified Tiger Milk Mushroom *Lignosus Rhinoceros* Strain ABI in a Stirred-Tank Bioreactor. *Biocatal Agric Biotechnol*, 23.
- Wan-Mohtar, W.A.A.Q.I., N.A. Latif, L.M. Harvey (2016a). Production of Exopolysaccharide by *Ganoderma Lucidum* in a Repeated-Batch Fermentation. *Biocatal Agr Biotechnol*, 6, 91-101.
- Wan-Mohtar, W.A.A.Q.I., R.A. Malek, L.M. Harvey (2016b). Exopolysaccharide Production by *Ganoderma Lucidum* Immobilised on Polyurethane Foam in a Repeated-Batch Fermentation. *Biocatal Agr Biotechnol*, 8, 24-31.
- Wandati, T., G. Kenji, J. Onguso (2013). Phytochemicals in Edible Wild Mushrooms from Selected Areas in Kenya. *Journal of Food Research*, 2 (3), 137-144.
- Wisselink, M., K.D. Aanen, V.A. Padje (2020). The Longevity of Colonies of Fungus-Growing Termites and the Stability of the Symbiosis. *Insects*, 11, 527-534.
- Woldegiorgis, A.Z. D. Abate, G.D. Haki, G.R. Ziegler (2014). Antioxidant Property of Edible Mushrooms Collected from Ethiopia. *Food Chem*, 157, 30-36.
- Wu, G.S., J.J. Guo, J.L. Bao (2013). Anti-Cancer Properties of Triterpenoids Isolated from *Ganoderma Lucidum*. *Expert Opinion on Investigational Drugs review*, 22 (8), 981-992.
- Yang, J., H. Lin, J. Mau (2002). Antioxidant Properties of Several Commercial Mushrooms. *Food Chemistry*, 77 (2), 229-235.
- Zhang, H., Z.Y. Wang, L. Yang, X. Yang, X. Wang, Z. Zhang (2011). In Vitro Antioxidant activities of Sulfated Derivatives of Polysaccharides Extracted from *Auricularia*. *International Journal of Molecular Sciences*, 12, 3288-3302.
- Zhao, Y.X., M.X. Tao, G.Y. Cheng, J. Xing, W.J. Lu (2015). Effects of Polysaccharides from *Termitomyces Albuminosus* on Pathological Liver Ultrastructure and Gene Expression in Mice with Alcoholic Liver Injury. *Food Sci*, 36, 195-199.