

BIBLIOGRAPHY

- Aguedo, M., Giet, J. M., Hanon, E., Lognay, G., Wathélet, B., Destain, J., Brasseur, R., Vandebol, M., Danthine, S., Blecker, C. & Wathélet, J. P. (2009). Calorimetric study of milk fat/rapeseed oil blends and their interesterification products. *European Journal of Lipid Science and Technology*, 111(4), 376–385.
- Aguedo, M., Giet, J. M., Hanon, E., Lognay, G., Wathélet, B., Destain, J., ... Wathélet, J. P. (2009). Calorimetric study of milk fat/rapeseed oil blends and their interesterification products. *European Journal of Lipid Science and Technology*, 111(4), 376–385. <http://doi.org/10.1002/ejlt.200800184>
- Aini, I. N., & Miskandar, M. S. (2007). Utilization of palm oil and palm products in shortenings and margarines. *European Journal of Lipid Science and Technology*, 109(4), 422–432. <http://doi.org/10.1002/ejlt.200600232>
- Aravindan, R., Anbumathi, P., & Viruthagiri, T. (2007). Lipase applications in food industry. *Indian Journal of Biotechnology*, 6(April), 141–158.
- Arifin, N., Cheong, L. Z., Koh, S. P., Long, K., Tan, C. P., Yusoff, M. S. A., ... Lai, O. M. (2009). Physicochemical Properties and Sensory Attributes of Medium- and Long-Chain Triacylglycerols (MLCT)-Enriched Bakery Shortening. *Food and Bioprocess Technology*, 4(4), 587–596. <http://doi.org/10.1007/s11947-009-0204-0>
- Balcao, V. M., Kemppinen, A., Malcata, F. X., & Kalo, P. J. (1998). Lipase-catalyzed acidolysis of butterfat with oleic acid: Characterization of process and product. *Enzyme and Microbial Technology*, 23, 118–128.
- Balcao, V. M., Kemppinen, A., Malcata, F. X., & Kalo, P. J. (1998). Lipase-catalyzed acidolysis of butterfat with oleic acid: characterization of process and product. *Enzyme and Microbial Technology*, 23(1-2), 118–128. [http://doi.org/10.1016/S0141-0229\(98\)00031-3](http://doi.org/10.1016/S0141-0229(98)00031-3)
- Balcao, V. M., & Malcata, F. X. (1998). Interesterification and acidolysis of butterfat with oleic acid by *Mucor javanicus* lipase: changes in the pool of fatty acid residues. *Enzyme and Microbial Technology*, 22(6), 511–519.
- Bednarski, W., & Adamczak, M. (2003). Modified Lipids and Fat Mimetics. In Z. E. Sikorski and A. Kolakowska (Ed.), *Chemical and Functional Properties of Food Lipids* (pp. 309–324). Boca Raton: CRC Press.
- Buchholz, K., Kasche, V., & Bornscheuer, U. T. (2012). Downstream Processing of Enzymes. In *Biocatalysts and Enzyme Technology* (2nd ed.). Germany: Wiley-Blackwell.
- Carrin, M. E., & Crapiste, G. H. (2008). Enzymatic acidolysis of sunflower oil with a palmitic-stearic acid mixture. *Journal of Food Engineering*, 84(2), 243–249.

<http://doi.org/10.1016/j.jfoodeng.2007.05.016>

- Çiftçi, O. N., Fadiloğlu, S., & Göğüş, F. (2009). Conversion of olive pomace oil to cocoa butter-like fat in a packed-bed enzyme reactor. *Bioresource Technology*, *100*(1), 324–329. <http://doi.org/10.1016/j.biortech.2008.05.035>
- Costales-Rodríguez, R., Gibon, V., Verhé, R., & De Greyt, W. (2009). Chemical and enzymatic interesterification of a blend of palm stearin: Soybean oil for low trans-margarine formulation. *JAACS, Journal of the American Oil Chemists' Society*, *86*(7), 681–697. <http://doi.org/10.1007/s11746-009-1395-2>
- Da Silva, R. C., Soares, D. F., Lourenco, M. B., Soares, F. A. S. M., Da Silva, K. G., Goncalves, M. I. A., & Gioielli, L. A. (2010). Structured lipids obtained by chemical interesterification of olive oil and palm stearin. *LWT - Food Science and Technology*, *43*(5), 752–758. <http://doi.org/10.1016/j.lwt.2009.12.010>
- De Clercq, N., Danthine, S., Nguyen, M. T., Gibon, V., & Dewettinck, K. (2013). Enzymatic interesterification of palm oil and fractions: Monitoring the degree of interesterification using different methods. *JAACS, Journal of the American Oil Chemists' Society*, *89*(2), 219–229. <http://doi.org/10.1007/s11746-011-1905-x>
- Esteban, L., Jiménez, M. J., Hita, E., González, P. a., Martín, L., & Robles, A. (2011). Production of structured triacylglycerols rich in palmitic acid at sn-2 position and oleic acid at sn-1,3 positions as human milk fat substitutes by enzymatic acidolysis. *Biochemical Engineering Journal*, *54*(1), 62–69. <http://doi.org/10.1016/j.bej.2011.01.009>
- Farfán, M., Villalón, M. J., Ortiz, M. E., Nieto, S., & Bouchon, P. (2013). The effect of interesterification on the bioavailability of fatty acids in structured lipids. *Food Chemistry*, *139*(1-4), 571–577. <http://doi.org/10.1016/j.foodchem.2013.01.024>
- Fauzi, S. H. M., Rashid, N. A., & Omar, Z. (2013). Effects of chemical interesterification on the physicochemical, microstructural and thermal properties of palm stearin, palm kernel oil and soybean oil blends. *Food Chemistry*, *137*(1-4), 8–17. <http://doi.org/10.1016/j.foodchem.2012.09.086>
- Gandhi, N. N. (1997). Applications of lipase. *Journal of the American Oil Chemists' Society*, *74*(6), 621–634. <http://doi.org/10.1007/s11746-997-0194-x>
- Gee, P. T. (2007). Analytical characteristics of crude and refined palm oil and fractions. *European Journal of Lipid Science and Technology*, *109*(4), 373–379. <http://doi.org/10.1002/ejlt.200600264>
- Hamam, F., & Shahidi, F. (2007). Acidolysis of tristearin with selected long-chain fatty acids. *Journal of Agricultural and Food Chemistry*, *55*(5), 1955–60. <http://doi.org/10.1021/jf062553k>
- Hazirah, S., Fauzi, M., Rashid, N. A., & Omar, Z. (2013). Effects of Enzymatic Interesterification on the Physicochemical, Polymorphism and Textural Properties of Palm Stearin, Palm Kernel Oil and Soybean Oil Blends, *3*(4), 297–308. <http://doi.org/10.7763/IJBBB.2013.V3.242>

- Hita, E., Robles, A., Camacho, B., González, P. a., Esteban, L., Jiménez, M. J., ... Molina, E. (2009). Production of structured triacylglycerols by acidolysis catalyzed by lipases immobilized in a packed bed reactor. *Biochemical Engineering Journal*, 46(3), 257–264. <http://doi.org/10.1016/j.bej.2009.05.015>
- Huang, Y., Zheng, H., & Yan, Y. (2010). Optimization of lipase-catalyzed transesterification of lard for biodiesel production using response surface methodology. *Applied Biochemistry and Biotechnology*, 160(2), 504–15. <http://doi.org/10.1007/s12010-008-8377-y>
- Ibrahim, N. a., Guo, Z., & Xu, X. (2007). Enzymatic Interesterification of Palm Stearin and Coconut Oil by a Dual Lipase System. *Journal of the American Oil Chemists' Society*, 85(1), 37–45. <http://doi.org/10.1007/s11746-007-1157-y>
- Idris, N. A., & Dian, N. L. H. M. (2005). Inter-esterified palm products as alternatives to hydrogenation. *Asia Pacific Journal of Clinical Nutrition*, 14, 396–401.
- Kadivar, S., De Clercq, N., Van de Walle, D., & Dewettinck, K. (2014). Optimisation of enzymatic synthesis of cocoa butter equivalent from high oleic sunflower oil. *Journal of the Science of Food and Agriculture*, 94(7), 1325–1331. <http://doi.org/10.1002/jsfa.6414>
- Kamal-Eldin, A., Velasco, J., & Dobarganes, C. (2003). Oxidation of mixtures of triolein and trilinolein at elevated temperatures. *European Journal of Lipid Science and Technology*, 105(34), 165–170. <http://doi.org/10.1002/ejlt.200390032>
- Kamar MW, S., Mr, S., Salhah O, S., Mn, H., & Basyaruddin AR, M. (2011). Optimization of Lipase Catalyzed Synthesis of Nonyl Caprylate using Response Surface Methodology (RSM). *Journal of Biotechnology & Biomaterials*, 01(03), 1–5. <http://doi.org/10.4172/2155-952X.1000106>
- Karabulut, I., Durmaz, G., & Hayaloglu, A. A. (2009). Fatty acid selectivity of lipases during acidolysis reaction between oleic acid and monoacid triacylglycerols. *Journal of Agricultural and Food Chemistry*, 57(21), 10466–10470. <http://doi.org/10.1021/jf902816e>
- Kim, I.-H., Kim, H., Lee, K.-T., Chung, S.-H., & Ko, S.-N. (2002). Lipase-catalyzed acidolysis of perilla oil with caprylic acid to produce structured lipids. *Journal of the American Oil Chemists' Society*, 79(4), 363–367. <http://doi.org/10.1007/s11746-002-0489-3>
- Koh, S. P., Arifin, N., Lai, O. M., Yusoff, M. S. A., Long, K., & Tan, C. P. (2009). Oxidative stability of palm- and soybean-based medium- and long-chain triacylglycerol (MLCT) oil blends. *Journal of the Science of Food and Agriculture*, 89(3), 455–462. <http://doi.org/10.1002/jsfa.3473>
- Koh, S. P., Tan, C. P., Lai, O. M., Arifin, N., Yusoff, M. S. a., & Long, K. (2008). Enzymatic Synthesis of Medium- and Long-Chain Triacylglycerols (MLCT): Optimization of Process Parameters Using Response Surface Methodology. *Food and Bioprocess Technology*, 3(2), 288–299. <http://doi.org/10.1007/s11947-008-0073-y>

- Kojima, Y., Sakuradani, E., & Shimizu, S. (2006). Acidolysis and glyceride synthesis reactions using fatty acids with two *Pseudomonas* lipases having different substrate specificities. *Journal of Bioscience and Bioengineering*, 102(3), 179–83. <http://doi.org/10.1263/jbb.102.179>
- Kojima, Y., Yokoe, M., & Mase, T. (1994). Purification and characterization of an alkaline lipase from *Pseudomonas fluorescens* AK102. *Bioscience, Biotechnology, and Biochemistry*, 58(9), 1564–1568. <http://doi.org/10.1271/bbb.58.1564>
- Kuntom, A., Siew, W. L., Tan, Y. A., Idris, N. A., Mohtar, Y., Tang, T. S., & Ibrahim, N. A. (2004). *MPOB Test Method-A Compendium of Test on Palm Oil Products, Palm Kernel Products, Fatty Acids, Food Related Products and Others*. Bangi: Malaysian Palm Oil Board (MPOB). Retrieved from <http://mpob.gov.my>
- Lai, O. M. (1998). *Prperties and Application of Blends of Palm Stearin with Palm Kernel Olien, Sunflower Oil or Anhydrous Milkfat Transesterified by Lipases*. Universiti Putra Malaysia.
- Lasoń, E., & Ogonowski, J. (2010). Lipase – characterization, applications and methods of immobilization. *Science Technique*, 64(2), 97–102.
- Lee, J. H., Son, J. M., Akoh, C. C., Kim, M. R., & Lee, K. T. (2010). Optimized synthesis of 1,3-dioleoyl-2-palmitoylglycerol-rich triacylglycerol via interesterification catalyzed by a lipase from *Thermomyces lanuginosus*. *New Biotechnology*, 27(1), 38–45. <http://doi.org/10.1016/j.nbt.2009.10.006>
- Li, Z., Wang, Y., Li, J., Wang, P., Wei, W., Gao, Y., ... Dong, W. (2010). Dual response surface-optimized synthesis of l-menthyl conjugated linoleate in solvent-free system by *Candida rugosa* lipase. *Bioresourcse Technology*, 101(4), 1305–1309. <http://doi.org/10.1016/j.biortech.2009.09.063>
- Lopez-Huertas, E. (2010). Health effects of oleic acid and long chain omega-3 fatty acids (EPA and DHA) enriched milks. A review of intervention studies. *Pharmacological Research : The Official Journal of the Italian Pharmacological Society*, 61(3), 200–7. <http://doi.org/10.1016/j.phrs.2009.10.007>
- Macrae, A. R., & Hammond, R. G. (1985). Present and Future Applications of Lipases. *Biotechnology and Genetic Engineering Reviews*, 3(1), 193–218. <http://doi.org/10.1080/02648725.1985.10647813>
- Mayamol, P. N., Balachandran, C., Samuel, T., Sundaresan, A., & Arumughan, C. (2007). Process Technology for the Production of Micronutrient Rich Red Palm Olein. *Journal of the American Oil Chemists' Society*, 84(6), 587–596. <http://doi.org/10.1007/s11746-007-1078-9>
- Mounika, C., & Yella Reddy, S. (2012). Specialty fats enriched with behenic and medium chain fatty acids from palm stearin by lipase acidolysis. *JAOCS, Journal of the American Oil Chemists' Society*, 89(9), 1691–1697. <http://doi.org/10.1007/s11746-012-2059-1>
- Muralidhar, R. V., Chirumamilla, R. R., Marchant, R., Ramachandran, V. N., Ward, O. P.,

- & Nigam, P. (2002). Understanding lipase stereoselectivity. *World Journal of Microbiology & Biotechnology*, 18, 81–97.
- Nagachinta, S., & Akoh, C. C. (2012). Enrichment of palm olein with long chain polyunsaturated fatty acids by enzymatic acidolysis. *LWT - Food Science and Technology*, 46(1), 29–35. <http://doi.org/10.1016/j.lwt.2011.10.027>
- Namal Senanayake, S. P. J., & Shahidi, F. (2002). Enzyme-catalyzed synthesis of structured lipids via acidolysis of seal (*Phoca groenlandica*) blubber oil with capric acid. *Food Research International*, 35(8), 745–752. [http://doi.org/10.1016/S0963-9969\(02\)00070-4](http://doi.org/10.1016/S0963-9969(02)00070-4)
- Nunes, G. F. M., de Paula, A. V., de Castro, H. F., & dos Santos, J. C. (2011). Optimization of the enzymatic interesterification of milk fat and canola oil blends using immobilized *Rhizopus oryzae* lipase by response surface methodology. *Food Technology and Biotechnology*, 49(3), 385–390.
- Oliveira, a. C., & Rosa, M. F. (2006). Enzymatic transesterification of sunflower oil in an aqueous-oil biphasic system. *Journal of the American Oil Chemists' Society*, 83(1), 21–25. <http://doi.org/10.1007/s11746-006-1170-6>
- Palla, C. a., Pacheco, C., & Carrín, M. E. (2012). Production of structured lipids by acidolysis with immobilized *Rhizomucor miehei* lipases: Selection of suitable reaction conditions. *Journal of Molecular Catalysis B: Enzymatic*, 76, 106–115. <http://doi.org/10.1016/j.molcatb.2011.11.022>
- Pande, G., & Akoh, C. C. (2013). Enzymatic synthesis of trans-free structured margarine fat analogs with high stearate soybean oil and palm stearin and their characterization. *LWT - Food Science and Technology*, 50(1), 232–239. <http://doi.org/10.1016/j.lwt.2012.05.027>
- Pantzaris, T. P. (2000). *Pocketbook of palm oil uses*. (5th Editio). Kuala Lumpur: Malaysian Palm Oil Board.
- Peng, L., Xu, X., Mu, H., Hoy, C.-E., & Adler-Nissen, J. (2002). Production of structured phospholipids by lipase-catalyzed acidolysis: optimization using response surface methodology. *Enzyme and Microbial Technology*, 31(4), 523–532. [http://doi.org/10.1016/S0141-0229\(02\)00147-3](http://doi.org/10.1016/S0141-0229(02)00147-3)
- Rathouský, J., Kalousek, V., Kolář, M., Jirkovský, J., & Barták, P. (2011). A study into the self-cleaning surface properties—The photocatalytic decomposition of oleic acid. *Catalysis Today*, 161(1), 202–208. <http://doi.org/10.1016/j.cattod.2010.11.030>
- Reshna, M. V., Saritha, S. S., Balachandran, C., & Arumughan, C. (2008). Lipase catalyzed interesterification of palm stearin and rice bran oil blends for preparation of zero trans shortening with bioactive phytochemicals. *Bioresource Technology*, 99(11), 5011–9. <http://doi.org/10.1016/j.biortech.2007.09.009>
- Robles, A., Jiménez, M. J., Esteban, L., González, P. A., Martín, L., & Rodríguez, A. (2011). LWT - Food Science and Technology Enzymatic production of human milk fat substitutes containing palmitic and docosahexaenoic acids at sn -2 position and

oleic acid at sn -1 , 3 positions. *LWT - Food Science and Technology*, 44(10), 1986–1992. <http://doi.org/10.1016/j.lwt.2011.05.022>

Rodrigues, R. C., & Fernandez-Lafuente, R. (2010). Lipase from *Rhizomucor miehei* as a biocatalyst in fats and oils modification. *Journal of Molecular Catalysis B: Enzymatic*, 66, 15–32. <http://doi.org/10.1016/j.molcatb.2010.03.008>

Rousseau, D., & Marangoni, A. G. (1998). effects of interesterification on physical and sensory attributes of butterfat and butterfat-canola oil spreads. *Food Research International*, 31(5), 381–388.

Seager, S. L., & Slabaugh, M. R. (2010). *Organic and Biochemistry for Today* (7 Edition). Brooks Cole.

Sellappan, S., & Akoh, C. C. (2000). Enzymatic acidolysis of tristearin with lauric and oleic acids to produce coating lipids. *Journal of the American Oil Chemists Society*, 77, 1127–1134. <http://doi.org/10.1007/s11746-000-0177-3>

Shekarchizadeh, H., & Kadivar, M. (2012). A study on parameters of potential cocoa butter analogue synthesis from camel hump by lipase-catalysed interesterification in supercritical CO₂ using response surface methodology. *Food Chemistry*, 135(1), 155–160. <http://doi.org/10.1016/j.foodchem.2012.04.033>

Sigma-Aldrich. (2015). *Oleic Acid Safety Data Sheet*.

Soares, F. A. S. D. M., Roberta, C. da S., Kelly, C. G. da S., Maira, B. L., Daniela, F. S., & Luiz, A. G. (2009). Effects of chemical interesterification on physicochemical properties of blends of palm stearin and palm olein. *Food Research International*, 42(9), 1287–1294. <http://doi.org/10.1016/j.foodres.2009.03.022>

Sola, R., Ville, A. E. La, Richard, J. L., Motta, C., Bafgallo, M. T., Girona, J., ... Jacotot, B. (1997). Oleic Acid Rich Diet Protects Against the Oxidative Modification of High Density Lipoprotein. *Free Radical Biology & Medicine*, 22(6), 1037–1045.

Sörensen, M. H., Ng, J. B. S., Bergström, L., & Alberius, P. C. A. (2010). Improved enzymatic activity of *Thermomyces lanuginosus* lipase immobilized in a hydrophobic particulate mesoporous carrier. *Journal of Colloid and Interface Science*, 343(1), 359–365. <http://doi.org/10.1016/j.jcis.2009.11.014>

Tecelão, C., Silva, J., Dubreucq, B., Ribeiro, M. H., & Ferreira-Dias, S. (2010). Production of human milk fat substitutes enriched in omega-3 polyunsaturated fatty acids using immobilized commercial lipases and *Candida parapsilosis* lipase/acyltransferase. *Journal of Molecular Catalysis B: Enzymatic*, 65(1-4), 122–127. <http://doi.org/10.1016/j.molcatb.2010.01.026>

Wang, Y., Xia, L., Xu, X., Xie, L., & Duan, Z. (2012). Lipase-catalyzed acidolysis of canola oil with caprylic acid to produce medium-, long- and medium-chain-type structured lipids. *Food and Bioproducts Processing*, 90(4), 707–712. <http://doi.org/10.1016/j.fbp.2012.02.003>

Xu, X. (2000). Production of specific-structured triacylglycerols by lipase-catalyzed reactions: a review. *European Journal of Lipid Science and Technology*, 102(4),

287–303. [http://doi.org/10.1002/\(sici\)1438-9312\(200004\)102:4<287::aid-ejlt287>3.0.co;2-q](http://doi.org/10.1002/(sici)1438-9312(200004)102:4<287::aid-ejlt287>3.0.co;2-q)

- Xu, X. (2003). Engineering of enzymatic reactions and reactors for lipid modification and synthesis. *European Journal of Lipid Science and Technology*, 105(6), 289–304. <http://doi.org/10.1002/ejlt.200390059>
- Xu, X., Balchen, S., Høy, C. E., & Adler-Nissen, J. (1998). Production of specific-structured lipids by enzymatic interesterification in a pilot continuous enzyme bed reactor. *Journal of the American Oil Chemists' Society*. <http://doi.org/10.1007/s11746-998-0096-6>
- Yankah, V. V., & Akoh, C. C. (2000). Lipase-catalyzed acidolysis of tristearin with oleic or caprylic acids to produce structured lipids. *Journal of the American Oil Chemists' Society*, 77(5), 495–500. <http://doi.org/10.1007/s11746-000-0079-4>
- Zainal, Z., & Yusoff, M. S. A. (1999). Enzymatic Interesterification of Palm Stearin and Palm Kernel Olein. *Journal of the American Oil Chemists' Society*, 76(9), 1003–1008.
- Zhang, H., Smith, P., & Adler-Nissen, J. (2004). Effects of degree of enzymatic interesterification on the physical properties of margarine fats: Solid fat content, crystallization behavior, crystal morphology, and crystal network. *Journal of Agricultural and Food Chemistry*, 52(14), 4423–4431. <http://doi.org/10.1021/jf035022u>