

REFERENCES

- Abong', G. O., Muzhingi, T., Wandayi Okoth, M., Ng'Ang'A, F., Ochieng', P. E., Mahuga Mbogo, D., Malavi, D., Akhwale, M., & Ghimire, S. (2020). Phytochemicals in leaves and roots of selected Kenyan orange fleshed sweet potato (OFSP) varieties. *International Journal of Food Science*, 2020.
- Abong', G. O., Muzhingi, T., Okoth, M. W., Ng'ang'a, F., Emelda Ochieng, P., Mbogo, D. M., Malavi, D., Akhwale, M., & Ghimire, S. (2021). Processing methods affect phytochemical contents in products prepared from orange-fleshed sweetpotato leaves and roots. *Food Science and Nutrition*, 9 (2), 1070–1078.
- Adzhar, M.H., Najihah, T.S. & Zakaria, A.J. (2023). Performance of Sweet Potatoes Varieties under Different Organic Matter Levels in BRIS Soil. *Journal of Agrobiotechnology*, 14 (2), 104–119.
- Akande, K. E., Doma, U. D., Agu, H. O., & Adamu, H. M. (2010). Major antinutrients found in plant protein sources: their effect on nutrition. *Pakistan Journal of Nutrition*, 9 (8), 827–832.
- Amin, I., & Wee, Y. L. (2005). Effect of different blanching times on antioxidant properties in selected cruciferous vegetables. *Journal of the Science of Food and Agriculture*, 85 (13), 2314–2320.
- Anderson, R. A., Conway, H. F., Pfeifer, V. F., & Griffin, E.L. (1969). Gelatinization of corn grits by roll-and extrusion-cooking. *Cereal Science Today*, 14, 4–12.
- Antia, B. S., Akpan, E. J., Okon, P. A., & Umoren, I. U. (2006). Nutritive and anti-nutritive evaluation of sweet potatoes (*Ipomoea batatas*) leaves. *Pakistan Journal of Nutrition*, 5 (2), 166–168.
- AOAC. (2012). Official methods of analysis (19th ed.). Washington, DC: Association of Official Analytical Chemists.
- Arias-Rico, J., Macías-León, F. J., Alanís-García, E., Cruz-Cansino, N. del S., Jaramillo-Morales, O. A., Barrera-Gálvez, R., & Ramírez-Moreno, E. (2020). Study of edible plants: Effects of boiling on nutritional, antioxidant, and physicochemical properties. *Foods*, 9 (5), 1–14.
- Arumsari, I., Mäkynen, K., Adisakwattana, S., & Ngamukote, S. (2020). Effects of different cooking methods and palm oil addition on the bioaccessibility of beta-carotene of sweet leaf (*Sauropus androgynous*). *Journal of Nutritional Science and Vitaminology*, 66, S202–S205.
- Aschoff, J. K., Kaufmann, S., Kalkan, O., Neidhart, S., Carle, R., & Schweiggert, R. M. (2015). In vitro bioaccessibility of carotenoids, flavonoids, and vitamin C from differently processed oranges and orange juices [*Citrus sinensis* (L.) osbeck]. *Journal of Agricultural and Food Chemistry*, 63 (2), 578–587.

- Beneragama, C. K., & Goto, K. (2010). Chlorophyll a: b ratio increases under low-light in 'shade-tolerant' *Euglena gracilis*. *Tropical Agricultural Research*, 22 (1), 12–25.
- Bengtsson, A., Brackmann, C., Enejder, A., Alminger, M. L., & Svanberg, U. (2010). Effects of thermal processing on the in vitro bioaccessibility and microstructure of β -carotene in orange-fleshed sweet potato. *Journal of Agricultural and Food Chemistry*, 58 (20), 11090–11096.
- Beristain, C. I., Garcia, H. S., & Vernon-Carter, E. J. (2001). Spray-dried encapsulation of cardamom (*Elettaria cardamomum*) essential oil with mesquite (*Prosopis juliflora*) gum. *LWT-Food Science and Technology*, 34 (6), 398–401.
- Biehler, E., Kaulmann, A., Hoffmann, L., Krause, E., & Bohn, T. (2011a). Dietary and host-related factors influencing carotenoid bioaccessibility from spinach (*Spinacia oleracea*). *Food Chemistry*, 125 (4), 1328–1334.
- Biehler, E., Hoffmann, L., Krause, E., & Bohn, T. (2011b). Divalent minerals decrease micellarization and uptake of carotenoids and digestion products into Caco-2 cells. *The Journal of Nutrition*, 141 (10), 1769–1776.
- Bligh, E.G., & Dyer, W. J. (1959). A rapid method of total lipid extraction and purification. *Canadian Journal of Biochemistry and Physiology*, 37 (8), 911–917.
- Block, M. A., Douce, R., Joyard, J., & Rolland, N. (2007). Chloroplast envelope membranes: A dynamic interface between plastids and the cytosol. *Photosynthesis Research*, 92 (2), 225–244.
- Bogorad, L. (1981). Chloroplasts. *The Journal of Cell Biology*, 9 (3), 256–270.
- Bohn, T., McDougall, G. J., Alegría, A., Alminger, M., Arrigoni, E., Aura, A. M., & Santos, C. N. (2015). Mind the gap—deficits in our knowledge of aspects impacting the bioavailability of phytochemicals and their metabolites—a position paper focusing on carotenoids and polyphenols. *Molecular Nutrition & Food Research*, 59 (7), 1307–1323.
- Bovell-Benjamin, A. C. (2007). Sweet potato: A review of its past, present, and future role in human nutrition. *Advances in Food and Nutrition Research*, 52, 1–59.
- Brodkorb, A., Egger, L., Alminger, M., Alvito, P., Assunção, R., Ballance, S., Bohn, T., Bourlieu-Lacanal, C., Boutrou, R., Carrière, F., Clemente, A., Corredig, M., Dupont, D., Dufour, C., Edwards, C., Golding, M., Karakaya, S., Kirkhus, B., Le Feunteun, S., Recio, I. (2019). INFOGEST static in vitro simulation of gastrointestinal food digestion. *Nature Protocols*, 14 (4), 991–1014.
- Burns, J., Fraser, P. D., & Bramley, P. M. (2003). Identification and quantification of carotenoids, tocopherols and chlorophylls in commonly consumed fruits and vegetables. *Phytochemistry*, 62 (6), 939–947.

- Burri, B. J. (2011). Evaluating sweet potato as an intervention food to prevent vitamin A deficiency. *Comprehensive Reviews in Food Science and Food Safety*, 10 (2), 118–130.
- Cartabiano-Leite, Cláudio, Porcu, Ornella & de Francisco, A. (2020). Sweet potato (*Ipomoea batatas* L. Lam) nutritional potential and social relevance: a review. *International Journal of Engineering Research and Applications*, 10, 23–40.
- Castenmiller, J. J. M., West, C. E., Linssen, J. P. H., Van Het Hof, K. H., & Voragen, A. G. J. (1999). The food matrix of spinach is a limiting factor in determining the bioavailability of β -carotene and to a lesser extent of lutein in humans. *Journal of Nutrition*, 129 (2), 349–355.
- Chandrika, U. G., Basnayake, B. M. L. B., Athukorala, I., Colombagama, P. W. N. M., & Goonetilleke, A. (2010). Carotenoid content and in vitro bioaccessibility of lutein in some leafy vegetables popular in Sri Lanka. *Journal of Nutritional Science and Vitaminology*, 56 (3), 203–207.
- Chen, B. H., & Chen, Y. Y. (1993). Stability of chlorophylls and carotenoids in sweet potato leaves during microwave cooking. *Journal of Agricultural and Food Chemistry*, 41 (8), 1315–1320.
- Chirwa-Moonga, T., Muzungaile, T., Siyumbano, N., Moonga, H. B., & Nyau, V. (2020). Nutrient Composition of Raw and Steamed, Green and Purple Sweet Potato Leaf Varieties (*Ipomoea batatas*). *Journal of Medicinally Active Plants*, 9 (4), 253.
- Chitchumroonchokchai, C., Schwartz, S. J., & Failla, M. L. (2004). Assessment of lutein bioavailability from meals and a supplement using simulated digestion and Caco-2 human intestinal cells. *The Journal of Nutrition*, 134 (9), 2280–2286.
- Chuang, L., Glew, R. H., Wang, Y. C., Yao, P. W., Lin, C. C., Presley, J. M., Schulze, J., & Hou, C. W. (2011). Comparison of the fatty acid, amino acid, mineral and antioxidant content of sweet potato leaves grown on Matsu Island and Mainland Taiwan. *Global Science Books*, 5, 43–47.
- Cilla, A., Bosch, L., Barberá, R., & Alegría, A. (2018). Effect of processing on the bioaccessibility of bioactive compounds—a review focusing on carotenoids, minerals, ascorbic acid, tocopherols and polyphenols. *Journal of Food Composition and Analysis*, 68, 3–15.
- Cioloca, M., Bădărău, C. L., Tican, A., & Popa, M. (2021). Antioxidant potential, Total Vitamin C, phenolic and flavonoids content of sweet potato leaves. *Romanian Biotechnological Letters*, 26 (2), 2441–2447.
- Courraud, J., Berger, J., Cristol, J. P., & Avallone, S. (2013). Stability and bioaccessibility of different forms of carotenoids and vitamin A during in vitro digestion. *Food Chemistry*, 136 (2), 871–877.

- Dagostin, J. L. A. (2017). Use of blanching to reduce antinutrients, pesticides, and microorganisms. *New perspectives on food blanching*, 61–94.
- Data, E. S., Nottingham, S. F., & Kay, S. J. (1996). Effect of sweetpotato latex on sweetpotato weevil (Coleoptera: Curculionidae) feeding and oviposition. *Journal of Economic Entomology*, 89 (2), 544–549.
- Deming, D. M., & Erdman Jr, J. W. (1999). Mammalian carotenoid absorption and metabolism. *Pure and Applied Chemistry*, 71 (12), 2213–2223.
- Department of Agriculture Malaysia. (2023). Booklet statistik tanaman. *Sub-sektor tanaman makanan 2023*. Accessed on 31 August 2023 at https://www.doa.gov.my/doa/resources/aktiviti_sumber/sumber_awam/maklumat_pertanian/perangkaan_tanaman/booklet_statistik_tanaman_2023.pdf.
- Donado-Pestana, C. M., Salgado, J. M., de Oliveira Rios, A., dos Santos, P. R., & Jablonski, A. (2012). Stability of carotenoids, total phenolics and in vitro antioxidant capacity in the thermal processing of orange-fleshed sweet potato (*Ipomoea batatas* Lam.) cultivars grown in Brazil. *Plant Foods for Human Nutrition*, 67, 262–270.
- Eriksen, J. N., Luu, A. Y., Dragsted, L. O., & Arrigoni, E. (2017). Adaption of an in vitro digestion method to screen carotenoid liberation and in vitro accessibility from differently processed spinach preparations. *Food Chemistry*, 224, 407–413.
- Folch, J., Lees, M., & Stanley, G. S. (1957). A simple method for the isolation and purification of total lipids from animal tissues. *Journal of Biological Chemistry*, 226 (1), 497–509.
- Garrett, D. A., Failla, M. L., & Sarama, R. J. (1999). Development of an in vitro digestion method to assess carotenoid bioavailability from meals. *Journal of Agricultural and Food Chemistry*, 47 (10), 4301–4309.
- Gedi, M. A., Briars, R., Yuseli, F., Zainol, N., Darwish, R., Salter, A. M., & Gray, D. A. (2017). Component analysis of nutritionally rich chloroplasts: recovery from conventional and unconventional green plant species. *Journal of Food Science and Technology*, 54 (9), 2746–2757.
- Gedi, M. A., Magee, K. J., Darwish, R., Eakpetch, P., Young, I., & Gray, D. A. (2019). Impact of the partial replacement of fish meal with a chloroplast rich fraction on the growth and selected nutrient profile of zebrafish (*Danio rerio*). *Food & Function*, 10 (2), 733–745.
- Gemedé, H. F., & Ratta, N. (2014). Antinutritional factors in plant foods: Potential health benefits and adverse effects. *International Journal of Nutrition and Food Sciences*, 3 (4), 284–289.

- Ghasemzadeh, A., Omidvar, Vahid., Jaafar, H. Z. J. (2012). Polyphenolic content and their antioxidant activity in leaf extract of sweet potato (*Ipomoea batatas*). *Journal of Medicinal Plants Research*, 6 (15), 2971–2976.
- Gracz-Bernaciak, J., Mazur, O., & Nawrot, R. (2021). Functional studies of plant latex as a rich source of bioactive compounds: focus on proteins and alkaloids. *International Journal of Molecular Sciences*, 22 (22), 12427.
- Gross, J. (2012). Pigments in vegetables: chlorophylls and carotenoids. *Springer Science & Business Media*.
- Hanifah, N. F. M., Sayuti, N. A. S. M., & Mansor, S. (2022a). Investigation on sustainable source of nutrients from fresh and pasteurised sweet potato haulm juice powder. *Journal of Sustainability Science and Management*, 17 (5), 98–105.
- Hanifah, N. F. M. (2022b). Physicochemical analysis and storage stability of unpasteurised and pasteurised juice powder from sweet potato (*Ipomoea batatas* L.) haulm. *Thesis submitted to Universiti Sains Islam Malaysia, Malaysia*.
- Hart, D. J., & Scott, K. J. (1995). Development and evaluation of an HPLC method for the analysis of carotenoids in foods, and the measurement of the carotenoid content of vegetables and fruits commonly consumed in the UK. *Food Chemistry*, 54 (1), 101–111.
- Hasanuzzaman, M., Bhuyan, M. B., Nahar, K., Hossain, M. S., Mahmud, J. A., Hossen, M. S., Masud, A. A. C., Moumita, & Fujita, M. (2018). Potassium: A vital regulator of plant responses and tolerance to abiotic stresses. *Agronomy*, 8 (3), 31.
- Hayes, M., Corbin, S., Nunn, C., Pottorff, M., Kay, C. D., Lila, M. A., Iorizzo, M., & Ferruzzi, M. G. (2021). Influence of simulated food and oral processing on carotenoid and chlorophyll: In vitro bioaccessibility among six spinach genotypes. *Food & Function*, 12 (15), 7001–7016.
- Hornero-Méndez, D., & Mínguez-Mosquera, M. I. (2007). Bioaccessibility of carotenes from carrots: Effect of cooking and addition of oil. *Innovative Food Science and Emerging Technologies*, 8 (3), 407–412.
- Hossain, M. A. S., Islam, A. F. M., Miah, M. N. H., & Khan, M. M. H. (2019). Leaf chlorophylls and carotenoids status and their correlation with storage root weight of some local and exotic sweetpotato genotypes. *Asian Journal of Research in Botany*, 2 (4), 1–11.
- Hu, J., Chen, Y., & Ni, D. (2012). Effect of superfine grinding on quality and antioxidant property of fine green tea powders. *LWT-Food Science and Technology*, 45 (1), 8–12.
- Hue, S. M., Boyce, A. N., & Somasundram, C. (2012). Antioxidant activity, phenolic and flavonoid contents in the leaves of different varieties of sweet potato (*Ipomoea batatas*). *Australian Journal of Crop Science*, 6 (3), 375–380.

- Iddir, M., Yaruro, J. F. P., Larondelle, Y., & Bohn, T. (2021). Gastric lipase can significantly increase lipolysis and carotenoid bioaccessibility from plant food matrices in the harmonized INFOGEST static in vitro digestion model. *Food & Function*, 12 (19), 9043–9053.
- Ishida, H., Suzuno, H., Sugiyama, N., Innami, S., Tadokoro, T., & Maekawa, A. (2000). Nutritive evaluation on chemical components of leaves, stalks and stems of sweet potatoes (*Ipomoea batatas* poir). *Food Chemistry*, 68 (3), 359–367.
- Ishiguro, K., & Yoshimoto, M. (2006). Content of an eye-protective nutrient lutein in sweetpotato leaves. In II International Symposium on Sweetpotato and Cassava: *Innovative Technologies for Commercialization*, 703, 253–256.
- Ishiguro, K. (2019). Sweet potato carotenoids. In sweet potato: Chemistry, processing and nutrition. Ishiguro. *Academic Press*, 223–241.
- Ishiguro, K., Toyama, J., Islam, M. S., Yoshimoto, M., Kumagai, T., Kai, Y., & Yamakawa, O. (2004). Suioh, a new sweetpotato cultivar for utilization in vegetable greens. *Acta Horticulturae*, 339–346.
- Islam, M. S., Yoshimoto, M., Yahara, S., Okuno, S., Ishiguro, K., & Yamakawa, O. (2002). Identification and characterization of foliar polyphenolic composition in sweetpotato (*Ipomoea batatas* L.) genotypes. *Journal of Agricultural and Food Chemistry*, 50 (13), 3718–3722.
- Islam, S. (2016). Some bioactive constituents, antioxidant, and antimutagenic activities in the leaves of *Ipomoea batatas* Lam. genotypes. *American Journal of Food Science and Technology*, 4 (3), 70–80.
- Islam, S. 2006. Sweetpotato (*Ipomoea batatas* L.) leaf: its potential effect on human health and nutrition. *Journal of Food Science*, 71 (2), R13–R121.
- Issa, J. Y., Onyango, A., Makokha, A. O., & Okoth, J. (2020). Effect of boiling and wet frying on nutritional and antinutrients content of traditional vegetables commonly consumed in Malawi. *Journal of Food Research*, 9 (1), 19–33.
- Ivanova, A. V., Gerasimova, E. L., & Brainina, K. Z. (2015). Potentiometric study of antioxidant activity: Development and prospects. *Critical Reviews in Analytical Chemistry*, 45 (4), 311–322.
- Iyaka, Y., Sulaiman, L., & Yahya, M. (2015). Proximate and major essential element composition of *Ipomoea batatas* and *Manihot esculenta* leaves. *Journal of Scientific Research and Reports*, 7 (4), 294–298.
- Jailani, M. R. M. (2019). The conceptual framework of integration of naqli and aqli (INAQ) knowledge in Universiti Sains Islam Malaysia. *Abqari Journal*, 20 (1), 21–32.

- Jang, Y., & Koh, E. (2019). Antioxidant content and activity in leaves and petioles of six sweet potato (*Ipomoea batatas* L.) and antioxidant properties of blanched leaves. *Food Science and Biotechnology*, 28, 337–345.
- Jiang, S., Yu, M., Wang, Y., Yin, W., Jiang, P., Qiu, B., & Qi, H. (2022). Traditional cooking methods affect color, texture and bioactive nutrients of *Undaria pinnatifida*. *Foods*, 11 (8), 1–11.
- Jing, C., Qun, X., & Rohrer, J. (2012). HPLC separation of all-trans- β -carotene and its iodine-induced isomers using a C30 column. *Thermo Sci*, 187, 1-5.
- Johnson, M., & Pace, R. D. (2010). Sweet potato leaves: Properties and synergistic interactions that promote health and prevent disease. *Nutrition Reviews*, 68 (10), 604–615.
- Kalyankar, S. D., Khedkar, C. D., Patil, A. M., & Deosarkar, S. S. (2016). Encyclopedia of food and health. *Milk: Sources and composition*, 741–747.
- Kaplan, M., Ulger, I., Kokten, K., Uzun, S., Oral, E. V., Ozaktan, H., Temizgul, R., & Kale, H. (2018). Nutritional composition of potato (*Solanum tuberosum* L.) haulms. *Progress in Nutrition*, 20, 90–95.
- Katayama, Y., & Shida, S. (1970). Studies on the change of chlorophyll a and b contents due to projected materials and some environmental conditions. *Cytologia*, 35 (2), 171–180.
- Kaur, C., & Kapoor, H. C. (2002). Anti-oxidant activity and total phenolic content of some Asian vegetables. *International Journal of Food Science & Technology*, 37 (2), 153–161.
- Konishi, K., Ogawa, T., Itoh, M., & Shibata, K. (1968). Minor carotenoid components in the chloroplasts of higher plants. *Plant and Cell Physiology*, 9 (3), 519–527.
- Koul, B., Yakoob, M., & Shah, M. P. (2022). Agricultural waste management strategies for environmental sustainability. *Environmental Research*, 206, 112285.
- Kourouma, V., Mu, T. H., Zhang, M., & Sun, H. N. (2019). Effects of cooking process on carotenoids and antioxidant activity of orange-fleshed sweet potato. *Lwt*, 104, 134–141.
- Krishna, T. A., Pragalyaashree, M. M., & Balamurugan, P. (2018). Extraction and quantification of lutein from sweet potato leaves (*Ipomoea batatas*). *Drug Invention Today*, 10 (1), 2618–2621.
- Lamidi, A. A., & Ingweye, J. N. (2020). Physiochemical quality and nutritional value of ensiled fresh maize stover and groundnut haulms in wet season for sustainable ruminant production. *Nigerian Journal of Animal Production*, 47 (6), 141–152.

- Lemmens, L., Van Buggenhout, S., Van Loey, A. M., & Hendrickx, M. E. (2010). Particle size reduction leading to cell wall rupture is more important for the β -carotene bioaccessibility of raw compared to thermally processed carrots. *Journal of Agricultural and Food Chemistry*, 58 (24), 12769–12776.
- Li, M., Jang, G. Y., Lee, S. H., Kim, M. Y., Hwang, S. G., Sin, H. M., Kim, H. S., Lee, J., & Jeong, H. S. (2017). Comparison of functional components in various sweet potato leaves and stalks. *Food Science and Biotechnology*, 26 (1), 97–103.
- Lichtenthaler, H. K., & Buschmann, C. (2001). Chlorophylls and carotenoids: Measurement and characterization by UV-VIS spectroscopy. *Current Protocols in Food Analytical Chemistry*, 1 (1), F4–3.
- Luo, D., Mu, T. H., Sun, H., & Chen, J. (2020). Optimization of the formula and processing of a sweet potato leaf powder-based beverage. *Food Science & Nutrition*, 8 (6), 2680–2691.
- Mackie, A., Mulet-Cabero, A. I., & Torcello-Gómez, A. (2020). Simulating human digestion: developing our knowledge to create healthier and more sustainable foods. *Food & Function*, 11 (11), 9397–9431.
- Malik, N., Gouseti, O., & Bakalis, S. (2017). Effect of freezing with temperature fluctuations on microstructure and dissolution behaviour of freeze-dried high solid systems. *Energy Procedia*, 123, 2–9.
- Managa, M. G., Mpai, S., Remize, F., Garcia, C., & Sivakumar, D. (2020). Impact of moist cooking methods on colour, anti-nutritive compounds and phenolic metabolites in African nightshade (*Solanum retroflexum* Dun.). *Food Chemistry*, 325, 126805.
- Mariani, R., Perdana, F., Fadhlillah, F. M., Qowiyyah, A., & Triyana, H. (2019). Antioxidant activity of Indonesian water spinach and land spinach (*Ipomoea aquatica*): A comparative study. *Journal of Physics*, 1402 (5), 055091.
- Mashiane, P., Mashitola, F. M., Slabbert, R. M., & Sivakumar, D. (2021). Impact of household cooking techniques on colour, antioxidant and sensory properties of African pumpkin and pumpkin leaves. *International Journal of Gastronomy and Food Science*, 23, 100307.
- Mashitola, F. M., Shoko, T., Shai, J. L., Slabbert, R. M., & Sivakumar, D. (2021). Changes in phenolic metabolites and biological activities of pumpkin leaves (*Cucurbita moschata* Duchesne ex Poir.) during blanching. *Frontiers in Nutrition*, 8, 641939.
- Miglio, C., Chiavaro, E., Visconti, A., Fogliano, V., & Pellegrini, N. (2007). Effects of different cooking methods on nutritional and physicochemical characteristics of selected vegetables. *Journal of Agricultural and Food Chemistry*, 56 (1), 139–147.

- Minekus, M., Alminger, M., Alvito, P., Ballance, S., Bohn, T., Bourlieu, C., Carrière, F., Boutrou, R., Corredig, M., Dupont, D., Dufour, C., Egger, L., Golding, M., Karakaya, S., Kirkhus, B., Le Feunteun, S., Lesmes, U., MacIerzanka, A., MacKie, A., Brodkorb, A. (2014). A standardised static in vitro digestion method suitable for food—an international consensus. *Food & Function*, 5 (6), 1113–1124.
- Mokrzycki, W. S., & Tatol, M. (2011). Colour difference ΔE - A survey. *Machine Graphic and Vision*, 20 (4), 383–411.
- Montelius, C., Szwiec, K., Kardas, M., Lozinska, L., Erlanson-Albertsson, C., Pierzynowski, S., Rehfeld, J. F., & Weström, B. (2014). Dietary thylakoids suppress blood glucose and modulate appetite-regulating hormones in pigs exposed to oral glucose tolerance test. *Clinical Nutrition*, 33 (6), 1122–1126.
- Mosha, T. C., Gaga, H. E., Pace, R. D., Laswai, H. S., & Mtebe, K. (1995). Effect of blanching on the content of antinutritional factors in selected vegetables. *Plant Foods for Human Nutrition*, 47 (4), 361–367.
- Mu, T. H., & Li, P. G. (2019). Sweet potato: origin and production. In Sweet Potato. *Academic Press*, 5–25.
- Mulet-Cabero, A. I., Egger, L., Portmann, R., Ménard, O., Marze, S., Minekus, M., & Mackie, A. (2020). A standardised semi-dynamic in vitro digestion method suitable for food—an international consensus. *Food & Function*, 11 (2), 1702–1720.
- Mwanri, A. W., Kogi-Makau, W., & Laswai, H. S. (2011). Nutrients and antinutrients composition of raw, cooked and sun-dried sweet potato leaves. *African Journal of Food, Agriculture, Nutrition and Development*, 11 (5), 5142–5156.
- Nguyen, H. C., Chen, C. C., Lin, K. H., Chao, P. Y., Lin, H. H., & Huang, M. Y. (2021). Bioactive compounds, antioxidants, and health benefits of sweet potato leaves. *Molecules*, 26 (7), 1820.
- Nieves-Cordones, M., Shiblawi, A., Razaq, F., & Sentenac, H. (2016). Roles and transport of sodium and potassium in plants. *The Alkali Metal Ions: Their Role for Life*, 16, 291–324.
- Orsák, M., Kotíková, Z., Hnilička, F., & Lachman, J. (2023). Effect of long-term drought and waterlogging stress on photosynthetic pigments in potato. *Plant, Soil & Environment*, 69 (4), 152–160.
- Ortiz-Rodríguez, N. M., Condori, M., Durán, G., & García-Valladares, O. (2022). Solar drying Technologies: A review and future research directions with a focus on agroindustrial applications in medium and large scale. *Applied Thermal Engineering*, 215, 118993.
- Padda, M. S., & Picha, D. H. (2007). Antioxidant activity and phenolic composition in 'Beauregard' sweetpotato are affected by root size and leaf age. *Journal of the American Society for Horticultural Science*, 132 (4), 447–451.

- Park, D. J., Imm, J. Y., & Ku, K. H. (2001). Improved dispersibility of green tea powder by microparticulation and formulation. *Journal of Food Science*, 66 (6), 793–798.
- Pellegrini, N., Chiavaro, E., Gardana, C., Mazzeo, T., Contino, D., Gallo, M., Riso, P., Fogliano, V., & Porrini, M. (2010). Effect of different cooking methods on color, phytochemical concentration, and antioxidant capacity of raw and frozen brassica vegetables. *Journal of Agricultural and Food Chemistry*, 58 (7), 4310–4321.
- Plant Variety Protection Malaysia. Characteristics of Sweet Potatoes (*Ipomoea batatas*) Varieties. Accessed on 17 December 2023 at <http://pvpbkkt.doa.gov.my>.
- Premasiri, H. A. A., & Ekanayake, S. (2011). Oxalic acid content in green leafy vegetables. *Vidyodaya Journal of Science*, 16.
- Raja, K. S., Taip, F. S., Azmi, M. M. Z., & Shishir, M. R. I. (2019). Effect of pre-treatment and different drying methods on the physicochemical properties of *Carica papaya* L. leaf powder. *Journal of the Saudi Society of Agricultural Sciences*, 18 (2), 150–156.
- Rayner, M., Ljusberg, H., Emek, S. C., Sellman, E., Erlanson-Albertsson, C., & Albertsson, P. Å. (2011). Chloroplast thylakoid membrane-stabilised emulsions. *Journal of the Science of Food and Agriculture*, 91 (2), 315–321.
- Robinson, S. P., & Downton, W. J. S. (1984). Potassium, sodium, and chloride content of isolated intact chloroplasts in relation to ionic compartmentation in leaves. *Archives of Biochemistry and Biophysics*, 228 (1), 197–206.
- Rodriguez-Amaya, D. B. (1999). *A guide to carotenoids analysis in foods*. ILSI Press, Washington, DC.
- Sakurai, Y., Mise, R., Kimura, S. ichiro, Noguchi, S., Iwao, Y., & Itai, S. (2017). Novel method for improving the water dispersibility and flowability of fine green tea powder using a fluidized bed granulator. *Journal of Food Engineering*, 206, 118–124.
- Serrano, J., Goñi, I., & Saura-Calixto, F. (2005). Determination of β -carotene and lutein available from green leafy vegetables by an in vitro digestion and colonic fermentation method. *Journal of Agricultural and Food Chemistry*, 53 (8), 2936–2940.
- Severini, C., Giuliani, R., De Filippis, A., Derossi, A., & De Pilli, T. (2016). Influence of different blanching methods on colour, ascorbic acid and phenolics content of broccoli. *Journal of Food Science and Technology*, 53 (1), 501–510.
- Shilpa, S., Shwetha, H. J., Raju, M., & Lakshminarayana, R. (2020). Factors affecting bioaccessibility and bio-efficacy of carotenoids. In *carotenoids: Properties, processing and applications*. Academic Press, 2020, 41–73.

- Shittu, T. A., & Lawal, M. O. (2007). Factors affecting instant properties of powdered cocoa beverages. *Food Chemistry*, *100* (1), 91–98.
- Sies, H., & Stahl, W. (1995). Vitamins E and C, beta-carotene, and other carotenoids as antioxidants. *The American Journal of Clinical Nutrition*, *62* (6), 1315S–1321S.
- Soll, J., Kemmerling, M., & Schultz, G. (1980). Tocopherol and plastoquinone synthesis in spinach chloroplasts subfractions. *Archives of Biochemistry and Biophysics*, *204* (2), 544–550.
- Sriwichai, W., Berger, J., Picq, C., & Avallone, S. (2016). Determining factors of lipophilic micronutrient bioaccessibility in several leafy vegetables. *Journal of Agricultural and Food Chemistry*, *64* (8), 1695–1701.
- Staelin, L. A. (2003). Chloroplast structure: from chlorophyll granules to supra-molecular architecture of thylakoid membranes. *Photosynthesis Research*, *76*, 185–196.
- Suárez, S., Mu, T., Sun, H., & Añón, M. C. (2020). Antioxidant activity, nutritional, and phenolic composition of sweet potato leaves as affected by harvesting period. *International Journal of Food Properties*, *23* (1), 178–188.
- Sugawara, T., Negishi, Y., Yumi, K., Ishiguro, K., Oki, T., & Suda, I. (2011). Effect of cooking method on the lutein and polyphenol contents in edible leaves of the Suioh sweet potato cultivar. *Journal of Cookery Science of Japan*, *44* (4), 291–298.
- Sui, W., Mu, T., Sun, H., & Yang, H. (2019). Effects of different drying methods on nutritional composition, physicochemical and functional properties of sweet potato leaves. *Journal of Food Processing and Preservation*, *43* (3), e13884.
- Sun, T., Yuan, H., Cao, H., Yazdani, M., Tadmor, Y., & Li, L. (2018). Carotenoid metabolism in plants: the role of plastids. *Molecular Plant*, *11* (1), 58–74.
- Sun, H., Mu, T., Xi, L., & Song, Z. (2014a). Effects of domestic cooking methods on polyphenols and antioxidant activity of sweet potato leaves. *Journal of Agricultural and Food Chemistry*, *62* (36), 8982–8989.
- Sun, H. N., Mu, T. H., & Xi, L. S. (2017). Effect of pH, heat, and light treatments on the antioxidant activity of sweet potato leaf polyphenols. *International Journal of Food Properties*, *20* (2), 318–332.
- Sun, H., Mu, T., Xi, L., Zhang, M., & Chen, J. (2014b). Sweet potato (*Ipomoea batatas* L.) leaves as nutritional and functional foods. *Food Chemistry*, *156*, 380–389.
- Syamila, M. (2019). *Process optimisation, nutrient stability and digestibility of green powder from spinach juice. Thesis submitted to University of Nottingham, United Kingdom.*

- Szulc, K., & Lenart, A. (2016). Effect of composition on physical properties of food powders. *International Agrophysics*, 30 (2).
- Tan, Y., Zhang, Z., Zhou, H., Xiao, H., & McClements, D. J. (2020). Factors impacting lipid digestion and β -carotene bioaccessibility assessed by standardized gastrointestinal model (INFOGEST): Oil droplet concentration. *Food & Function*, 11 (8), 7126–7137.
- Tan, S. L. (2015). Sweetpotato Ipomoea batatas a great health food. *Utar Agriculture Science Journal*, 1 (3), 15–28.
- Tang, C. C., Ameen, A., Fang, B. P., Liao, M. H., Chen, J. Y., Huang, L. F., Zou, H. Da, & Wang, Z. Y. (2021). Nutritional composition and health benefits of leaf-vegetable sweet potato in South China. *Journal of Food Composition and Analysis*, 96, 103714.
- Thakur, A., Sharma, V., & Thakur, A. (2019). An overview of anti-nutritional factors in food. *International Journal of Chemical Studies*, 7 (1), 2472–2479.
- Thorner, J. P. (1975). Chlorophyll-proteins: light-harvesting and reaction center components of plants. *Annual Review of Plant Physiology*, 26 (1), 127–158.
- Tomar, D., Singh, P. K., Hoque, S., Modani, S., Sriram, A., Kumar, R., Madan, J., Khatri, D., & Dua, K. (2022). Amorphous systems for delivery of nutraceuticals: challenges opportunities. *Critical Reviews in Food Science and Nutrition*, 62 (5), 1204–1221.
- Torcello-Gómez, A., Gedi, M. A., Ibbett, R., Husain, K. N., Briars, R., & Gray, D. (2019). Chloroplast-rich material from the physical fractionation of pea vine (*Pisum sativum*) postharvest field residue (haulm). *Food Chemistry*, 272, 18–25.
- Turkmen, N., Sari, F., & Velioglu, Y. S. (2005). The effect of cooking methods on total phenolics and antioxidant activity of selected green vegetables. *Food Chemistry*, 93 (4), 713–718.
- United Nations. (2023). United Nations Malaysia, Singapore and Brunei Darussalam. *Our work on the sustainable development goals in Malaysia, Singapore and Brunei Darussalam*. Accessed on 31 August 2023 at <https://malaysia.un.org/en/sdgs>.
- van het Hof, K. H., Weststrate, J. A., West, C. E., & Hautvast, J. G. (2000). Dietary factors that affect the bioavailability of carotenoids. *The Journal of Nutrition*, 130 (3), 503–506.
- Veda, S., Kamath, A., Platel, K., Begum, K., & Srinivasan, K. (2006). Determination of bioaccessibility of β -carotene in vegetables by in vitro methods. *Molecular Nutrition & Food Research*, 50 (11), 1047–1052.

- Vranić E. (2004). Amorphous pharmaceutical solids. *Bosnian Journal of Basic Medical Sciences*, 4 (3), 35–39.
- Waseem, M., Akhtar, S., Qamar, M., Saeed, W., Ismail, T., & Esatbeyoglu, T. (2022). Effect of thermal and non-thermal processing on nutritional, functional, safety characteristics and sensory quality of white cabbage powder. *Foods*, 11 (23).
- Wattanakul, J., Syamila, M., Darwish, R., Gedi, M. A., Sutcharit, P., Chi, C., Akepach, P., Sahaka, M., Gontero, B., Carrière, F., & Gray, D. A. (2022). Bioaccessibility of essential lipophilic nutrients in a chloroplast-rich fraction (CRF) from agricultural green waste during simulated human gastrointestinal tract digestion. *Food & Function*, 13 (9), 5365–5380.
- Wattanakul, J., Syamila, M., Briars, R., Ayed, C., Price, R., Darwish, R., Gedi, M. A., & Gray, D. A. (2021). Effect of steam sterilisation on lipophilic nutrient stability in a chloroplast-rich fraction (CRF) recovered from postharvest, pea vine field residue (haulm). *Food Chemistry*, 334, 127589.
- Wattanakul, J., Sahaka, M., Amara, S., Mansor, S., Gontero, B., Carrière, F., & Gray, D. (2019). In vitro digestion of galactolipids from chloroplast-rich fraction (CRF) of postharvest, pea vine field residue (haulm) and spinach leaves. *Food & Function*, 10 (12), 7806–7817.
- Wickramasinghe, Y. W. H., Wickramasinghe, I., & Wijesekara, I. (2020). Effect of steam blanching, dehydration temperature & time, on the sensory and nutritional properties of a herbal tea developed from *Moringa oleifera* leaves. *International Journal of Food Science*, 2020, 5376280.
- Xia, H., Houghton, J. A., Clark, J. H., & Matharu, A. S. (2016). Potential utilization of unavoidable food supply chain wastes-valorization of pea vine wastes. *ACS Sustainable Chemistry and Engineering*, 4 (11), 6002–6009.
- Xu, W., Liu, L., Hu, B., Sun, Y., Ye, H., Ma, D., & Zeng, X. (2010). TPC in the leaves of 116 sweet potato (*Ipomoea batatas* L.) varieties and Pushu 53 leaf extracts. *Journal of Food Composition and Analysis*, 23 (6), 599–604.
- Yamazaki, J. Y., Suzuki, T., Maruta, E., & Kamimura, Y. (2005). The stoichiometry and antenna size of the two photosystems in marine green algae, *Bryopsis maxima* and *Ulva pertusa*, in relation to the light environment of their natural habitat. *Journal of Experimental Botany*, 56 (416), 1517–1523.
- Yang, X., & Berglund, L. A. (2021). Structural and ecofriendly holocellulose materials from wood: microscale fibers and nanoscale fibrils. *Advanced Materials*, 33 (28), 2001118.
- Yusoff, M. M., Abdullah, S. N., Halim, M. R. A., Shari, E. S., Ismail, N. A., & Yusoff, M. M. (2018). Growth and yield performance of five purple sweet potato (*Ipomoea batatas*) accessions on colluvium soil. *Pertanika Journal of Tropical Agricultural Science*, 41 (3), 975–986.

Zhang, C., Liu, D., Wu, L., Zhang, J., Li, X., & Wu, W. (2019). Chemical characterization and antioxidant properties of ethanolic extract and its fractions from sweet potato (*Ipomoea batatas* L.) leaves. *Foods*, 9 (1), 15.

UNIVERSITI SAINS ISLAM MALAYSIA
جامعة العلوم الإسلامية
ISLAMIC SCIENCE UNIVERSITY OF MALAYSIA